

Midland Radio Corporation

Midland Radio Corporation TIRNO-10-D-00006
Volume III TAB B - CONTRACT LINE ITEMS, SECTION B - PORTABLES
Base Year (DATE OF AWARD THRU 12 MONTHS)

CLIN	Description	Model No.
0110	VHF/ 5 Watt P25 Portable 136-174 MHz LCD Display, 999 Channels, 255 Zones, Full Keypad with Digital DTMF operation, 8 Programmable soft keys, Includes Battery, Antenna and Belt Clip	STP-105B-G1
0121	UHF/ 4 Watt P25 Portable 380-450 MHz; LCD Display, 999 Channels, 255 Zones, Full Keypad with Digital DTMF operation, 8 Programmable soft keys, Includes Battery, Antenna and Belt Clip	STP-404A-G1
0122	UHF/ 4 Watt P25 Portable 450 - 512 MHz ; LCD Display, 999 Channels, 255 Zones, Full Keypad with Digital DTMF operation, 8 Programmable soft keys, Includes Battery, Antenna and Belt Clip	STP-404B-G1
0110AA	VHF Helical Antenna, (136 - 146MHz) - STP Series Portable Radios	ACC-136G
0110AB	VHF Helical Antenna, (154 - 164MHz) - STP Series Portable Radios	ACC-154G
0110AC	VHF Helical Antenna, (146 - 155MHz) - STP Series Portable Radios	ACC-155G
0110AD	VHF Helical Antenna, (163 -174MHz) - STP Series Portable Radios	ACC-163G
0120AA	UHF Helical Antenna - STP Series Portable Radios	ACC-170G
0100CA	Nylon Carry Case with Belt Clip for STP Series P25 Portables	ACC-306G
0100CB	Nylon Carry Case with Swivel Clip Belt Loop for STP Series P25 Portables	ACC-316G
0100CC	Leather Carry Case with Swivel Clip Belt Loop for STP Series P25 Portables	ACC-326G
0100CD	Belt Clip, Extra Long	550-070-2002G
0100BA	Alkaline Battery Clamshell - STP Series Portable Radios	90-1015G
0100BB	1800 mAh Li-Ion Battery - STP Series Portable Radios	ACC-1800G
0100DA	120V AC Wall Adapter for use with ACC451	ACC-1411G
0100DB	Single Unit Rapid Rate Desktop Charger- STP Series Portable Radio (Includes ACC1411 AC Wall Adapter)	ACC-451G
0100DC	6-Station Universal "Rapid" Gang Charger, Includes 6 Adapter Cups	ACC460AG
0100DD	ACC-1800 Charger Cup Adapter for use with ACC-460A	ACC-466AG
0100EA	3 Wire Surveillance Kit	90-1170G
0100EB	Banded Headset - Tactical IV with Boom Microphone and 80mm Body PTT	ACC-610G
0100EC	Headset - Lightweight, Standard in-line PTT with Pigtail for Remote PTT Options	ACC-614G

Midland Radio Corporaton

CLIN	Description	Model No.
0100ED	Heavy Duty, Single Speaker Behind-the-Head Headset, Standard in-line PTT with Pigtail for Remote PTT Options	ACC-625G
0100EE	Standard Duty Lapel Speaker Microphone with Hirose Connector	ACC-718G
0100EF	Heavy Duty Professional Speaker Microphone with Hirose Connector	ACC-720G
0100FA	Command Tactical Zone Option (Allows Command Zone, Sinlge button Tone select, and Field programming).	96-2516G
0100FB	AES / DES Encryption	96-2501G
0100FC	Interface cable for KVL3000	91-0924G
0100FD	OTAR (Over The Air Rekeying) Available Nov. 2009	96-2502G
0100GA	STP Series P25 Portable Owner's Manual	680-090-2040G
0100GB	STP Series P25 Portable Service Manual	680-100-2020G
0100GC	STP Series P25 Portables & STM Series P25 Mobiles - USB to Serial Interface	91-1300G
0100GD	STP Series Portable Radio Test Alignment Interface Cable - for use with ACC2205	950-020-0006G
0100GF	STP Series Portable Radio Test Alignment Interface Cable - SMA-N - for use with ACC2205	950-020-0008G
0100GG	STP Series P25 Portable & STM Series P25 Mobiles - Interface Alignment Test Box	ACC-2205G
0100GH	STP Series P25 Portable & STM Series P25 Mobiles - Cloning Interface Cable	ACC-2305G
0100GJ	STP Series P25 Portables & STM Series P25 Mobiles - PC Programming Interface Cable	ACC-2600G
0100GK	STP Series P25 Portables & STM Series P25 Mobiles - Alignment Service Software (Requires ACC-2205 and Alignment Test Cables)	MRA25G
0100GL	PC Programming Software	MRP25G
0100GM	MKM (Encryption PC Programming Software)	MKM25G
	Subscriber Unit Operations Training - 4 - 10 Students (per 2 hour course)	
	Subscriber Unit Maintenance Training - 4 - 10 Students (per 40 hour course)	

Midland Radio Corporation

Midland Radio Corporation TIRNO-10-D-00006
Volume III TAB B - CONTRACT LINE ITEMS, SECTION B - PORTABLES
1st Option Year (THRU 12 MONTHS AFTER BASE YEAR)

CLIN	Description	Model No.
1110	VHF/ 5 Watt P25 Portable 136-174 MHz LCD Display, 999 Channels, 255 Zones, Full Keypad with Digital DTMF operation, 8 Programmable soft keys, Includes Battery, Antenna and Belt Clip	STP-105B-G1
1121	UHF/ 4 Watt P25 Portable 380-450 MHz; LCD Display, 999 Channels, 255 Zones, Full Keypad with Digital DTMF operation, 8 Programmable soft keys, Includes Battery, Antenna and Belt Clip	STP-404A-G1
1122	UHF/ 4 Watt P25 Portable 450 - 512 MHz ; LCD Display, 999 Channels, 255 Zones, Full Keypad with Digital DTMF operation, 8 Programmable soft keys, Includes Battery, Antenna and Belt Clip	STP-404B-G1
1110AA	VHF Helical Antenna, (136 - 146MHz) - STP Series Portable Radios	ACC-136G
1110AB	VHF Helical Antenna, (154 - 164MHz) - STP Series Portable Radios	ACC-154G
1110AC	VHF Helical Antenna, (146 - 155MHz) - STP Series Portable Radios	ACC-155G
1110AD	VHF Helical Antenna, (163 -174MHz) - STP Series Portable Radios	ACC-163G
1120AA	UHF Helical Antenna - STP Series Portable Radios	ACC-170G
1100CA	Nylon Carry Case with Belt Clip for STP Series P25 Portables	ACC-306G
1100CB	Nylon Carry Case with Swivel Clip Belt Loop for STP Series P25 Portables	ACC-316G
1100CC	Leather Carry Case with Swivel Clip Belt Loop for STP Series P25 Portables	ACC-326G
1100CD	Belt Clip, Extra Long	550-070-2002G
1100BA	Alkaline Battery Clamshell - STP Series Portable Radios	90-1115G
1100BB	1800 mAh Li-Ion Battery - STP Series Portable Radios	ACC-1800G
1100DA	120V AC Wall Adapter for use with ACC451	ACC-1411G
1100DB	Single Unit Rapid Rate Desktop Charger- STP Series Portable Radio (Includes ACC1411 AC Wall Adapter)	ACC-451G
1100DC	6-Station Universal "Rapid" Gang Charger, Includes 6 Adapter Cups	ACC460AG
1100DD	ACC-1800 Charger Cup Adapter for use with ACC-460A	ACC-466AG
1100EA	3 Wire Surveillance Kit	90-1170G
1100EB	Banded Headset - Tactical IV with Boom Microphone and 80mm Body PTT	ACC-610G
1100EC	Headset - Lightweight, Standard in-line PTT with Pigtail for Remote PTT Options	ACC-614G

Midland Radio Corporaton

CLIN	Description	Model No.
1100ED	Heavy Duty, Single Speaker Behind-the-Head Headset, Standard in-line PTT with Pigtail for Remote PTT Options	ACC-625G
1100EE	Standard Duty Lapel Speaker Microphone with Hirose Connector	ACC-718G
1100EF	Heavy Duty Professional Speaker Microphone with Hirose Connector	ACC-720G
1100FA	Command Tactical Zone Option (Allows Command Zone, Sinlge button Tone select, and Field programming).	96-2516G
1100FB	AES / DES Encryption	96-2511G
1100FC	Interface cable for KVL3000	91-0924G
1100FD	OTAR (Over The Air Rekeying) Available Nov. 2009	96-2502G
1100GA	STP Series P25 Portable Owner's Manual	680-090-2040G
1100GB	STP Series P25 Portable Service Manual	680-100-2020G
1100GC	STP Series P25 Portables & STM Series P25 Mobiles - USB to Serial Interface	91-1300G
1100GD	STP Series Portable Radio Test Alignment Interface Cable - for use with ACC2205	950-020-0006G
1100GF	STP Series Portable Radio Test Alignment Interface Cable - SMA-N - for use with ACC2205	950-020-0008G
1100GG	STP Series P25 Portable & STM Series P25 Mobiles - Interface Alignment Test Box	ACC-2205G
1100GH	STP Series P25 Portable & STM Series P25 Mobiles - Cloning Interface Cable	ACC-2305G
1100GJ	STP Series P25 Portables & STM Series P25 Mobiles - PC Programming Interface Cable	ACC-2600G
1100GK	STP Series P25 Portables & STM Series P25 Mobiles - Alignment Service Software (Requires ACC-2205 and Alignment Test Cables)	MRA25G
1100GL	PC Programming Software	MRP25G
1100GM	MKM (Encryption PC Programming Software)	MKM25G
	Subscriber Unit Operations Training - 4 - 10 Students (per 2 hour course)	
	Subscriber Unit Maintenance Training - 4 - 10 Students (per 40 hour course)	

Midland Radio Corporation

Midland Radio Corporation TIRNO-10-D-00006
Volume III TAB B - CONTRACT LINE ITEMS, SECTION B - PORTABLES
2nd Option Year (THRU 12 MONTHS AFTER 1st OPTION YEAR)

CLIN	Description	Model No.
2110	VHF/ 5 Watt P25 Portable 136-174 MHz LCD Display, 999 Channels, 255 Zones, Full Keypad with Digital DTMF operation, 8 Programmable soft keys, Includes Battery, Antenna and Belt Clip	STP-105B-G1
2121	UHF/ 4 Watt P25 Portable 380-450 MHz; LCD Display, 999 Channels, 255 Zones, Full Keypad with Digital DTMF operation, 8 Programmable soft keys, Includes Battery, Antenna and Belt Clip	STP-404A-G1
2122	UHF/ 4 Watt P25 Portable 450 - 512 MHz ; LCD Display, 999 Channels, 255 Zones, Full Keypad with Digital DTMF operation, 8 Programmable soft keys, Includes Battery, Antenna and Belt Clip	STP-404B-G1
2110AA	VHF Helical Antenna, (136 - 146MHz) - STP Series Portable Radios	ACC-136G
2110AB	VHF Helical Antenna, (154 - 164MHz) - STP Series Portable Radios	ACC-154G
2110AC	VHF Helical Antenna, (146 - 155MHz) - STP Series Portable Radios	ACC-155G
2110AD	VHF Helical Antenna, (163 -174MHz) - STP Series Portable Radios	ACC-163G
2120AA	UHF Helical Antenna - STP Series Portable Radios	ACC-170G
2100CA	Nylon Carry Case with Belt Clip for STP Series P25 Portables	ACC-306G
2100CB	Nylon Carry Case with Swivel Clip Belt Loop for STP Series P25 Portables	ACC-316G
2100CC	Leather Carry Case with Swivel Clip Belt Loop for STP Series P25 Portables	ACC-326G
2100CD	Belt Clip, Extra Long	550-070-2002G
2100BA	Alkaline Battery Clamshell - STP Series Portable Radios	90-1215G
2100BB	1800 mAh Li-Ion Battery - STP Series Portable Radios	ACC-1800G
2100DA	120V AC Wall Adapter for use with ACC451	ACC-1411G
2100DB	Single Unit Rapid Rate Desktop Charger- STP Series Portable Radio (Includes ACC1411 AC Wall Adapter)	ACC-451G
2100DC	6-Station Universal "Rapid" Gang Charger, Includes 6 Adapter Cups	ACC460AG
2100DD	ACC-1800 Charger Cup Adapter for use with ACC-460A	ACC-466AG
2100EA	3 Wire Surveillance Kit	90-1170G
2100EB	Banded Headset - Tactical IV with Boom Microphone and 80mm Body PTT	ACC-610G
2100EC	Headset - Lightweight, Standard in-line PTT with Pigtail for Remote PTT Options	ACC-614G

Midland Radio Corporaton

CLIN	Description	Model No.
2100ED	Heavy Duty, Single Speaker Behind-the-Head Headset, Standard in-line PTT with Pigtail for Remote PTT Options	ACC-625G
2100EE	Standard Duty Lapel Speaker Microphone with Hirose Connector	ACC-718G
2100EF	Heavy Duty Professional Speaker Microphone with Hirose Connector	ACC-720G
2100FA	Command Tactical Zone Option (Allows Command Zone, Sinlge button Tone select, and Field programming).	96-2516G
2100FB	AES / DES Encryption	96-2521G
2100FC	Interface cable for KVL3000	91-0924G
2100FD	OTAR (Over The Air Rekeying) Available Nov. 2009	96-2502G
2100GA	STP Series P25 Portable Owner's Manual	680-090-2040G
2100GB	STP Series P25 Portable Service Manual	680-100-2020G
2100GC	STP Series P25 Portables & STM Series P25 Mobiles - USB to Serial Interface	91-1300G
2100GD	STP Series Portable Radio Test Alignment Interface Cable - for use with ACC2205	950-020-0006G
2100GF	STP Series Portable Radio Test Alignment Interface Cable - SMA-N - for use with ACC2205	950-020-0008G
2100GG	STP Series P25 Portable & STM Series P25 Mobiles - Interface Alignment Test Box	ACC-2205G
2100GH	STP Series P25 Portable & STM Series P25 Mobiles - Cloning Interface Cable	ACC-2305G
2100GJ	STP Series P25 Portables & STM Series P25 Mobiles - PC Programming Interface Cable	ACC-2600G
2100GK	STP Series P25 Portables & STM Series P25 Mobiles - Alignment Service Software (Requires ACC-2205 and Alignment Test Cables)	MRA25G
2100GL	PC Programming Software	MRP25G
2100GM	MKM (Encryption PC Programming Software)	MKM25G
	Subscriber Unit Operations Training - 4 - 10 Students (per 2 hour course)	
	Subscriber Unit Maintenance Training - 4 - 10 Students (per 40 hour course)	

Midland Radio Corporation

Midland Radio Corporation TIRNO-10-D-00006
Volume III TAB B - CONTRACT LINE ITEMS, SECTION B - PORTABLES
3rd Option Year (THRU 12 MONTHS AFTER 2nd OPTION YEAR)

CLIN	Description	Model No.
3110	VHF/ 5 Watt P25 Portable 136-174 MHz LCD Display, 999 Channels, 255 Zones, Full Keypad with Digital DTMF operation, 8 Programmable soft keys, Includes Battery, Antenna and Belt Clip	STP-105B-G1
3121	UHF/ 4 Watt P25 Portable 380-450 MHz; LCD Display, 999 Channels, 255 Zones, Full Keypad with Digital DTMF operation, 8 Programmable soft keys, Includes Battery, Antenna and Belt Clip	STP-404A-G1
3122	UHF/ 4 Watt P25 Portable 450 - 512 MHz ; LCD Display, 999 Channels, 255 Zones, Full Keypad with Digital DTMF operation, 8 Programmable soft keys, Includes Battery, Antenna and Belt Clip	STP-404B-G1
3110AA	VHF Helical Antenna, (136 - 146MHz) - STP Series Portable Radios	ACC-136G
3110AB	VHF Helical Antenna, (154 - 164MHz) - STP Series Portable Radios	ACC-154G
3110AC	VHF Helical Antenna, (146 - 155MHz) - STP Series Portable Radios	ACC-155G
3110AD	VHF Helical Antenna, (163 -174MHz) - STP Series Portable Radios	ACC-163G
3120AA	UHF Helical Antenna - STP Series Portable Radios	ACC-170G
3100CA	Nylon Carry Case with Belt Clip for STP Series P25 Portables	ACC-306G
3100CB	Nylon Carry Case with Swivel Clip Belt Loop for STP Series P25 Portables	ACC-316G
3100CC	Leather Carry Case with Swivel Clip Belt Loop for STP Series P25 Portables	ACC-326G
3100CD	Belt Clip, Extra Long	550-070-2002G
3100BA	Alkaline Battery Clamshell - STP Series Portable Radios	90-1315G
3100BB	1800 mAh Li-Ion Battery - STP Series Portable Radios	ACC-1800G
3100DA	120V AC Wall Adapter for use with ACC451	ACC-1411G
3100DB	Single Unit Rapid Rate Desktop Charger- STP Series Portable Radio (Includes ACC1411 AC Wall Adapter)	ACC-451G
3100DC	6-Station Universal "Rapid" Gang Charger, Includes 6 Adapter Cups	ACC460AG
3100DD	ACC-1800 Charger Cup Adapter for use with ACC-460A	ACC-466AG
3100EA	3 Wire Surveillance Kit	90-1170G
3100EB	Banded Headset - Tactical IV with Boom Microphone and 80mm Body PTT	ACC-610G
3100EC	Headset - Lightweight, Standard in-line PTT with Pigtail for Remote PTT Options	ACC-614G

Midland Radio Corporaton

CLIN	Description	Model No.
3100ED	Heavy Duty, Single Speaker Behind-the-Head Headset, Standard in-line PTT with Pigtail for Remote PTT Options	ACC-625G
3100EE	Standard Duty Lapel Speaker Microphone with Hirose Connector	ACC-718G
3100EF	Heavy Duty Professional Speaker Microphone with Hirose Connector	ACC-720G
3100FA	Command Tactical Zone Option (Allows Command Zone, Sinlge button Tone select, and Field programming).	96-2516G
3100FB	AES / DES Encryption	96-2531G
3100FC	Interface cable for KVL3000	91-0924G
3100FD	OTAR (Over The Air Rekeying) Available Nov. 2009	96-2502G
3100GA	STP Series P25 Portable Owner's Manual	680-090-2040G
3100GB	STP Series P25 Portable Service Manual	680-100-2020G
3100GC	STP Series P25 Portables & STM Series P25 Mobiles - USB to Serial Interface	91-1300G
3100GD	STP Series Portable Radio Test Alignment Interface Cable - for use with ACC2205	950-020-0006G
3100GF	STP Series Portable Radio Test Alignment Interface Cable - SMA-N - for use with ACC2205	950-020-0008G
3100GG	STP Series P25 Portable & STM Series P25 Mobiles - Interface Alignment Test Box	ACC-2205G
3100GH	STP Series P25 Portable & STM Series P25 Mobiles - Cloning Interface Cable	ACC-2305G
3100GJ	STP Series P25 Portables & STM Series P25 Mobiles - PC Programming Interface Cable	ACC-2600G
3100GK	STP Series P25 Portables & STM Series P25 Mobiles - Alignment Service Software (Requires ACC-2205 and Alignment Test Cables)	MRA25G
3100GL	PC Programming Software	MRP25G
3100GM	MKM (Encryption PC Programming Software)	MKM25G
	Subscriber Unit Operations Training - 4 - 10 Students (per 2 hour course)	
	Subscriber Unit Maintenance Training - 4 - 10 Students (per 40 hour course)	

Midland Radio Corporation

Midland Radio Corporation TIRNO-10-D-00006
Volume III TAB B - CONTRACT LINE ITEMS, SECTION B - PORTABLES
4th Option Year (THRU 12 MONTHS AFTER 3rd OPTION YEAR)

CLIN	Description	Model No.
4110	VHF/ 5 Watt P25 Portable 136-174 MHz LCD Display, 999 Channels, 255 Zones, Full Keypad with Digital DTMF operation, 8 Programmable soft keys, Includes Battery, Antenna and Belt Clip	STP-105B-G1
4121	UHF/ 4 Watt P25 Portable 380-450 MHz; LCD Display, 999 Channels, 255 Zones, Full Keypad with Digital DTMF operation, 8 Programmable soft keys, Includes Battery, Antenna and Belt Clip	STP-404A-G1
4122	UHF/ 4 Watt P25 Portable 450 - 512 MHz ; LCD Display, 999 Channels, 255 Zones, Full Keypad with Digital DTMF operation, 8 Programmable soft keys, Includes Battery, Antenna and Belt Clip	STP-404B-G1
4110AA	VHF Helical Antenna, (136 - 146MHz) - STP Series Portable Radios	ACC-136G
4110AB	VHF Helical Antenna, (154 - 164MHz) - STP Series Portable Radios	ACC-154G
4110AC	VHF Helical Antenna, (146 - 155MHz) - STP Series Portable Radios	ACC-155G
4110AD	VHF Helical Antenna, (163 -174MHz) - STP Series Portable Radios	ACC-163G
4120AA	UHF Helical Antenna - STP Series Portable Radios	ACC-170G
4100CA	Nylon Carry Case with Belt Clip for STP Series P25 Portables	ACC-306G
4100CB	Nylon Carry Case with Swivel Clip Belt Loop for STP Series P25 Portables	ACC-316G
4100CC	Leather Carry Case with Swivel Clip Belt Loop for STP Series P25 Portables	ACC-326G
4100CD	Belt Clip, Extra Long	550-070-2002G
4100BA	Alkaline Battery Clamshell - STP Series Portable Radios	90-1415G
4100BB	1800 mAh Li-Ion Battery - STP Series Portable Radios	ACC-1800G
4100DA	120V AC Wall Adapter for use with ACC451	ACC-1411G
4100DB	Single Unit Rapid Rate Desktop Charger- STP Series Portable Radio (Includes ACC1411 AC Wall Adapter)	ACC-451G
4100DC	6-Station Universal "Rapid" Gang Charger, Includes 6 Adapter Cups	ACC460AG
4100DD	ACC-1800 Charger Cup Adapter for use with ACC-460A	ACC-466AG
4100EA	3 Wire Surveillance Kit	90-1170G
4100EB	Banded Headset - Tactical IV with Boom Microphone and 80mm Body PTT	ACC-610G
4100EC	Headset - Lightweight, Standard in-line PTT with Pigtail for Remote PTT Options	ACC-614G

Midland Radio Corporaton

CLIN	Description	Model No.
4100ED	Heavy Duty, Single Speaker Behind-the-Head Headset, Standard in-line PTT with Pigtail for Remote PTT Options	ACC-625G
4100EE	Standard Duty Lapel Speaker Microphone with Hirose Connector	ACC-718G
4100EF	Heavy Duty Professional Speaker Microphone with Hirose Connector	ACC-720G
4100FA	Command Tactical Zone Option (Allows Command Zone, Sinlge button Tone select, and Field programming).	96-2516G
4100FB	AES / DES Encryption	96-2541G
4100FC	Interface cable for KVL3000	91-0924G
4100FD	OTAR (Over The Air Rekeying) Available Nov. 2009	96-2502G
4100GA	STP Series P25 Portable Owner's Manual	680-090-2040G
4100GB	STP Series P25 Portable Service Manual	680-100-2020G
4100GC	STP Series P25 Portables & STM Series P25 Mobiles - USB to Serial Interface	91-1300G
4100GD	STP Series Portable Radio Test Alignment Interface Cable - for use with ACC2205	950-020-0006G
4100GF	STP Series Portable Radio Test Alignment Interface Cable - SMA-N - for use with ACC2205	950-020-0008G
4100GG	STP Series P25 Portable & STM Series P25 Mobiles - Interface Alignment Test Box	ACC-2205G
4100GH	STP Series P25 Portable & STM Series P25 Mobiles - Cloning Interface Cable	ACC-2305G
4100GJ	STP Series P25 Portables & STM Series P25 Mobiles - PC Programming Interface Cable	ACC-2600G
4100GK	STP Series P25 Portables & STM Series P25 Mobiles - Alignment Service Software (Requires ACC-2205 and Alignment Test Cables)	MRA25G
4100GL	PC Programming Software	MRP25G
4100GM	MKM (Encryption PC Programming Software)	MKM25G
	Subscriber Unit Operations Training - 4 - 10 Students (per 2 hour course)	
	Subscriber Unit Maintenance Training - 4 - 10 Students (per 40 hour course)	

Midland Radio Corporation

MIDLAND RADIO CORPORATION - TIRNO-10-D-00006

**Volume III TAB B - CONTRACT LINE ITEMS, SECTION B
BASE YEAR (DATE OF AWARD THROUGH 12 MONTHS)**

B.4 EQUIPMENT and SERVICES PRICES/COSTS LIST - DESKTOP STATIONS

CLIN	Description	Model No.
0310DT	P25 Digital / Conventional VHF 90W Desk Top Base Station Radio 136-174MHz	SDT-1090G
0310AA	PC Programming Software	MRP25G
0310AB	STP Series P25 Portable & STD Series P25 Mobile - Alignment Service Software (Requires ACC-2205 and Alignment Test Cables)	MRA25G
0310AC	Key loader PC Software, For loading AES /DES OFB Encryption Keys	MKM25
0310AD	Test / Alignment Cable, STM / STD Mobile / Desktop for use with ACC-2205	950-020-0007G
0310AE	STD / STM Series P25 Mobile / Desktop - Test / Alignment Cable, TNC-N - for use with ACC-2205	950-020-0009G
0310AF	P25 STP / STM STD Series - Interface Alignment Test Box	ACC-2205G
0310AG	STP / STM / STD Series P25 Cloning Interface Cable	ACC-2305G
0310AH	STP / STM / STD Series PC Programming Interface Cable	ACC-2600G
0310AJ	STP / STM / STD Series USB to Serial Interface	91-1300G
0310AK	PC Programming Interface Cable Kit (Includes ACC-2600 with 91-1300)	91-1309G
0310AL	Test / Alignment Interface box for P25 Mobiles / Portables / Desktops	ACC-2205G
0310BA	Command Tactical Zone Option (Allows Command Zone, Single button Tone select, and Field programming).	96-2516G
0310BB	AES / DES Encryption	96-2501G
0310BC	OTAR (Over The Air Rekeying) Available Nov. 2009	96-2502G
0310BD	Interface cable for KVL3000	91-0924G
0310CQ	STM Series (110W P25 Mobile) Service Manual	680-100-2033G

Midland Radio Corporation

MIDLAND RADIO CORPORATION - TIRNO-10-D-00006
Volume III TAB B - CONTRACT LINE ITEMS, SECTION B
1st Option Year (THROUGH 12 MONTHS AFTER BASE PERIOD)

B.4 EQUIPMENT and SERVICES PRICES/COSTS LIST - DESKTOP STATIONS

CLIN	Description	Model No.
1310DT	P25 Digital / Conventional VHF 90W Desk Top Base Station Radio 136-174MHz	SDT-1090G
1310AA	PC Programming Software	MRP25G
1310AB	STP Series P25 Portable & STD Series P25 Mobile - Alignment Service Software (Requires ACC-2205 and Alignment Test Cables)	MRA25G
1310AC	Key loader PC Software, For loading AES /DES OFB Encryption Keys	MKM25
1310AD	Test / Alignment Cable, STM / STD Mobile / Desktop for use with ACC-2205	950-020-0007G
1310AE	STD / STM Series P25 Mobile / Desktop - Test / Alignment Cable, TNC-N - for use with ACC-2205	950-020-0009G
1310AF	P25 STP / STM STD Series - Interface Alignment Test Box	ACC-2205G
1310AG	STP / STM / STD Series P25 Cloning Interface Cable	ACC-2305G
1310AH	STP / STM / STD Series PC Programming Interface Cable	ACC-2600G
1310AJ	STP / STM / STD Series USB to Serial Interface	91-1300G
1310AK	PC Programming Interface Cable Kit (Includes ACC-2600 with 91-1300)	91-1309G
1310AL	Test / Alignment Interface box for P25 Mobiles / Portables / Desktops	ACC-2205G
1310BA	Command Tactical Zone Option (Allows Command Zone, Single button Tone select, and Field programming).	96-2516G
1310BB	AES / DES Encryption	96-2501G
1310BC	OTAR (Over The Air Rekeying) Available Nov. 2009	96-2502G
1310BD	Interface cable for KVL3000	91-0924G
1310CQ	STM Series (110W P25 Mobile) Service Manual	680-100-2033G

Midland Radio Corporation

MIDLAND RADIO CORPORATION - TIRNO-10-D-00006
Volume III TAB B - CONTRACT LINE ITEMS, SECTION B
2nd Option Year (THROUGH 12 MONTHS AFTER 1st OPTION YEAR)

B.4 EQUIPMENT and SERVICES PRICES/COSTS LIST - DESKTOP STATIONS

CLIN	Description	Model No.
2310DT	P25 Digital / Conventional VHF 90W Desk Top Base Station Radio 136-174MHz	SDT-1090G
2310AA	PC Programming Software	MRP25G
2310AB	STP Series P25 Portable & STD Series P25 Mobile - Alignment Service Software (Requires ACC-2205 and Alignment Test Cables)	MRA25G
2310AC	Key loader PC Software, For loading AES /DES OFB Encryption Keys	MKM25
2310AD	Test / Alignment Cable, STM / STD Mobile / Desktop for use with ACC-2205	950-020-0007G
2310AE	STD / STM Series P25 Mobile / Desktop - Test / Alignment Cable, TNC-N - for use with ACC-2205	950-020-0009G
2310AF	P25 STP / STM STD Series - Interface Alignment Test Box	ACC-2205G
2310AG	STP / STM / STD Series P25 Cloning Interface Cable	ACC-2305G
2310AH	STP / STM / STD Series PC Programming Interface Cable	ACC-2600G
2310AJ	STP / STM / STD Series USB to Serial Interface	91-1300G
2310AK	PC Programming Interface Cable Kit (Includes ACC-2600 with 91-1300)	91-1309G
2310AL	Test / Alignment Interface box for P25 Mobiles / Portables / Desktops	ACC-2205G
2310BA	Command Tactical Zone Option (Allows Command Zone, Single button Tone select, and Field programming).	96-2516G
2310BB	AES / DES Encryption	96-2501G
2310BC	OTAR (Over The Air Rekeying) Available Nov. 2009	96-2502G
2310BD	Interface cable for KVL3000	91-0924G
2310CQ	STM Series (110W P25 Mobile) Service Manual	680-100-2033G

Midland Radio Corporation

MIDLAND RADIO CORPORATION - TIRNO-10-D-00006
Volume III TAB B - CONTRACT LINE ITEMS, SECTION B
3rd Option Year (THROUGH 12 MONTHS AFTER 2nd OPTION YEAR)

B.4 EQUIPMENT and SERVICES PRICES/COSTS LIST - DESKTOP STATIONS

CLIN	Description	Model No.
3310DT	P25 Digital / Conventional VHF 90W Desk Top Base Station Radio 136-174MHz	SDT-1090G
3310AA	PC Programming Software	MRP25G
3310AB	STP Series P25 Portable & STD Series P25 Mobile - Alignment Service Software (Requires ACC-2205 and Alignment Test Cables)	MRA25G
3310AC	Key loader PC Software, For loading AES /DES OFB Encryption Keys	MKM25
3310AD	Test / Alignment Cable, STM / STD Mobile / Desktop for use with ACC-2205	950-020-0007G
3310AE	STD / STM Series P25 Mobile / Desktop - Test / Alignment Cable, TNC-N - for use with ACC-2205	950-020-0009G
3310AF	P25 STP / STM STD Series - Interface Alignment Test Box	ACC-2205G
3310AG	STP / STM / STD Series P25 Cloning Interface Cable	ACC-2305G
3310AH	STP / STM / STD Series PC Programming Interface Cable	ACC-2600G
3310AJ	STP / STM / STD Series USB to Serial Interface	91-1300G
3310AK	PC Programming Interface Cable Kit (Includes ACC-2600 with 91-1300)	91-1309G
3310AL	Test / Alignment Interface box for P25 Mobiles / Portables / Desktops	ACC-2205G
3310BA	Command Tactical Zone Option (Allows Command Zone, Single button Tone select, and Field programming).	96-2516G
3310BB	AES / DES Encryption	96-2501G
3310BC	OTAR (Over The Air Rekeying) Available Nov. 2009	96-2502G
3310BD	Interface cable for KVL3000	91-0924G
3310CQ	STM Series (110W P25 Mobile) Service Manual	680-100-2033G

Midland Radio Corporation

MIDLAND RADIO CORPORATION - TIRNO-10-D-00006
Volume III TAB B - CONTRACT LINE ITEMS, SECTION B
4th Option Year (THROUGH 12 MONTHS AFTER 3rd OPTION YEAR)

B.4 EQUIPMENT and SERVICES PRICES/COSTS LIST

CLIN	Description	Model No.
4310DT	P25 Digital / Conventional VHF 90W Desk Top Base Station Radio 136-174MHz	SDT-1090G
4310AA	PC Programming Software	MRP25G
4310AB	STP Series P25 Portable & STD Series P25 Mobile - Alignment Service Software (Requires ACC-2205 and Alignment Test Cables)	MRA25G
4310AC	Key loader PC Software, For loading AES /DES OFB Encryption Keys	MKM25
4310AD	Test / Alignment Cable, STM / STD Mobile / Desktop for use with ACC-2205	950-020-0007G
4310AE	STD / STM Series P25 Mobile / Desktop - Test / Alignment Cable, TNC-N - for use with ACC-2205	950-020-0009G
4310AF	P25 STP / STM STD Series - Interface Alignment Test Box	ACC-2205G
4310AG	STP / STM / STD Series P25 Cloning Interface Cable	ACC-2305G
4310AH	STP / STM / STD Series PC Programming Interface Cable	ACC-2600G
4310AJ	STP / STM / STD Series USB to Serial Interface	91-1300G
4310AK	PC Programming Interface Cable Kit (Includes ACC-2600 with 91-1300)	91-1309G
4310AL	Test / Alignment Interface box for P25 Mobiles / Portables / Desktops	ACC-2205G
4310BA	Command Tactical Zone Option (Allows Command Zone, Single button Tone select, and Field programming).	96-2516G
4310BB	AES / DES Encryption	96-2501G
4310BC	OTAR (Over The Air Rekeying) Available Nov. 2009	96-2502G
4310BD	Interface cable for KVL3000	91-0924G
4310CQ	STM Series (110W P25 Mobile) Service Manual	680-100-2033G