
MeF State and Trading Partners Interface Control Document (ICD)

Version 2.0

November 3, 2006

Table of Contents

Section 1.	Interaction with Third Party Transmitters and States	1-1
1.1	Interface Overview	1-1
1.2	Business Rules.....	1-2
1.3	Basic SOAP Message Structure	1-3
1.4	SOAP Header	1-4
1.4.1	WS-Addressing.....	1-4
1.4.2	MeF Header	1-5
1.4.3	WS-Security for All A2A Web Service Users.....	1-5
1.4.3.1	WS-Security and SAML	1-6
1.4.3.2	SAML Component Behavior	1-6
1.4.3.3	SAML Assertion	1-6
1.4.4	WS-Security for Password Authenticated Users	1-7
1.4.4.1	Application System ID and Password.....	1-7
1.4.4.2	Password and Expiration Rules for an Application System ID	1-8
1.4.5	WS-Security for Strong Authentication Users.....	1-9
1.4.5.1	WS-Security BinarySecurityToken Element	1-10
1.4.5.2	WS-Security SignedInfo, Reference, DigestValue and DigestMethod Elements	1-11
1.4.5.3	WS-Security SignatureValue and SignatureMethod Elements.....	1-12
1.5	SOAP Body	1-13
1.5.1	Message Attachments Zip File Format	1-13
1.5.2	Message Attachments Content Type	1-13
1.6	MeFHeader Elements	1-13
1.6.1	element MeFHeaderType/MessageID	1-15
1.6.2	element MeFHeaderType/RelatesTo	1-16

1.6.3	element MeFHeaderType/Action.....	1-16
1.6.4	Element MeFHeaderType/Timestamp.....	1-17
1.6.5	element MeFHeaderType/ETIN	1-17
1.6.6	element MeFHeaderType/SessionIndicator.....	1-18
1.6.7	element MeFHeaderType/TestIndicator	1-18
1.6.8	element MeFHeaderType/NotificationResponse.....	1-20
1.6.9	element MeFNotificationResponse/NotificationType	1-20
1.6.10	element MeFNotificationResponse/ApplicableDate	1-21
1.6.11	element MeFHeaderType/AppSysID.....	1-21
1.6.12	attribute Id.....	1-21
1.7	MeF Release 3.2 and 4.0 A2A Web Services Summary	1-22
1.7.1	Modernized System Infrastructure (MSI) Services	1-26
1.7.1.1	Initial Login.....	1-27
1.7.1.1.1	element InitialLoginRequest.....	1-28
1.7.1.1.2	element InitialLoginResponse	1-28
1.7.1.1.3	element MeFException.....	1-28
1.7.1.2	Login	1-29
1.7.1.2.1	element LoginRequest	1-29
1.7.1.2.2	element LoginResponse.....	1-30
1.7.1.2.3	element MeFException.....	1-30
1.7.1.3	Logout	1-31
1.7.1.3.1	element LogoutRequest	1-31
1.7.1.3.2	element LogoutResponse.....	1-32
1.7.1.3.3	element MeFException.....	1-32
1.7.1.4	ChangePassword	1-32
1.7.1.4.1	element ChangePasswordRequest	1-33
1.7.1.4.2	element ChangePasswordResponse.....	1-33
1.7.1.4.3	element MeFException.....	1-34
1.7.1.5	ETIN Retrieval	1-34
1.7.1.5.1	element EtinRetrievalRequest	1-35
1.7.1.5.2	element EtinRetrievalResponse.....	1-35
1.7.1.5.3	element MeFException.....	1-36
1.7.1.6	ETIN Status.....	1-37
1.7.1.6.1	element EtinStatusRequest	1-37
1.7.1.6.2	element EtinStatusResponse.....	1-38
1.7.1.6.3	element MeFException.....	1-38
1.7.1.7	Get State Participants List.....	1-39

1.7.1.7.1	element GetStateParticipantsListRequest.....	1-39
1.7.1.7.2	element GetStateParticipantsListResponse	1-40
1.7.1.7.3	element MeFException.....	1-40
1.7.2	Third Party Transmitter Web Services	1-41
1.7.2.1	Get Ack	1-41
1.7.2.1.1	element GetAckRequest	1-41
1.7.2.1.2	element GetAckResponse.....	1-42
1.7.2.2	Get Acks.....	1-42
1.7.2.2.1	element GetAcksRequest.....	1-42
1.7.2.2.2	element GetAcksResponse	1-43
1.7.2.3	Get New Acks (MeF Release 3.2).....	1-44
1.7.2.3.1	element GetNewAcksRequest (MeF Release 3.2).....	1-44
1.7.2.3.2	element GetNewAcksResponse.....	1-44
1.7.2.4	Get New Acks (MeF Release 4.0).....	1-45
1.7.2.4.1	element GetNewAcksRequest (MeF Release 4.0).....	1-45
1.7.2.4.2	element GetNewAcksResponse.....	1-46
1.7.2.5	Get Acks by Message ID.....	1-47
1.7.2.5.1	element GetAcksByMsgIDRequest.....	1-47
1.7.2.5.2	element GetAcksByMsgIDResponse	1-47
1.7.2.6	Get New Submissions Status	1-48
1.7.2.6.1	element GetNewSubmissionsStatusRequest	1-48
1.7.2.6.2	element GetNewSubmissionsStatusResponse	1-48
1.7.2.7	Get Submissions Status	1-49
1.7.2.7.1	element GetSubmissionsStatusRequest	1-49
1.7.2.7.2	element GetSubmissionsStatusResponse.....	1-50
1.7.2.8	Get Submission Status.....	1-51
1.7.2.8.1	element GetSubmissionStatusRequest.....	1-51
1.7.2.8.2	element GetSubmissionStatusResponse	1-51
1.7.2.9	Send Submissions.....	1-51
1.7.2.9.1	element SendSubmissionsRequest.....	1-52
1.7.2.9.2	element SendSubmissionsResponse	1-53
1.7.3	State Web Services	1-54
1.7.3.1	Get Ack Notification	1-54
1.7.3.1.1	element GetAckNotificationRequestArgs	1-54
1.7.3.1.2	element GetAckNotificationResponse.....	1-55
1.7.3.2	Get Ack Notifications.....	1-55
1.7.3.2.1	element GetAckNotificationsRequestArgs.....	1-55

1.7.3.2.2	element GetAckNotificationsResponse	1-56
1.7.3.3	Get New Ack Notifications	1-57
1.7.3.3.1	element GetNewAckNotificationsRequestArgs	1-57
1.7.3.3.2	element GetNewAckNotificationsResponse	1-58
1.7.3.4	Get New Submissions (MeF Release 3.2).....	1-58
1.7.3.4.1	element GetNewSubmissionsRequestArgs (MeF Release 3.2).....	1-58
1.7.3.4.2	element GetNewSubmissionsResponse	1-59
1.7.3.5	Get New Submissions (MeF Release 4.0).....	1-60
1.7.3.5.1	element GetNewSubmissionsRequestArgs (MeF Release 4.0).....	1-60
1.7.3.5.2	element GetNewSubmissionsResponse	1-61
1.7.3.6	Get Submissions by Message ID.....	1-63
1.7.3.6.1	element GetSubmissionsByMsgIDRequestArgs	1-63
1.7.3.6.2	element GetSubmissionsByMsgIDResponse	1-63
1.7.3.7	Get Submission	1-64
1.7.3.7.1	element GetSubmissionRequestArgs.....	1-65
1.7.3.7.2	element GetSubmissionResponse	1-65
1.7.3.8	Get Submissions	1-66
1.7.3.8.1	element GetSubmissionsRequestArgs	1-66
1.7.3.8.2	element GetSubmissionsResponse	1-66
1.7.3.9	Send Acks Request.....	1-67
1.7.3.9.1	element SendAcksRequestArgs.....	1-68
1.7.3.9.2	element SendAcksResponse	1-68
1.7.3.10	Send Submission Receipts	1-68
1.7.3.10.1	element SendSubmissionReceiptsRequestArgs.....	1-69
1.7.3.10.2	element SendSubmissionReceiptsResponse	1-69
1.7.4	Exceptions.....	1-69
1.7.4.1	element MeFException	1-69
1.8	Attachment Files.....	1-70
1.8.1	Submission ID.....	1-70
1.8.2	IRS Submission.....	1-71
1.8.3	State Submission.....	1-72
1.8.4	IRS Data for State Submission (IRS Submission Info)	1-74
1.8.5	Acknowledgements.....	1-74
1.8.6	Receipts.....	1-76
1.8.7	Acknowledgement Notifications	1-76
1.8.8	Status Records.....	1-78
1.8.9	Errors.....	1-78

1.9	EMS and IFA Service Messages	1-79
1.10	A2A Web Services Error Handling and Exception Reporting.....	1-80
1.10.1	XML Gateway Exceptions.....	1-80
1.10.2	Faults Response	1-80
1.10.2.1	MeF Fault	1-80
1.10.2.1.1	element MeFException.....	1-81
1.10.2.2	MeF Exception	1-82
1.10.2.2.1	element MeFException.....	1-82
Section 2. Data Mapping.....		2-1
2.1	Data Mapping for A2A Web Services.....	2-1
2.1.1	Namespaces Used for A2A Web Services.....	2-1
2.2	Data Mapping for EMS and IFA Services	2-3
2.2.1	Namespaces Used for EMS and IFA Services.....	2-3
Section 3. EMS Interface Specification		3-1
3.1	Transmitter Operations.....	3-1
3.2	Transmission File Specification	3-1
3.3	Acknowledgement File Specification.....	3-2
Section 4. IFA Interface Specification		4-1
4.1	Transmitter Operations.....	4-1
4.2	Transmission File Specification.....	4-1
4.3	Submission Acknowledgement Specification	4-1
Section 5. Example A2A Web Service Messages		5-1
5.1	MSI Services Messages.....	5-1
5.1.1	InitialLogin Service Request Message (not Applicable for Strong Authentication Users).....	5-1
5.1.2	InitialLogin Service Response Message (not Applicable for Strong Authentication Users).....	5-2
5.1.3	Login Service Request Message	5-3
5.1.3.1	Login Service Request Message for Password Authenticated Users	5-3
5.1.3.2	Login Service Request Message for Strong Authentication Users	5-3
5.1.4	Login Service Response Message.....	5-5
5.1.4.1	Login Service Response Message for Password Authenticated Users.....	5-5
5.1.4.2	Login Service Response Message for Strong Authentication Users.....	5-6

5.1.5	ChangePassword Service Request Message (not Applicable for Strong Authentication Users)	5-8
5.1.6	ChangePassword Service Response Message (not Applicable for Strong Authentication Users)	5-9
5.1.7	Logout Service Request Message	5-11
5.1.7.1	Logout Service Request Message for Password Authenticated Users	5-11
5.1.7.2	Logout Service Request Message for Strong Authentication Users	5-13
5.1.8	Logout Service Response Message.....	5-14
5.1.8.1	Logout Service Response Message for Password Authenticated Users...	5-14
5.1.8.2	Logout Service Response Message for Strong Authentication Users.....	5-15
5.1.9	EtinRetrieval Service Request Message	5-15
5.1.10	EtinRetrieval Service Response Message.....	5-17
5.1.11	EtinStatus Service Request Message	5-20
5.1.12	EtinStatus Service Response Message.....	5-21
5.1.13	GetStateParticipantsList Service Request Message.....	5-23
5.1.14	GetStateParticipantsList Service Response Message	5-25
5.2	State Services SOAP Messages.....	5-30
5.2.1	GetNewSubmissions Service Request Message (MeF Release 3.2)	5-30
5.2.2	GetNewSubmissions Service Request Message (MeF Release 4.0)	5-32
5.2.3	GetNewSubmissions Service Response Message.....	5-33
5.2.4	Get Submissions by Message ID Service Request Message	5-35
5.2.5	Get Submissions by Message ID Service Response Message	5-37
5.2.6	Get Submissions Service Request Message.....	5-38
5.2.7	GetSubmissions Service Response Message	5-40
5.2.8	GetSubmission Service Request Message	5-42
5.2.9	GetSubmission Service Response Message.....	5-43
5.2.10	SendSubmissionReceipts Service Request Message	5-45
5.2.11	SendSubmissionReceipts Service Response Message.....	5-47
5.2.12	SendAcks Service Request Message	5-48
5.2.13	SendAcks Service Response Message	5-50
5.2.14	GetNewAckNotifications Service Request Message.....	5-51
5.2.15	GetNewAckNotifications Service Response Message	5-53
5.2.16	GetAckNotifications Service Request Message	5-54
5.2.17	GetAckNotifications Service Response Message.....	5-56
5.2.18	GetAckNotification Service Request Message.....	5-58
5.2.19	GetAckNotification Service Response Message	5-59
5.3	Transmitter Services SOAP Messages	5-61

5.3.1	SendSubmissions Service Request Message	5-61
5.3.2	SendSubmissions Service Response Message	5-63
5.3.3	GetNewAcks Service Request Message (MeF Release 3.2)	5-65
5.3.4	GetNewAcks Service Request Message (MeF Release 4.0)	5-66
5.3.5	GetNewAcks Service Response Message.....	5-68
5.3.6	Get Acks by Message ID Service Request Message	5-69
5.3.7	Get Acks by Message ID Service Response Message	5-71
5.3.8	GetAcks Service Request Message.....	5-72
5.3.9	GetAcks Service Response Message	5-74
5.3.10	GetAck Service Request Message	5-76
5.3.11	GetAck Service Response Message.....	5-77
5.3.12	GetNewSubmissionsStatus Service Request Message	5-79
5.3.13	GetNewSubmissionsStatus Service Response Message.....	5-80
5.3.14	GetSubmissionsStatus Service Request Message.....	5-82
5.3.15	GetSubmissionsStatus Service Response Message	5-83
5.3.16	GetSubmissionStatus Service Request Message	5-85
5.3.17	GetSubmissionStatus Service Response Message.....	5-87
Section 6.	Fault Responses and Internal-Use Error Messages.....	6-1
6.1	Fault Responses Generated by the XML Gateway.....	6-1
6.2	Incoming Message Containing a Virus	6-5
6.2.1	Example SOAP Fault Response for the Virus Check Performed by the XML Gateway	6-5
6.2.2	Example Error Message for the Virus Check Performed by the XML Gateway	6-5
6.3	Outgoing Message Containing a Virus.....	6-5
6.3.1	Example SOAP Fault Response.....	6-6
6.3.2	Example Error Message.....	6-6
6.4	Incoming Messages Containing Service Request Argument Errors	6-6
6.4.1	Service Request Processing Errors	6-12
Glossary	GL-1

List of Tables and Figures

Figures

Figure 1-1. MeF Interface Overview	1-1
Figure 1-2. MeF Basic SOAP Message for HTTP Binding.....	1-3
Figure 1-3. MeF Basic SOAP with Attachments Message Structure	1-4
Figure 1-4. IRS Submission Message Structure	1-71
Figure 1-5. State Submission Message Structure	1-72
Figure 1-6. State Submission Response Message Structure	1-73
Figure 1-7. Acknowledgments Structure	1-74
Figure 1-8. Receipts Structure	1-76
Figure 1-9. Acknowledgement Notifications Structure	1-77
Figure 1-10. Status Records Structure	1-78
Figure 1-11. Structure of Messages with Attachments for EMS and IFA Channels.....	1-79
Figure 3-1. Sample Transmission File Submitted to EMS	3-1
Figure 3-2. Sample Transmission Acknowledgement File Received from EMS.....	3-2
Figure 4-1. Sample Transmission Acknowledgement File Received from IFA.....	4-1

Tables

Table 1-1. IRS Submission Manifest Elements	1-71
Table 1-2. State Submission Manifest Elements	1-73
Table 1-3. IRS Data for State Submission Elements	1-74
Table 1-4. Submission Acknowledgement Elements	1-75
Table 1-5. Transmission Acknowledgement Elements	1-76
Table 1-6. Receipts Elements	1-76
Table 1-7. Notifications Elements	1-77
Table 1-8. Status Records Elements	1-78
Table 1-9. Errors Elements	1-78
Table 2-1. A2A WSDL and XML Schema Files	2-1
Table 2-2. A2A Target Namespace	2-2
Table 2-3. A2A XML Namespace Prefixes	2-2
Table 2-4. EMS and IFA XML Schema Files	2-3
Table 2-5. EMS and IFA Target Namespaces	2-3
Table 2-6. EMS and IFA XML Namespace Prefixes	2-3
Table 6-1. XML Gateway Threats and Fault Responses	6-4

Table 6-2. Service Request Argument Errors and Fault Responses	6-8
Table 6-3. Service Request Argument Errors and Fault Responses for Account Maintenance Services	6-11
Table 6-4. Service Request Processing Errors and Fault Responses	6-12
Table 6-5. Error Codes, Log Messages, Fault Responses, and Fault Types.....	6-13

[This page intentionally left blank.]

Section 1. Interaction with Third Party Transmitters and States

1.1 Interface Overview

The data are exchanged between the IRS external Third Party Transmitters and States and the MeF system via Simple Object Access Protocol (SOAP) messages or files. The SOAP data structures are specified in this document. As illustrated in Figure 1-1, there are three data communication channels between the external clients the MeF system.

- **The Electronic Management System (EMS) channel**—In the EMS channel, the data are exchanged in files with SOAP data structures using the FTP transport mechanism.
- **The Internet Filing Application (IFA) channel**—In the IFA channel, the data are exchanged in files with SOAP data structures using the HTML transport mechanism over an HTTPS SSL connection.
- **The Application-to-Application (A2A) channel**—In the A2A channel, the data are exchanged in SOAP messages using the Web Services request-response model transport mechanism over an HTTPS SSL connection.




Figure 1-1. MeF Interface Overview

1.2 Business Rules

There are a number of business rules governing the usage of the three channels as summarized in the table below.

	EMS	IFA	A2A
IRS Submissions	Yes	Yes	Yes
State Submissions	No	Yes	Yes

- A transmitter can submit IRS submissions, state submissions, and IRS EO submissions with request for redacted copies for states via the A2A Web Services and IFA channels.
- A transmitter should submit only IRS submissions via the EMS channel. If a state submission is received via this channel, the state submission will not be made available to the state for pick up. However, the MeF System will create an acknowledgement for the state submission and make it available to the transmitter to pick up. For an IRS EO submission, the MeF system will create an acknowledgement make it available for the transmitter to pick up. If an IRS EO submission with a request for redacted copies for states is received via this channel, the IRS EO submission will be rejected.
- Acknowledgements for submissions should be picked up via the same channel that was used to send the submissions.
- A state agency can use the A2A Web Services or IFA channel to communicate with the MeF system. States are not allowed to use the EMS channel.

1.3 Basic SOAP Message Structure

As described earlier, the MeF system uses three channels to exchange SOAP-structured data. The Web Services A2A channel uses SOAP messages, while the EMS and IFA channels use files with SOAP data structure. The following sections describe the basic SOAP message structure for the Web Services A2A channel.

This section describes the logical structure of basic messages with a SOAP Header and SOAP Body blocks within a SOAP message Envelope. The SOAP header contains the Web Services (WS) Addressing (WS-Addressing), WS-Security and MeFHeader elements. The SOAP Body contains the Modernized e-File (MeF) Message elements and attachment information (if any).




Figure 1-2. MeF Basic SOAP Message for HTTP Binding




Figure 1-3. MeF Basic SOAP with Attachments Message Structure

1.4 SOAP Header

The SOAP Header specification is to be provided by the state or transmitter application. There are three SOAP Header element structures allowed in SOAP messages on the A2A channel:

- **WS-Addressing**—Provides mechanisms for endpoint-to-endpoint identification in SOAP messages.
- **MeF Header**—Provides elements required for all SOAP messages on the A2A channel.
- **WS-Security**—Provides mechanisms for user identification and assertions in SOAP messages.

1.4.1 WS-Addressing

Web Services Addressing (WS-Addressing) provides transport-neutral mechanisms to address Web services and messages. Specifically, this specification defines XML [XML 1.0, XML

Namespaces] elements to identify Web service endpoints and to secure end-to-end endpoint identification in messages. Sample WS-Addressing elements are presented below.

Please note that none of the MeF services use any of the WS-Addressing elements. The MeFHeader elements contain the required WS-Addressing-like information. Use of WS-Addressing elements is allowed, but they will be ignored by the MeF services.

<!-- WS Addressing Elements -->

```
xmlns:wsa="http://schemas.xmlsoap.org/ws/2004/08/addressing ">
<e:Header>
<wsa:MessageID>uuid:1136bbc2-ee59-11d9-b767-1136bbc1b767</wsa:MessageID>
<wsa:To>http://www.irs.gov/a2a/mef/InitialLogin</wsa:To>
<wsa:Action>http://www.irs.gov/a2a/mef/InitialLogin</wsa:Action>
<wsa:From>http://www.mycompany.com/myapplication/InitialLogin</wsa:From>
```

1.4.2 MeF Header

Every SOAP message to and from an A2A Web service must contain a MeF Header in the SOAP message header. The MeF Header is described in Section 1.6.

1.4.3 WS-Security for All A2A Web Service Users

Web Services Security (WS-Security) provides transport-neutral mechanisms to send security tokens as part of a message, to provide message integrity, and support message confidentiality. Specifically, this specification defines a standard set of SOAP extensions used when building secure Web services to implement message content integrity and confidentiality. The A2A Web services accept WS-Security elements for two types of users:

- Password Authenticated Users
- Strong Authentication Users

The WS-Security elements used by the A2A Web services for either type of user are described in subsections that follow. This includes the Security Assertion Markup Language (SAML) assertion and how it is obtained and used. The additional WS-Security elements for Password Authenticated users are described in Section 1.4.4, and the WS-Security elements for Strong Authentication users are described in Section 1.4.5.

1.4.3.1 WS-Security and SAML

The WS-Security profile of Security Assertion Markup Language (SAML) is based on the interaction between a sender and a receiver.

- The sender (a Web Service consumer) obtains a SAML assertion from the receiver (a Web Service provider).
- The sender adds the assertion to a SOAP message within the WS-Security headers.
- The sender sends the SOAP message to the receiver (a Web Service provider).
- The receiver processes the assertion present in the SOAP message.

SAML assertions and references to assertion identifiers are contained in the `<wsse:Security>` element, which in turn is included in the `<SOAP-ENV:Header>` element.

1.4.3.2 SAML Component Behavior

The Security token processing rules shall be implemented in the following manner:

1. If a SAML assertion exists, the security token will be extracted from the eXtensible Markup Language (XML) WS-Security Elements.
2. It is expected that most A2A applications will use WS-Security SAML assertions and the MeF shall use the SAML assertion security token for request authentication/validation. However, the A2A applications have the option of using login credentials on every request and not establishing a persistent session.

1.4.3.3 SAML Assertion

SAML assertions exchange security information across the Third Party Transmitter or State application and the MeF A2A services. The MeF Login service authenticates a client request and sends back a SAML-based SOAP assertion, which affirms the relying party with the security information requested to be used for the subsequent MeF A2A service requests. A sample SAML assertion is presented below. Every incoming request with a SAML assertion for a Password Authenticated user must provide the Username element in the WS-Security UsernameToken to enable validation of the SAML assertion. Every incoming request with a SAML assertion for a Strong Authentication user must provide the AppSysID element in the MeFHeader to enable validation of the SAML assertion.

<!-- WS Security Elements SAML Assertion -->

```
<wsse:Security
xmlns:wsse="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-wssecurity-secext-1.0.xsd">
<saml:Assertion MajorVersion="1"
  IssueInstant="2005-10-02T16:05:08.319Z"
  Issuer="http://www.forumsys.com/sentry"
  AssertionID="id-ed7cc366ecfa256b4fa29b51c047e28381fff999"
  MinorVersion="1" xmlns:saml="urn:oasis:names:tc:SAML:1.0:assertion">
<saml:Conditions NotOnOrAfter="2005-10-02T16:20:08.319Z"
  NotBefore="2005-10-02T16:05:08.319Z">
  <saml:DoNotCacheCondition/>
```

```

</saml:Conditions>
<saml:AuthenticationStatement AuthenticationInstant="2005-10-02T16:05:08.319Z"
  AuthenticationMethod="urn:oasis:names:tc:SAML:1.0:am:password">
  <saml:Subject>
    <saml:NameIdentifier Format="urn:oasis:names:tc:SAML:1.1:nameid-
      format:X509SubjectName">UID=xxxxxx,OU=xxxxxx,
      OU=External,OU=Internal Revenue Service,
      OU=Department of the Treasury,
      O=U.S. Government,C=US</saml:NameIdentifier>
    <saml:SubjectConfirmation>
      <saml:ConfirmationMethod>urn:oasis:names:tc:SAML:1.0:cm:sender-
        vouches</saml:ConfirmationMethod>
    </saml:SubjectConfirmation>
  </saml:Subject>
  <saml:SubjectLocality IPAddress="xxxxxx"/>
</saml:AuthenticationStatement>
<saml:AttributeStatement>
  <saml:Subject>
    <saml:NameIdentifier Format="urn:oasis:names:tc:SAML:1.1:nameid-
      format:X509SubjectName">
      UID=xxxxxx,OU=xxxxxx,OU=External,
      OU=Internal Revenue Service,OU=Department of the Treasury,
      O=U.S. Government,C=US
    </saml:NameIdentifier>
    <saml:SubjectConfirmation>
      <saml:ConfirmationMethod>urn:oasis:names:tc:SAML:1.0:cm:sender-
        vouches</saml:ConfirmationMethod>
    </saml:SubjectConfirmation>
  </saml:Subject>
  <saml:Attribute AttributeNamespace="http://www.forumsys.com/sentry"
    AttributeName="SMSESSION">
    <saml:AttributeValue>
      yl4LdlAmg9lga0SPXeo9BNaEB5xuBsG/c1UF2p29uaUGgy1zGj3Yx6aCNCBwb3s+CQ45o2Mlc8gDGJ
      MKzBHcnjvcPq3tXK8fsRIIwbwsoi2u/aP3aHvT+nEv8+GnJqDnQvesgXgzOQvuKMtiZW0rSfYglobmZhu
      0z8QA3Z+pM5B3dcCvyNsOQR8bjwpyhp2O8DpfzkYbM14vFubTKgxiOkG56b2gynhBKtk/TlcYx/BfoZ6U
      bx5Mo+qzOMaklzesUJ+KTiAxpJRlJNlqVj+mHjd083+.....
    </saml:AttributeValue>
  </saml:Attribute>
</saml:AttributeStatement>
</saml:Assertion>
</wsse:Security>

```

1.4.4 WS-Security for Password Authenticated Users

WS-Security Password Authentication is the type of authentication used by A2A Web services for MeF Release 3.2 and as an option in MeF Release 4.0. Password Authenticated users specify their Application System ID (username) and password in the wsse:UsernameToken elements of the WS-Security portion of the SOAP header. These WS-Security elements for Password Authenticated users are described in the following subsections.

1.4.4.1 Application System ID and Password

The Application System ID is the registered system application ID that was assigned to a Third-Party transmitter system or State during the enrollment process. The initial password is also

assigned during the enrollment process but must be changed by the Application System the first time the Application System logs in to request MeF services. The Application System ID (username) and password are passed in WS-Security tags within the SOAP header. The WS-Security elements are presented below.

Please note that the A2A MeF service requests must use only the Username and Password elements of the WS-Security UsernameToken. No other elements are allowed. Using any other element of the WS-Security UsernameToken will result in an error being returned to the client. Also note that every request must provide at least the Username element of the WS-Security UsernameToken to enable validation of the incoming SAML assertion, if any.

<!-- WS Security Elements -->

```
<wsse:Security wsse:mustUnderstand="1"
  xmlns:wsse="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-wssecurity-secext-1.0.xsd"
  xmlns:wsu="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-wssecurity-utility-1.0.xsd">
  <wsse:UsernameToken wsu:Id="SecurityToken-0">
    <wsse:Username>username</wsse:Username>
    <wsse:Password Type="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-username-
      token-profile-1.0#PasswordText">password</wsse:Password>
    <wsse:Nonce>mxSqK8/E3Mk1nNdXnGcG3w==</wsse:Nonce>
    <wsu:Created>2005-07-21T12:32:35Z</wsu:Created>
  </wsse:UsernameToken>
</wsse:Security>
```

} Note: Nonce and Created are not allowed in A2A messages.

1.4.4.2 Password and Expiration Rules for an Application System ID

The existing RUP password rules that are used for the Registered User Portal apply. Refer to IRM 25.10.1, Sub-Sub-Section 25.10.1.6.2.2.2 Password Procedures, for the details on Password Standards and Procedures.

The initial password and the security token are issued by the IRS.

The following example shows a SOAP request with the security information populated with the username and password from an A2A Password Authenticated client.

```
<wsse:Security
  xmlns:wsse="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-wssecurity-secext-1.0.xsd"
  xmlns:wsu="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-wssecurity-utility-1.0.xsd">
  <wsse:UsernameToken>
    <wsse:Username>app-id-username</wsse:Username>
    <wsse:Password Type="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-username-token-
      profile-1.0#PasswordText"> app-id-password</wsse:Password>
  </wsse:UsernameToken>
</wsse:Security>
```

1.4.5 WS-Security for Strong Authentication Users

WS-Security Strong Authentication is the type of authentication used by A2A Web services for Strong Authentication users in MeF Release 4.0. Strong Authentication users must have a valid X.509 digital security certificate obtained from an IRS-authorized Certificate Authority (CA) (like VeriSign or IdenTrust) and have their certificates stored in the IRS directory. Only those users who have registered with the IRS as Strong Authentication users can use this approach to authenticate their identity when using A2A Web services. Strong Authentication users are authenticated via their X.509 digital certificate in lieu of a password. They do not specify their Application System ID or password in the wsse:UsernameToken elements of the WS-Security header. However, every A2A service request requires the Application System ID of the user. A new AppSysID element (mandatory for all service requests from Strong Authentication users) was added to the MeF Header to satisfy this requirement. (See Section 1.6.11 for a description.)

The following table shows the WS-Security elements contained in a MeF A2A request message from Strong Authentication users and a brief explanation of what each element contains. The sections that follow illustrate the elements using an example EtinRetrieval request message.

Strong Authentication Request Message Elements	
Message Element	Contents/Notes
<wsse:BinarySecurityToken ...>	The X.509 Certificate in Base 64 Binary. It contains the Public Key (and Owner ID and Issuer ID)
<ds:SignedInfo> ... <ds:Reference URI="#....">	<ds:Reference URI=...> indicates the ID of one of the elements in the message which is being signed. For example: A <ds:Reference URI="#myHdr"> indicates that the message element with the ID ="myHdr" is being signed by this <ds:Reference URI=...>
<ds:SignedInfo> ... <ds:DigestValue>	<ds:DigestValue> is the Base 64 Binary output of the <ds:DigestMethod Algorithm=...> run on the entire element referenced by the <ds:Reference URI="#...."> (See example below)
<ds:SignatureValue>	Is the digital signature for the <ds:SignedInfo> element. RSA and DSA signatures are allowed. RSA examples are used in this document.

1.4.5.1 WS-Security BinarySecurityToken Element

Below is the illustration of the wsse:BinarySecurityToken in an A2A service request for a Strong Authentication user. The BinarySecurityToken contains the X.509 Certificate in Base 64 Binary.

```
<?xml version="1.0" encoding="UTF-8"?>
<SOAP-ENV:Envelope xmlns:SOAP-ENV="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns:xsd="http://www.w3.org/2001/XMLSchema"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xmlns:ds="http://www.w3.org/2000/09/xmldsig#">
  <SOAP-ENV:Header>
    <ns1:MeF xmlns:ns1="http://www.irs.gov/a2a/mef/MeFHeader.xsd" ID="myHdr">
      <ns1:MessageID>001232006026123abxyz</ns1:MessageID>
      <ns1:Action>EtinRetrieval</ns1:Action>
      <ns1:Timestamp>2005-10-27T08:55:29.348Z</ns1:Timestamp>
      <ns1:ETIN>00123</ns1:ETIN>
      <ns1:SessionIndicator>Y</ns1:SessionIndicator>
      <ns1:TestIndicator>T</ns1:TestIndicator>
      <ns1:AppSysID>00791234</ns1:AppSysID>
    </ns1:MeF>
    <wsse:Security xmlns:wsse="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-wssecurity-secext-1.0.xsd"
      xmlns:wsu="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-wssecurity-utility-1.0.xsd">
      <wsse:BinarySecurityToken ValueType="...#X509v3"
        EncodingType="...#Base64Binary" wsu:Id="X509Token">
MIIFQjCCBKugAwIBAgIEN0x5YzANBgkqhkiG9w0BAQUFADCBwzELMAkGA.....6IbEn8
      </wsse:BinarySecurityToken>
      <ds:Signature>
        <ds:SignedInfo>
          <ds:CanonicalizationMethod Algorithm="http://www.w3.org/2001/10/xml-exc-c14n#"/>
          <ds:SignatureMethod Algorithm="http://www.w3.org/2000/09/xmldsig#rsa-sha1"/>
          <ds:Reference URI="#myHdr">
            <ds:Transforms>
              <ds:Transform Algorithm="http://www.w3.org/2001/10/xml-exc-c14n#"/>
            </ds:Transforms>
            <ds:DigestMethod Algorithm="http://www.w3.org/2000/09/xmldsig#sha1"/>
            <ds:DigestValue>qZk+NkcGgWq6PiVxeFDCbJzQ2J0=</ds:DigestValue>
          </ds:Reference>
          <ds:Reference URI="#myBody">
            <ds:Transforms>
              <ds:Transform Algorithm="http://www.w3.org/2001/10/xml-exc-c14n#"/>
            </ds:Transforms>
            <ds:DigestMethod Algorithm="http://www.w3.org/2000/09/xmldsig#sha1"/>
            <ds:DigestValue>hJg+RBw70m66rkqh+VEp5eVGcPE=</ds:DigestValue>
          </ds:Reference>
        </ds:SignedInfo>
        <ds:SignatureValue>dsBeQ9qNXM1yU6BbWdBkSN676inwf+.....87Hs=</ds:SignatureValue>
        <ds:KeyInfo>
          <wsse:SecurityTokenReference>
            <wsse:Reference URI="#X509Token"/>
          </wsse:SecurityTokenReference>
        </ds:KeyInfo>
      </ds:Signature>
    </wsse:Security>
  </SOAP-ENV:Header>
  <SOAP-ENV:Body ID="myBody">
    <EtinRetrievalRequest xmlns="http://www.irs.gov/a2a/mef/MeFMSIServices.xsd">
      <TestIndicator>T</TestIndicator>
    </EtinRetrievalRequest>
  </SOAP-ENV:Body>
</SOAP-ENV:Envelope>
```

wsse:BinarySecurityToken is the X.509 Certificate in Base 64 Binary. It contains the Public Key (and Owner ID and Issuer ID)

1.4.5.2 WS-Security SignedInfo, Reference, DigestValue, and DigestMethod Elements

The `ds:SignedInfo`, `ds:Reference`, `ds:DigestValue`, and `ds:DigestMethod` elements in an A2A service request for a Strong Authentication user are illustrated below. The `SignedInfo` element contains the `Reference` and `DigestValue` elements. The `Reference` element references the ID attribute of the one of the elements in the message which is being signed. The element in question is normally either the MeF Header or the SOAP Body. The `DigestValue` element contains the Base 64 Binary output of the `DigestMethod` algorithm run on the entire element referenced by the `Reference` element.

```
<?xml version="1.0" encoding="UTF-8"?>
<SOAP-ENV:Envelope xmlns:SOAP-ENV="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns:xsd="http://www.w3.org/2001/XMLSchema"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xmlns:ds="http://www.w3.org/2000/09/xmldsig#">
  <SOAP-ENV:Header>
    <ns1:MeF xmlns:ns1="http://www.irs.gov/a2a/mef/MeFHeader.xsd" ID="myHdr">
      <ns1:MessageID>001232006026123abxyz</ns1:MessageID>
      <ns1:Action>EtinRetrieval</ns1:Action>
      <ns1:Timestamp>2005-10-27T08:55:29.348Z</ns1:Timestamp>
      <ns1:ETIN>00123</ns1:ETIN>
      <ns1:SessionIndicator>Y</ns1:SessionIndicator>
      <ns1:TestIndicator>T</ns1:TestIndicator>
      <ns1:AppSysID>00791234</ns1:AppSysID>
    </ns1:MeF>
    <wsse:Security xmlns:wsse="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-wssecurity-secext-1.0.xsd"
      xmlns:wsu="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-wssecurity-utility-1.0.xsd">
      <wsse:BinarySecurityToken ValueType="...#X509v3"
        EncodingType="...#Base64Binary" wsu:Id="X509Token">
        MIIFQjCCBKugAwIBAgIEN0xYzANBgkqhkiG9w0BAQUFAADCBwzELMAkGA...6IbEn8
      </wsse:BinarySecurityToken>
      <ds:Signature>
        <ds:SignedInfo>
          <ds:CanonicalizationMethod Algorithm="http://www.w3.org/2001/10/xml-exc-c14n#" />
          <ds:SignatureMethod Algorithm="http://www.w3.org/2000/09/xmldsig#rsa-sha1" />
          <ds:Reference URI="#myHdr">
            <ds:Transforms>
              <ds:Transform Algorithm="http://www.w3.org/2001/10/xml-exc-c14n#" />
            </ds:Transforms>
            <ds:DigestMethod Algorithm="http://www.w3.org/2000/09/xmldsig#sha1" />
            <ds:DigestValue>qZk+NkcGgWq6PiVxeFDCbJzQ2J0=</ds:DigestValue>
          </ds:Reference>
          <ds:Reference URI="#myBody">
            <ds:Transforms>
              <ds:Transform Algorithm="http://www.w3.org/2001/10/xml-exc-c14n#" />
            </ds:Transforms>
            <ds:DigestMethod Algorithm="http://www.w3.org/2000/09/xmldsig#sha1" />
            <ds:DigestValue>hJg+RBw70m66rkqh+VEp5eVGcPE=</ds:DigestValue>
          </ds:Reference>
        </ds:SignedInfo>
        <ds:SignatureValue>dsBeQ9qNXM1yU6BbWdBkSN676inwf+.....87Hs=</ds:SignatureValue>
        <ds:KeyInfo>
          <wsse:SecurityTokenReference>
            <wsse:Reference URI="#X509Token" />
          </wsse:SecurityTokenReference>
          </ds:KeyInfo>
        </ds:Signature>
      </wsse:Security>
    </SOAP-ENV:Header>
    <SOAP-ENV:Body ID="myBody">
      <EtinRetrievalRequest xmlns="http://www.irs.gov/a2a/mef/MeFMSIServices.xsd">
        <TestIndicator>T</TestIndicator>
      </EtinRetrievalRequest>
    </SOAP-ENV:Body>
  </SOAP-ENV:Envelope>
```

ds:DigestValue is the Base 64 Binary output of the ds:DigestMethod Algorithm run on the entire referenced element

ds:SignedInfo Reference


ds:SignedInfo Reference

ds:DigestValue is the Base 64 Binary output of the ds:DigestMethod Algorithm run on the entire referenced element

1.4.5.3 WS-Security SignatureValue and SignatureMethod Elements

The `ds:SignatureValue` and `ds:SignatureMethod` elements in an A2A service request for a Strong Authentication user are illustrated below. The `SignatureValue` is the digital signature for the `<ds:SignedInfo>` element. RSA and DSA signatures are allowed. RSA examples are used in this document. The `SignatureMethod` specifies the Digest Algorithm (like sha1) used by the RSA signature algorithm.

```
<?xml version="1.0" encoding="UTF-8"?>
<SOAP-ENV:Envelope xmlns:SOAP-ENV="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns:xsd="http://www.w3.org/2001/XMLSchema"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xmlns:ds="http://www.w3.org/2000/09/xmldsig#">
  <SOAP-ENV:Header>
    <ns1:MeF xmlns:ns1="http://www.irs.gov/a2a/mef/MeFHeader.xsd" ID="myHdr">
      <ns1:MessageID>001232006026123abxyz</ns1:MessageID>
      <ns1:Action>EtinRetrieval</ns1:Action>
      <ns1:Timestamp>2005-10-27T08:55:29.348Z</ns1:Timestamp>
      <ns1:ETIN>00123</ns1:ETIN>
      <ns1:SessionIndicator>Y</ns1:SessionIndicator>
      <ns1:TestIndicator>T</ns1:TestIndicator>
      <ns1:AppSysID>00791234</ns1:AppSysID>
    </ns1:MeF>
    <wsse:Security xmlns:wsse="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-wssecurity-secext-1.0.xsd"
      xmlns:wsu="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-wssecurity-utility-1.0.xsd">
      <wsse:BinarySecurityToken ValueType="...#X509v3"
        EncodingType="...#Base64Binary" wsu:Id="X509Token">
        MIIFQjCCBKugAwIBAgIEN0x5YzANBgkqhkiG9w0BAQUFADCBwzELMAkGA.....6lbEn8
      </wsse:BinarySecurityToken>
      <ds:Signature>
        <ds:SignedInfo>
          <ds:CanonicalizationMethod Algorithm="http://www.w3.org/2001/10/xml-exc-c14n#" />
          <ds:SignatureMethod Algorithm="http://www.w3.org/2000/09/xmldsig#rsa-sha1" />
          <ds:Reference URI="#myHdr">
            <ds:Transforms>
              <ds:Transform Algorithm="http://www.w3.org/2001/10/xml-exc-c14n#" />
            </ds:Transforms>
            <ds:DigestMethod Algorithm="http://www.w3.org/2000/09/xmldsig#sha1" />
            <ds:DigestValue>qZk+NkcGgWq6PiVxeFDCbJzQ2J0=</ds:DigestValue>
          </ds:Reference>
          <ds:Reference URI="#myBody">
            <ds:Transforms>
              <ds:Transform Algorithm="http://www.w3.org/2001/10/xml-exc-c14n#" />
            </ds:Transforms>
            <ds:DigestMethod Algorithm="http://www.w3.org/2000/09/xmldsig#sha1" />
            <ds:DigestValue>hJg+RBw70m66rkqh+VEp5eVGcPE=</ds:DigestValue>
          </ds:Reference>
        </ds:SignedInfo>
        <ds:SignatureValue>dsBeQ9qNXM1yU6BbWdBkSN676inwf.....87Hs=</ds:SignatureValue>
        <ds:KeyInfo>
          <wsse:SecurityTokenReference>
            <wsse:Reference URI="#X509Token" />
          </wsse:SecurityTokenReference>
        </ds:KeyInfo>
      </ds:Signature>
    </wsse:Security>
  </SOAP-ENV:Header>
  <SOAP-ENV:Body ID="myBody">
    <EtinRetrievalRequest xmlns="http://www.irs.gov/a2a/mef/MeFMSIServices.xsd">
      <TestIndicator>T</TestIndicator>
    </EtinRetrievalRequest>
  </SOAP-ENV:Body>
</SOAP-ENV:Envelope>
```



In this RSA example the `ds:SignatureValue` is the entire `<ds:SignedInfo>` element run through the Digest Algorithm (like sha1) pre-pended with the digest algorithm header information and encrypted with the private key represented in Base 64 Binary.

1.5 SOAP Body

The SOAP Body contains the request message and any attachment provided by the state or transmitter application. For responses the SOAP body contains the response message and any attachment or a SOAP Fault returned by the service.

1.5.1 Message Attachments Zip File Format

Only a single zip file will be accepted as an attachment sent by a Transmitter or State application and only a single zip file will be returned as an attachment by a service. This zip file attachment is a container zip file compatible with the PKWARE version 6.2.0 specification that contains one or more data items (submissions, acknowledgements, notifications, statuses or receipts). For Transmitters each data item must always be within its own inner zip file. The inner zip file(s) should be compressed; the outer container zip file must be an uncompressed zip file. For States each data item is just a file within the outer uncompressed zip file.


1.5.2 Message Attachments Content Type

The attachments sent by Transmitters and States must have the attachment content type specified as type “application/octet-stream.” The Multimedia Internet Message Extensions (MIME) Web Services Description Language (WSDL) files all specify this in the **mime:content** specification for the attachments. However, the WSDL syntax for Direct Internet Message Encapsulation (DIME) does not allow for such a specification. Nevertheless, when sending in a request that includes an attachment, DIME users must set the attachment content type to “application/octet-stream.”

1.6 MeFHeader Elements

This section describes the elements in the MeFHeader message. Every SOAP message request and response for a Web service from and to a State and Third-Party transmitter on the A2A channel must contain a MeFHeader message in the SOAP message header with the element tag “MeF”. The elements in the MeFHeader message are illustrated below. The individual elements are described in the sections that follow.

diagram



namespace <http://www.irs.gov/a2a/mef/MeFHeader.xsd>

type [mefhdr:MeFHeaderType](#)


children [mefhdr:MessageID](#) [mefhdr:RelatesTo](#) [mefhdr:Action](#) [mefhdr:Timestamp](#) [mefhdr:ETIN](#) [mefhdr:SessionIndicator](#) [mefhdr:TestIndicator](#) [mefhdr:NotificationResponse](#) [mefhdr:AppSysID](#)

attributes	Name	Type	Use	Default	Fixed	Annotation
source	Id	xs:ID	optional			

<xs:element name="MeF" type="mefhdr:MeFHeaderType"/>

1.6.1 element MeFHeaderType/MessageID

The MessageID element is mandatory. All request and response messages must have a globally unique MessageID provided by the message source.

diagram	
type	mefhdr:HeaderMessageldType
properties	isRef 0 content simple
facets	pattern [0-9]{12}[a-z0-9]{8}[E R D]?
annotation	documentation This Message ID
source	<pre><xs:element name="MessageID" type="mefhdr:HeaderMessageldType"> <xs:annotation> <xs:documentation> This Message ID </xs:documentation> </xs:annotation> </xs:element> <xs:simpleType name="HeaderMessageldType"> <xs:restriction base="xs:string"> <xs:pattern value="[0-9]{12}[a-z0-9]{8}[E R D]?"/> </xs:restriction> </xs:simpleType></pre>

Message ID

There are three types of messages to consider: request messages, response messages, and error messages. The message ID formats are specified as follows.

Request Message ID

To ensure the global uniqueness of a message ID, the following format is adopted for the request messages sent to the MeF system:

ETIN + ccyddd + xxxxxxxx

For example:

Request message ID: 001302006073a2345any

The first five digits (00130) contain the Electronic Transmitter Identification Number (ETIN), the next four digits (2006) contain the year, the next three digits (073) contain the Julian date, and the last eight characters (a2345any) contain a lowercase alphanumeric sequence to uniquely identify messages sent within a day with the given ETIN. The total number of characters of the request message ID is 20.

Response Message ID

For response messages sent from the MeF system, the following format is adopted for the message ID:

Request Message ID + "R"

For example:

Response message ID: 001302006073a2345anyR

The total number of characters of the response message ID is 21.

Error Message ID

For error messages sent from the MeF system, the following format is adopted for the message ID:

Request Message ID + "E"

For example:


Response message ID: 001302006073a2345anyE

The total number of characters of the error message ID is 21.

1.6.2 element MeFHeaderType/RelatesTo

This element can be used to allow members in a Web Services engagement—either requesters or responders—to deliver a complex chain of messages between two, three, or more services by positively indicating that they are part of the same thread. The RelatesTo element is optional and is not applicable to the initial message of a thread. All other messages of a thread must contain the RelatesTo element with the MessageID of the initial message.

diagram



For response messages the request Message ID it relates to

type	mefhdr:HeaderMessageIdType	
properties	isRef	0
	content	simple
facets	pattern	[0-9]{12}[a-z0-9]{8}[E R D]?
annotation	documentation	For response messages the request Message ID it relates to
source	<pre><xs:element name="RelatesTo" type="mefhdr:HeaderMessageIdType" minOccurs="0"> <xs:annotation> <xs:documentation> For response messages the request Message ID it relates to </xs:documentation> </xs:annotation> </xs:element> <xs:simpleType name="HeaderMessageIdType"> <xs:restriction base="xs:string"> <xs:pattern value="[0-9]{12}[a-z0-9]{8}[E R D]?" /> </xs:restriction> </xs:simpleType></pre>	

1.6.3 element MeFHeaderType/Action

The Action element is mandatory. The action element identifies the Web service endpoints to be used for end-to-end endpoint identification in messages. For all service requests, this element must match the service at the URL invoked. The Action element can contain the actual URL invoked, the SOAP Action, or just the service name. For example, if invoking the URL <https://la.www4.irs.gov/a2a/mef/Login>, then the Action element could be “<https://la.www4.irs.gov/a2a/mef/Login>”, or “<http://www.irs.gov/a2a/mef/Login>”, or “Login”.



type **xs:string**


properties isRef 0
content simple

annotation documentation The service operation to invoke.

source `<xs:element name="Action" type="xs:string">
<xs:annotation>
<xs:documentation> The service operation to invoke. </xs:documentation>
</xs:annotation>
</xs:element>`

1.6.4 Element MeFHeaderType/Timestamp

The Timestamp element is mandatory. The Timestamp element identifies the Web service date and time of message creation.



type **xs:dateTime**

properties isRef 0
content simple

annotation documentation The date and time this message was created.

source `<xs:element name="Timestamp" type="xs:dateTime">
<xs:annotation>
<xs:documentation>The date and time this message was created.</xs:documentation>
</xs:annotation>
</xs:element>`

1.6.5 element MeFHeaderType/ETIN

The ETIN element identifies the electronic transmitter identification number of the transmitter who sends the request message. The ETIN element is optional. It is not applicable to the InitialLogin, Login, ChangePassword, or Logout services. However, it is required for all other service requests.



type **xs:string**

properties isRef 0
content simple


annotation documentation The ETIN of the party associated with this message

source `<xs:element name="ETIN" type="xs:string" minOccurs="0">
<xs:annotation>
<xs:documentation> The ETIN of the party associated with this message </xs:documentation>
</xs:annotation>
</xs:element>`

1.6.6 element MeFHeaderType/SessionIndicator

The SessionIndicator element indicates whether the service request should return an open session (SAML assertion) for the request or close the session at the end of the service (no SAML). The expected values are “Y” (to indicate that an open persistent session should be established) or “N” (to indicate that the session should be closed [logged out] at the end of the service). The SessionIndicator element is optional because it is not applicable to the Logout service. However, it is required for all other services and for the InitialLogin service it must always be set to “N”.

diagram



type	mefhdr:SessionIndicatorType
properties	isRef 0 content simple
annotation	documentation This indicates whether a session key is returned (“Y” or “N”)
source	<pre><xs:element name="SessionIndicator" type="mefhdr:SessionIndicatorType" minOccurs="0"> <xs:annotation> <xs:documentation> This indicates whether a session key is returned (“Y” or “N”) </xs:documentation> </xs:annotation> </xs:element> <xs:simpleType name="SessionIndicatorType"> <xs:restriction base="xs:string"> <xs:enumeration value="Y"/> <xs:enumeration value="N"/> </xs:restriction> </xs:simpleType></pre>

1.6.7 element MeFHeaderType/TestIndicator

The TestIndicator element identifies if the request is a production request or an ATS (test) request. The expected values are “P” (to indicate that this is a production request) or “T” (to indicate that this is an ATS (test) request). The TestIndicator element is optional because it is not applicable to the InitialLogin, Login, ChangePassword, or Logout services. However, it is required for all other service requests.

diagram

TestIndicator

This indicates whether the service request is for the test(T) or production(P) environment

type [mefhdr:TestIndicatorType](#)

properties isRef 0
content simple

annotation documentation This indicates whether the service request is for the test(T) or production(P) environment


source

```
<xs:element name="TestIndicator" type="mefhdr:TestIndicatorType" minOccurs="0">
  <xs:annotation>
    <xs:documentation> This indicates whether the service request is for the test(T) or production(P) environment
  </xs:documentation>
  </xs:annotation>
</xs:element>
<xs:simpleType name="TestIndicatorType">
  <xs:restriction base="xs:string">
    <xs:enumeration value="T"/>
    <xs:enumeration value="P"/>
  </xs:restriction>
</xs:simpleType>
```

1.6.8 element MeFHeaderType/NotificationResponse

The optional NotificationResponse element is used to communicate secondary information back to the Third Party or State applications. It is intended for use on response messages only, not on input requests. This information is not necessarily directly related to the request. For example, it is used to notify the application that the password will expire after some number of days.

diagram



type	mefhdr:MeFNotificationResponse
properties	isRef 0 content complex
children	NotificationType ApplicableDate
annotation	documentation This indicates the notification type and date/time
source	<pre><xs:element name="NotificationResponse" type="mefhdr:MeFNotificationResponse" minOccurs="0"> <xs:annotation> <xs:documentation> This indicates the notification type and date/time </xs:documentation> </xs:annotation> </xs:element></pre>

1.6.9 element MeFNotificationResponse/NotificationType

The NotificationType element is used to communicate secondary information back to the Third Party or State applications (e.g., “Password Expires in 6 days”).

diagram



type	xs:string
properties	isRef 0 content simple
annotation	documentation The item to which this notification applies (e.g. Password Expires in 6 days)
source	<pre><xs:element name="NotificationType" type="xs:string"> <xs:annotation> <xs:documentation> The item to which this notification applies (e.g. Password Expires in 6 days) </xs:documentation> </xs:annotation> </xs:element></pre>

1.6.10 element MeFNotificationResponse/ApplicableDate

The ApplicableDate element is used to communicate the date and time of the notification back to the Third Party or State applications. It is always the current system date and time.

diagram	
type	xs:dateTime
properties	isRef 0 content simple
annotation	documentation The current system date and time of this notification.
source	<pre><xs:element name="ApplicableDate" type="xs:dateTime"> <xs:annotation> <xs:documentation> The current system date and time of this notification. </xs:documentation> </xs:annotation> </xs:element></pre>

1.6.11 element MeFHeaderType/AppSysID

The AppSysID element identifies the Application System ID (username) of the A2A client calling this web service. The AppSysID element is optional. It is not required for password authenticated users. However, it is mandatory for all requests from Strong Authentication users.

diagram	
namespace	http://www.irs.gov/a2a/mef/MeFHeader.xsd
type	xs:string
properties	isRef 0 content simple
annotation	documentation The Application System ID (User ID) of the A2A client calling this web service. It is mandatory for Strong Authentication users.
source	<pre><xs:element name="AppSysID" type="xs:string" minOccurs="0"> <xs:annotation> <xs:documentation> The Application System ID (User ID) of the A2A client calling this web service. It is mandatory for Strong Authentication users. </xs:documentation> </xs:annotation> </xs:element></pre>

1.6.12 attribute Id

The Id attribute is used with Strong Authentication to identify the MeF Header referenced in a SignedInfo/Reference used to generate a XML digital signature DigestValue. It is optional and only applicable to requests from Strong Authentication users. It is required in signed requests. It's optional in requests authenticated by SAML token or by username/password.

1.7 MeF Release 3.2 and 4.0 A2A Web Services Summary

The MeF Release 3.2 and 4.0 A2A services are divided into 5 classifications:

- **Modernized System Infrastructure (MSI) Services**
 - InitialLogin, Login, Logout, ChangePassword, EtinRetrieval, EtinStatus, GetStateParticipantsList
- **State Services DIME**
 - GetNewSubmissions, GetSubmissionsByMsgID, GetSubmissions, GetSubmission, SendSubmissionReceipts, SendAcks, GetNewAckNotifications, GetAckNotifications, GetAckNotification
- **State Services MIME**
 - GetNewSubmissions, GetSubmissionsByMsgID, GetSubmissions, GetSubmission, SendSubmissionReceipts, SendAcks, GetNewAckNotifications, GetAckNotifications, GetAckNotification
- **Transmitter Services DIME**
 - SendSubmissions, GetNewAcks, GetAcksByMsgID, GetAcks, GetAck, GetNewSubmissionsStatus, GetSubmissionsStatus, GetSubmissionStatus
- **Transmitter Services MIME**
 - SendSubmissions, GetNewAcks, GetAcksByMsgID, GetAcks, GetAck, GetNewSubmissionsStatus, GetSubmissionsStatus, GetSubmissionStatus

The URL addresses for accessing the services from the client applications on the A2A channel are in the table below. During the transition period before MeF Release 4.0 goes into full production there are two sets of URL addresses available to clients. Clients issuing production or test requests to MeF Release 3.2 must use the “**la**” URL addresses. Clients testing with the MeF Release 4.0 services must use the “**alt**” URL addresses to access the MeF Release 4.0 services. After MeF Release 4.0 goes into full production, the MeF Release 3.2 services will no longer be available and both sets of URL addresses will be equivalent.

MeF Release 3.2 URLs
MSI Services
https://la.www4.irs.gov/a2a/mef/ChangePassword
https://la.www4.irs.gov/a2a/mef/EtinRetrieval
https://la.www4.irs.gov/a2a/mef/EtinStatus
https://la.www4.irs.gov/a2a/mef/GetStateParticipantsList
https://la.www4.irs.gov/a2a/mef/InitialLogin
https://la.www4.irs.gov/a2a/mef/Logout
https://la.www4.irs.gov/a2a/mef/Login

State Services DIME
https://la.www4.irs.gov/a2a/mef/dime/GetNewSubmissions
https://la.www4.irs.gov/a2a/mef/dime/GetSubmissionsByMsgID
https://la.www4.irs.gov/a2a/mef/dime/GetSubmissions
https://la.www4.irs.gov/a2a/mef/dime/GetSubmission
https://la.www4.irs.gov/a2a/mef/dime/SendSubmissionReceipts
https://la.www4.irs.gov/a2a/mef/dime/SendAcks
https://la.www4.irs.gov/a2a/mef/dime/GetNewAckNotifications
https://la.www4.irs.gov/a2a/mef/dime/GetAckNotifications
https://la.www4.irs.gov/a2a/mef/dime/GetAckNotification
State Services MIME
https://la.www4.irs.gov/a2a/mef/mime/GetNewSubmissions
https://la.www4.irs.gov/a2a/mef/mime/GetSubmissionsByMsgID
https://la.www4.irs.gov/a2a/mef/mime/GetSubmissions
https://la.www4.irs.gov/a2a/mef/mime/GetSubmission
https://la.www4.irs.gov/a2a/mef/mime/SendSubmissionReceipts
https://la.www4.irs.gov/a2a/mef/mime/SendAcks
https://la.www4.irs.gov/a2a/mef/mime/GetNewAckNotifications
https://la.www4.irs.gov/a2a/mef/mime/GetAckNotifications
https://la.www4.irs.gov/a2a/mef/mime/GetAckNotification
Transmitter Services DIME
https://la.www4.irs.gov/a2a/mef/dime/SendSubmissions
https://la.www4.irs.gov/a2a/mef/dime/GetNewAcks
https://la.www4.irs.gov/a2a/mef/dime/GetAcksByMsgID
https://la.www4.irs.gov/a2a/mef/dime/GetAcks
https://la.www4.irs.gov/a2a/mef/dime/GetAck
https://la.www4.irs.gov/a2a/mef/dime/GetNewSubmissionsStatus
https://la.www4.irs.gov/a2a/mef/dime/GetSubmissionsStatus
https://la.www4.irs.gov/a2a/mef/dime/GetSubmissionStatus
Transmitter Services MIME
https://la.www4.irs.gov/a2a/mef/mime/SendSubmissions
https://la.www4.irs.gov/a2a/mef/mime/GetNewAcks
https://la.www4.irs.gov/a2a/mef/mime/GetAcksByMsgID
https://la.www4.irs.gov/a2a/mef/mime/GetAcks
https://la.www4.irs.gov/a2a/mef/mime/GetAck
https://la.www4.irs.gov/a2a/mef/mime/GetNewSubmissionsStatus
https://la.www4.irs.gov/a2a/mef/mime/GetSubmissionsStatus
https://la.www4.irs.gov/a2a/mef/mime/GetSubmissionStatus

MeF Release 4.0 URLs
MSI Services
https://alt.www4.irs.gov/a2a/mef/ChangePassword
https://alt.www4.irs.gov/a2a/mef/EtinRetrieval
https://alt.www4.irs.gov/a2a/mef/EtinStatus
https://alt.www4.irs.gov/a2a/mef/GetStateParticipantsList
https://alt.www4.irs.gov/a2a/mef/InitialLogin
https://alt.www4.irs.gov/a2a/mef/Logout
https://alt.www4.irs.gov/a2a/mef/Login
State Services DIME
https://alt.www4.irs.gov/a2a/mef/dime/GetNewSubmissions
https://alt.www4.irs.gov/a2a/mef/dime/GetSubmissionsByMsgID
https://alt.www4.irs.gov/a2a/mef/dime/GetSubmissions
https://alt.www4.irs.gov/a2a/mef/dime/GetSubmission
https://alt.www4.irs.gov/a2a/mef/dime/SendSubmissionReceipts
https://alt.www4.irs.gov/a2a/mef/dime/SendAcks
https://alt.www4.irs.gov/a2a/mef/dime/GetNewAckNotifications
https://alt.www4.irs.gov/a2a/mef/dime/GetAckNotifications
https://alt.www4.irs.gov/a2a/mef/dime/GetAckNotification
State Services MIME
https://alt.www4.irs.gov/a2a/mef/mime/GetNewSubmissions
https://alt.www4.irs.gov/a2a/mef/mime/GetSubmissionsByMsgID
https://alt.www4.irs.gov/a2a/mef/mime/GetSubmissions
https://alt.www4.irs.gov/a2a/mef/mime/GetSubmission
https://alt.www4.irs.gov/a2a/mef/mime/SendSubmissionReceipts
https://alt.www4.irs.gov/a2a/mef/mime/SendAcks
https://alt.www4.irs.gov/a2a/mef/mime/GetNewAckNotifications
https://alt.www4.irs.gov/a2a/mef/mime/GetAckNotifications
https://alt.www4.irs.gov/a2a/mef/mime/GetAckNotification
Transmitter Services DIME
https://alt.www4.irs.gov/a2a/mef/dime/SendSubmissions
https://alt.www4.irs.gov/a2a/mef/dime/GetNewAcks
https://alt.www4.irs.gov/a2a/mef/dime/GetAcksByMsgID
https://alt.www4.irs.gov/a2a/mef/dime/GetAcks
https://alt.www4.irs.gov/a2a/mef/dime/GetAck
https://alt.www4.irs.gov/a2a/mef/dime/GetNewSubmissionsStatus
https://alt.www4.irs.gov/a2a/mef/dime/GetSubmissionsStatus
https://alt.www4.irs.gov/a2a/mef/dime/GetSubmissionStatus

Transmitter Services MIME
https://alt.www4.irs.gov/a2a/mef/mime/SendSubmissions
https://alt.www4.irs.gov/a2a/mef/mime/GetNewAcks
https://alt.www4.irs.gov/a2a/mef/mime/GetAcksByMsgID
https://alt.www4.irs.gov/a2a/mef/mime/GetAcks
https://alt.www4.irs.gov/a2a/mef/mime/GetAck
https://alt.www4.irs.gov/a2a/mef/mime/GetNewSubmissionsStatus
https://alt.www4.irs.gov/a2a/mef/mime/GetSubmissionsStatus
https://alt.www4.irs.gov/a2a/mef/mime/GetSubmissionStatus

The following table lists of the interface messages for each service.

MeF Release 3.2 and 4.0 Service Request & Response Messages for A2A	
<i>MSI Services Messages</i>	
ChangePasswordRequestMessage ChangePasswordResponseMessage EtinRetrievalRequestMessage EtinRetrievalResponseMessage EtinStatusRequestMessage EtinStatusResponseMessage GetStateParticipantsListRequestMessage GetStateParticipantsListResponseMessage InitialLoginRequestMessage InitialLoginResponseMessage LoginRequestMessage LoginResponseMessage LogoutRequestMessage LogoutResponseMessage MeFFaultMessage	
State Services Messages	Transmitter Services Messages
GetAckNotificationRequest GetAckNotificationResponse GetAckNotificationsRequest GetAckNotificationsResponse GetNewAckNotificationsRequest GetNewAckNotificationsResponse GetNewSubmissionsRequest GetNewSubmissionsResponse GetSubmissionRequest GetSubmissionResponse GetSubmissionsRequest GetSubmissionsResponse GetSubmissionsByMsgIDRequest GetSubmissionsByMsgIDResponse SendAcksRequest SendAcksResponse SendSubmissionReceiptsRequest SendSubmissionReceiptsResponse MeFException	GetAckRequest GetAckResponse GetAcksRequest GetAcksResponse GetAcksByMsgIDRequest GetAcksByMsgIDResponse GetNewAcksRequest GetNewAcksResponse GetNewSubmissionsStatusRequest GetNewSubmissionsStatusResponse GetSubmissionsStatusRequest GetSubmissionsStatusResponse GetSubmissionStatusRequest SendSubmissionsRequest SendSubmissionsResponse MeFException

The style used in the following sections to describe the A2A services warrants explanation. Each service section begins with a service description indicating the service intent, the request message and response message elements and what conditions will result in an error being returned. The subsections that follow contain diagrams illustrating the message elements and sub-elements for the requests, responses and exceptions (errors). For example:

Section 1.7.1.2 describes the Login service, the request and response message elements and the error response.

Subsection 1.7.1.2.1 illustrates the Login Request message elements.

Subsection 1.7.1.2.2 illustrates the Login Response message elements.

Subsection 1.7.1.2.3 illustrates MeF Exception (error) message elements.

1.7.1 Modernized System Infrastructure (MSI) Services

The following table contains the summary of the services, bindings, ports, and SOAP messages for all the A2A web services provided directly by the MSI.

services	bindings	porttypes	messages
ChangePassword	ChangePassword	ChangePassword	ChangePasswordRequestMessage
EtinRetrieval	EtinRetrieval	EtinRetrieval	ChangePasswordResponseMessage
EtinStatus	EtinStatus	EtinStatus	EtinRetrievalRequestMessage
GetStateParticipantsList	GetStateParticipantsList	GetStateParticipantsList	EtinRetrievalResponseMessage
InitialLogin	InitialLogin	InitialLogin	EtinStatusRequestMessage
Login	Login	Login	EtinStatusResponseMessage
Logout	Logout	Logout	GetStateParticipantsListRequestMessage
			GetStateParticipantsListResponseMessage
			InitialLoginRequestMessage
			InitialLoginResponseMessage
			LoginRequestMessage
			LoginResponseMessage
			LogoutRequestMessage
			LogoutResponseMessage
			MeFFaultMessage

1.7.1.1 Initial Login

Both States and Third-Party transmitters using Password Authentication will be required to perform a first-time login to initialize each originating application system ID. This will be accomplished using an infrastructure Web Service designed to perform this task. This service is not applicable to Strong Authentication users. During the A2A enrollment process the initial password and confirmation token were assigned to the system ID by the IRS. Both the initial password and confirmation token are case sensitive text strings. The initial password was provided to the customer via a telephone conversation with the customer's authorized representative. The confirmation token was provided to the customer via an acceptance letter mailed (or faxed) to customer's authorized representative. The requesting system will provide the system ID and initial password obtained during the A2A enrollment process in the wsse:Security portion of the SOAP header. The requesting system will also provide the initial password, confirmation token, and new password in the Initial Login Request message within the SOAP body and must also set the SessionIndicator in the MeFHeader message in the SOAP header to "N". After the authentication is completed, the password change will be automatically performed during the service request. If the authentication and the password change are completed successfully, future login requests must use the new password supplied in the Initial Login Request message. If successful, an InitialLoginResponse message is returned in the SOAP body of the response message. If the authentication or the password change fails, a SOAP error message is returned to the requesting system.

type [tns:InitialLogin](#)

extensibility `<soap:binding style="document" transport="http://schemas.xmlsoap.org/soap/http"/>`

operations

InitialLogin

 extensibility `<soap:operation soapAction="http://www.irs.gov/a2a/mef/InitialLogin"/>`

 input `<soap:body parts="InitialLogin" use="literal"/><soap:header message="tns:InitialLoginRequestMessage" part="MeFHeader" use="literal"/>`


 output `<soap:body parts="InitialLoginResponse" use="literal"/><soap:header message="tns:InitialLoginResponseMessage" part="MeFHeader" use="literal"/>`

used by Service [InitialLogin](#) in Port [InitialLogin](#)

source `<wsdl:binding name="InitialLogin" type="tns:InitialLogin">
<soap:binding style="document" transport="http://schemas.xmlsoap.org/soap/http"/>
<wsdl:operation name="InitialLogin">
<soap:operation soapAction="http://www.irs.gov/a2a/mef/InitialLogin"/>
<wsdl:input>
<soap:body parts="InitialLogin" use="literal"/>
<soap:header message="tns:InitialLoginRequestMessage" part="MeFHeader" use="literal"/>
</wsdl:input>
<wsdl:output>
<soap:body parts="InitialLoginResponse" use="literal"/>
<soap:header message="tns:InitialLoginResponseMessage" part="MeFHeader" use="literal"/>
</wsdl:output>
<wsdl:fault name="fault">
<soap:fault name="fault" use="literal"/>
</wsdl:fault>
</wsdl:operation>
</wsdl:binding>`

1.7.1.1.1 element InitialLoginRequest

diagram



namespace <http://www.irs.gov/a2a/mef/MeFMSIServices.xsd>

type [mef:InitialLoginRequestType](#)


properties content complex

children [Password](#) [NewPassword](#) [ConfirmationToken](#)

source `<xs:element name="InitialLoginRequest" type="mef:InitialLoginRequestType"/>`

1.7.1.1.2 element InitialLoginResponse

diagram



namespace <http://www.irs.gov/a2a/mef/MeFMSIServices.xsd>

type [mef:InitialLoginResponseType](#)


properties content complex

children [Status](#)

source `<xs:element name="InitialLoginResponse" type="mef:InitialLoginResponseType"/>`

1.7.1.1.3 element MeFException

diagram



namespace <http://www.irs.gov/a2a/mef/MeFMSIServices.xsd>

type [mef:MeFExceptionType](#)

properties content complex

children [ErrorMessage](#) [ErrorClassification](#) [ErrorCode](#)

source `<xs:element name="MeFException" type="mef:MeFExceptionType"/>`

1.7.1.2 Login

Both States and the Third Party transmitters will need to login to the system in order to invoke any other service requests. This will be accomplished using the infrastructure login Web Service. Password Authenticated users must specify their Application System ID and password in the wsse:Security portion of the SOAP header and an empty LoginRequest message tag in the SOAP body. Strong Authentication users must specify their Application System ID in the AppSysID element of the MeF Header and their **BinarySecurityToken**, and **Signature** (containing the **SignatureValue**) in the wsse:Security portion of the SOAP header along with an empty LoginRequest message tag in the SOAP body. If the authentication is successful, a LoginResponse message is returned in the SOAP body of the response message. If the authentication is successfully completed and the SessionIndicator is set to “Y” in the MeFHeader message within the SOAP header, a session token is created and returned in the SOAP header of the response message. If authentication fails, a SOAP error message will be returned to the requesting system.

type [tns:Login](#)

extensibility `<soap:binding style="document" transport="http://schemas.xmlsoap.org/soap/http/">`

operations

Login

extensibility `<soap:operation soapAction="http://www.irs.gov/a2a/mef/Login"/>`

input `<soap:body parts="Login" use="literal"/><soap:header message="tns:LoginRequestMessage" part="MeFHeader" use="literal"/>`


output `<soap:body parts="LoginResponse" use="literal"/><soap:header message="tns:LoginResponseMessage" part="MeFHeader" use="literal"/>`

used by Service [Login](#) in Port [Login](#)

source `<wsdl:binding name="Login" type="tns:Login">
<soap:binding style="document" transport="http://schemas.xmlsoap.org/soap/http/">
<wsdl:operation name="Login">
<soap:operation soapAction="http://www.irs.gov/a2a/mef/Login"/>
<wsdl:input>
<soap:body parts="Login" use="literal"/>
<soap:header message="tns:LoginRequestMessage" part="MeFHeader" use="literal"/>
</wsdl:input>
<wsdl:output>
<soap:body parts="LoginResponse" use="literal"/>
<soap:header message="tns:LoginResponseMessage" part="MeFHeader" use="literal"/>
</wsdl:output>
<wsdl:fault name="fault">
<soap:fault name="fault" use="literal"/>
</wsdl:fault>
</wsdl:operation>
</wsdl:binding>`

1.7.1.2.1 element LoginRequest

diagram



namespace <http://www.irs.gov/a2a/mef/MeFMSIServices.xsd>


type [mef:LoginRequestType](#)

properties content complex

source `<xs:element name="LoginRequest" type="mef:LoginRequestType"/>`

1.7.1.2.2 element LoginResponse

diagram



namespace `http://www.irs.gov/a2a/mef/MeFMSIServices.xsd`

type [mef:LoginResponseType](#)


properties content complex

children [Status](#)

source `<xs:element name="LoginResponse" type="mef:LoginResponseType"/>`

1.7.1.2.3 element MeFException

diagram



namespace `http://www.irs.gov/a2a/mef/MeFMSIServices.xsd`

type [mef:MeFExceptionType](#)

properties content complex

children [ErrorMessage](#) [ErrorClassification](#) [ErrorCode](#)

source `<xs:element name="MeFException" type="mef:MeFExceptionType"/>`

1.7.1.3 Logout

Both States and Third-Party transmitters will have authorization to programmatically request a logout Web Service to end a persistent session using an infrastructure Web Service designed to perform this task. Password Authenticated users must specify their Application System ID in the wsse:Security portion of the SOAP header and the session key in the wsse:Security portion of the SOAP header and an empty LogoutRequest message tag in the SOAP body. Strong Authentication users must specify their Application System ID in the AppSysID element of the MeF Header and the session key in the wsse:Security portion of the SOAP header and an empty LogoutRequest message tag in the SOAP body. If the requesting session is successfully terminated, a successful LogoutResponse message will be returned to the requestor in the SOAP body indicating that the session was terminated. Otherwise, a SOAP error message will be returned to the requesting system.


```

type tns:Logout
extensibility <soap:binding style="document" transport="http://schemas.xmlsoap.org/soap/http"/>
operations
  Logout
  extensibility <soap:operation soapAction="http://www.irs.gov/a2a/mef/Logout"/>
  input <soap:body parts="Logout" use="literal"/><soap:header message="tns:LogoutRequestMessage"
  part="MeFHeader" use="literal"/>
  output <soap:body parts="LogoutResponse" use="literal"/><soap:header
  message="tns:LogoutResponseMessage" part="MeFHeader" use="literal"/>
used by Service Logout in Port Logout
source <wsdl:binding name="Logout" type="tns:Logout">
  <soap:binding style="document" transport="http://schemas.xmlsoap.org/soap/http"/>
  <wsdl:operation name="Logout">
    <soap:operation soapAction="http://www.irs.gov/a2a/mef/Logout"/>
    <wsdl:input>
      <soap:body parts="Logout" use="literal"/>
      <soap:header message="tns:LogoutRequestMessage" part="MeFHeader" use="literal"/>
    </wsdl:input>
    <wsdl:output>
      <soap:body parts="LogoutResponse" use="literal"/>
      <soap:header message="tns:LogoutResponseMessage" part="MeFHeader" use="literal"/>
    </wsdl:output>
    <wsdl:fault name="fault">
      <soap:fault name="fault" use="literal"/>
    </wsdl:fault>
  </wsdl:operation>
</wsdl:binding>

```

1.7.1.3.1 element LogoutRequest

diagram



```


namespace http://www.irs.gov/a2a/mef/MeFMSIServices.xsd
type mef:LogoutRequestType
properties content complex

```

source `<xs:element name="LogoutRequest" type="mef:LogoutRequestType"/>`

1.7.1.3.2 element LogoutResponse

diagram



namespace `http://www.irs.gov/a2a/mef/MeFMSIServices.xsd`

type [mef:LogoutResponseType](#)


properties content complex

children [Status](#)

source `<xs:element name="LogoutResponse" type="mef:LogoutResponseType"/>`

1.7.1.3.3 element MeFException

diagram



namespace `http://www.irs.gov/a2a/mef/MeFMSIServices.xsd`

type [mef:MeFExceptionType](#)

properties content complex

children [ErrorMessage](#) [ErrorClassification](#) [ErrorCode](#)

source `<xs:element name="MeFException" type="mef:MeFExceptionType"/>`

1.7.1.4 ChangePassword

Both States and Third-Party transmitters using Password Authentication will have authorization to programmatically request a Web Service to change the password for an originating Application System ID. This service is not applicable to Strong Authentication users. The requesting system will provide the Application System ID in the `wsse:Security` portion of the SOAP header. The requesting system must also already be logged in, have a valid session, and provide the session key in the `wsse:Security` portion of the SOAP header. The requesting system will also provide a `ChangePasswordRequest` message (containing the current password and new password) in the SOAP body. If the password is successfully changed, a `ChangePasswordResponse` message will be returned to the requestor in the SOAP body indicating that the password was changed. Otherwise, a SOAP error message will be returned to the requesting system.

type [tns:ChangePassword](#)

extensibility `<soap:binding style="document" transport="http://schemas.xmlsoap.org/soap/http"/>`

operations **ChangePassword**

extensibility `<soap:operation soapAction="http://www.irs.gov/a2a/mef/ChangePassword"/>`

input `<soap:body parts="ChangePassword" use="literal"/><soap:header message="tns:ChangePasswordRequestMessage" part="MeFHeader" use="literal"/>`


output `<soap:body parts="ChangePasswordResponse" use="literal"/><soap:header message="tns:ChangePasswordResponseMessage" part="MeFHeader" use="literal"/>`

used by Service [ChangePassword](#) in Port [ChangePassword](#)

source `<wsdl:binding name="ChangePassword" type="tns:ChangePassword">
<soap:binding style="document" transport="http://schemas.xmlsoap.org/soap/http"/>
<wsdl:operation name="ChangePassword">
<soap:operation soapAction="http://www.irs.gov/a2a/mef/ChangePassword"/>
<wsdl:input>
<soap:body parts="ChangePassword" use="literal"/>
<soap:header message="tns:ChangePasswordRequestMessage" part="MeFHeader" use="literal"/>
</wsdl:input>
<wsdl:output>
<soap:body parts="ChangePasswordResponse" use="literal"/>
<soap:header message="tns:ChangePasswordResponseMessage" part="MeFHeader" use="literal"/>
</wsdl:output>
<wsdl:fault name="fault">
<soap:fault name="fault" use="literal"/>
</wsdl:fault>
</wsdl:operation>
</wsdl:binding>`

1.7.1.4.1 element ChangePasswordRequest

diagram



namespace <http://www.irs.gov/a2a/mef/MeFMSIServices.xsd>

type [mef:ChangePasswordRequestType](#)


properties content complex

children [Password](#) [NewPassword](#)

source `<xs:element name="ChangePasswordRequest" type="mef:ChangePasswordRequestType"/>`

1.7.1.4.2 element ChangePasswordResponse

diagram



namespace <http://www.irs.gov/a2a/mef/MeFMSIServices.xsd>

type [mef:ChangePasswordResponseType](#)


properties content complex

children [Status](#)

source `<xs:element name="ChangePasswordResponse" type="mef:ChangePasswordResponseType"/>`

1.7.1.4.3 element MeFException

diagram



namespace <http://www.irs.gov/a2a/mef/MeFMSIServices.xsd>

type [mef:MeFExceptionType](#)

properties content complex

children [ErrorMessage](#) [ErrorClassification](#) [ErrorCode](#)

source `<xs:element name="MeFException" type="mef:MeFExceptionType"/>`

1.7.1.5 ETIN Retrieval

Both States and Third-Party transmitters will have authorization to programmatically request a Web Service to retrieve an array of ETINs for the originating Application System ID (specified in the wsse:Security portion of the SOAP header by Password Authenticated users or in the AppSysID element of the MeF Header in the SOAP header by Strong Authentication users). The requesting system will also provide an EtinRetrievalRequest message in the SOAP body with a Test Indicator (“T” or “P”) indicating whether the list of ETINs should be for the Test or Production environment. If successful, the service returns an EtinRetrievalResponse message in the SOAP body containing an array of ETINs, statuses and forms for the Application System ID, or null if no ETINs are found. Otherwise, a SOAP error message will be returned to the requesting system. If the request is for Test ETINs, then ETINs where the ETIN status or Form status indicate Test are returned. If the request is for Production ETINs, only ETINs where both the ETIN status and Form status indicate Production are returned.

type [tns:EtinRetrieval](#)

extensibility `<soap:binding style="document" transport="http://schemas.xmlsoap.org/soap/http"/>`

operations **EtinRetrieval**

extensibility `<soap:operation soapAction="http://www.irs.gov/a2a/mef/EtinRetrieval"/>`

input `<soap:body parts="EtinRetrieval" use="literal"/><soap:header message="tns:EtinRetrievalRequestMessage" part="MeFHeader" use="literal"/>`

output `<soap:body parts="EtinRetrievalResponse" use="literal"/><soap:header message="tns:EtinRetrievalResponseMessage" part="MeFHeader" use="literal"/>`

used by Service [EtinRetrieval](#) in Port [EtinRetrieval](#)

source `<wsdl:binding name="EtinRetrieval" type="tns:EtinRetrieval">
<soap:binding style="document" transport="http://schemas.xmlsoap.org/soap/http"/>
<wsdl:operation name="EtinRetrieval">
<soap:operation soapAction="http://www.irs.gov/a2a/mef/EtinRetrieval"/>
<wsdl:input>`


```

    <soap:body parts="EtinRetrieval" use="literal"/>
    <soap:header message="tns:EtinRetrievalRequestMessage" part="MeFHeader" use="literal"/>
  </wsdl:input>
  <wsdl:output>
    <soap:body parts="EtinRetrievalResponse" use="literal"/>
    <soap:header message="tns:EtinRetrievalResponseMessage" part="MeFHeader" use="literal"/>
  </wsdl:output>
  <wsdl:fault name="fault">
    <soap:fault name="fault" use="literal"/>
  </wsdl:fault>
</wsdl:operation>
</wsdl:binding>

```

1.7.1.5.1 element EtinRetrievalRequest

diagram



namespace <http://www.irs.gov/a2a/mef/MeFMSIServices.xsd>

type [mef:EtinRetrievalRequestType](#)

properties content complex

children [TestIndicator](#)

source `<xs:element name="EtinRetrievalRequest" type="mef:EtinRetrievalRequestType"/>`

simpleType EtinRetrievalRequestType/TestIndicatorType

namespace <http://www.irs.gov/a2a/mef/MeFMSIServices.xsd>

type restriction of `xs:string`


used by element [EtinRetrievalRequestType/TestIndicator](#)

facets enumeration T
enumeration P

source `<xs:simpleType name="TestIndicatorType">
 <xs:restriction base="xs:string">
 <xs:enumeration value="T"/>
 <xs:enumeration value="P"/>
 </xs:restriction>
</xs:simpleType>`

1.7.1.5.2 element EtinRetrievalResponse

diagram



namespace <http://www.irs.gov/a2a/mef/MeFMSIServices.xsd>

type [mef:EtinRetrievalResponseType](#)


properties content complex

children [count](#) [ETINStatus](#)

source `<xs:element name="EtinRetrievalResponse" type="mef:EtinRetrievalResponseType"/>`

EtinRetrievalResponseType/ETINStatus

diagram



type [mef:ETINStatusType](#)


properties isRef 0
content complex

children [ETIN](#) [status](#) [form](#)

source `<xs:element name="ETINStatus" type="mef:ETINStatusType" minOccurs="0" maxOccurs="unbounded"/>`

ETINStatusType/form

diagram



type [mef:ETINFormStatusType](#)


properties isRef 0
content complex

children [formName](#) [formStatus](#)

source `<xs:element name="form" type="mef:ETINFormStatusType" minOccurs="0" maxOccurs="unbounded"/>`

1.7.1.5.3 element MeFException

diagram



namespace <http://www.irs.gov/a2a/mef/MeFMSIServices.xsd>

type [mef:MeFExceptionType](#)

properties content complex

children [ErrorMessage](#) [ErrorClassification](#) [ErrorCode](#)

source `<xs:element name="MeFException" type="mef:MeFExceptionType"/>`

1.7.1.6 ETIN Status

Both States and Third-Party transmitters will have authorization to programmatically request a Web Service to retrieve the status of an ETIN for an originating Application System ID. The requesting system will provide the Application System ID (specified in the wsse:Security portion of the SOAP header by Password Authenticated users or in the AppSysID element of the MeF Header in the SOAP header by Strong Authentication users) and an EtinStatusRequest message in the SOAP body containing the ETIN. If successful, the service returns an EtinStatusResponse message in the SOAP body containing the ETIN, its status and a list of forms for the requested ETIN, or null if the ETIN is not found. Otherwise, a SOAP error message will be returned to the requesting system.

type [tns:EtinStatus](#)

extensibility `<soap:binding style="document" transport="http://schemas.xmlsoap.org/soap/http"/>`

operations

EtinStatus

extensibility `<soap:operation soapAction="http://www.irs.gov/a2a/mef/EtinStatus"/>`

input `<soap:body parts="EtinStatus" use="literal"/><soap:header message="tns:EtinStatusRequestMessage" part="MeFHeader" use="literal"/>`


output `<soap:body parts="EtinStatusResponse" use="literal"/><soap:header message="tns:EtinStatusResponseMessage" part="MeFHeader" use="literal"/>`

used by Service [EtinStatus](#) in Port [EtinStatus](#)

source `<wsdl:binding name="EtinStatus" type="tns:EtinStatus">
<soap:binding style="document" transport="http://schemas.xmlsoap.org/soap/http"/>
<wsdl:operation name="EtinStatus">
<soap:operation soapAction="http://www.irs.gov/a2a/mef/EtinStatus"/>
<wsdl:input>
<soap:body parts="EtinStatus" use="literal"/>
<soap:header message="tns:EtinStatusRequestMessage" part="MeFHeader" use="literal"/>
</wsdl:input>
<wsdl:output>
<soap:body parts="EtinStatusResponse" use="literal"/>
<soap:header message="tns:EtinStatusResponseMessage" part="MeFHeader" use="literal"/>
</wsdl:output>
<wsdl:fault name="fault">
<soap:fault name="fault" use="literal"/>
</wsdl:fault>
</wsdl:operation>
</wsdl:binding>`

1.7.1.6.1 element EtinStatusRequest

diagram



namespace `http://www.irs.gov/a2a/mef/MeFMSIServices.xsd`

type [mef:EtinStatusRequestType](#)


properties content complex

children [ETIN](#)

source `<xs:element name="EtinStatusRequest" type="mef:EtinStatusRequestType"/>`

1.7.1.6.2 element EtinStatusResponse

diagram



namespace `http://www.irs.gov/a2a/mef/MeFMSIServices.xsd`

type [mef:EtinStatusResponseType](#)


properties content complex

children [ETIN](#) [status](#) [form](#)

source `<xs:element name="EtinStatusResponse" type="mef:EtinStatusResponseType"/>`

ETINStatusResponseType/form

diagram



type [mef:ETINFormStatusType](#)


properties isRef 0
content complex

children [formName](#) [formStatus](#)

source `<xs:element name="form" type="mef:ETINFormStatusType" minOccurs="0" maxOccurs="unbounded"/>`

1.7.1.6.3 element MeFException

diagram



namespace `http://www.irs.gov/a2a/mef/MeFMSIServices.xsd`

type [mef:MeFExceptionType](#)

properties content complex

children [ErrorMessage](#) [ErrorClassification](#) [ErrorCode](#)

```
source <xs:element name="MeFException" type="mef:MeFExceptionType"/>
```


1.7.1.7 Get State Participants List

Both States and Third-Party transmitters will have authorization to programmatically request a Web Service to retrieve an array of State participants. Even though there are no formal input arguments to this service request, the requestor must provide an empty `GetStateParticipantsListRequest` message tag in the SOAP body. If successful, the service returns a `GetStateParticipantsListResponse` message in the SOAP body containing an array of State names and participant programs (Doing Business As indicators) or null if no State participants are found. Otherwise, a SOAP error message will be returned to the requesting system.

```
type tns:GetStateParticipantsList
extensibility <soap:binding style="document" transport="http://schemas.xmlsoap.org/soap/http"/>
operations
  GetStateParticipantsList
    extensibility <soap:operation soapAction="http://www.irs.gov/a2a/mef/GetStateParticipantsList"/>
    input <soap:body parts="GetStateParticipantsList" use="literal"/><soap:header message="tns:GetStateParticipantsListRequestMessage" part="MeFHeader" use="literal"/>
    output <soap:body parts="GetStateParticipantsListResponse" use="literal"/><soap:header message="tns:GetStateParticipantsListResponseMessage" part="MeFHeader" use="literal"/>
used by Service GetStateParticipantsList in Port GetStateParticipantsList
source <wsdl:binding name="GetStateParticipantsList" type="tns:GetStateParticipantsList">
  <soap:binding style="document" transport="http://schemas.xmlsoap.org/soap/http"/>
  <wsdl:operation name="GetStateParticipantsList">
    <soap:operation soapAction="http://www.irs.gov/a2a/mef/GetStateParticipantsList"/>
    <wsdl:input>
      <soap:body parts="GetStateParticipantsList" use="literal"/>
      <soap:header message="tns:GetStateParticipantsListRequestMessage" part="MeFHeader" use="literal"/>
    </wsdl:input>
    <wsdl:output>
      <soap:body parts="GetStateParticipantsListResponse" use="literal"/>
      <soap:header message="tns:GetStateParticipantsListResponseMessage" part="MeFHeader" use="literal"/>
    </wsdl:output>
    <wsdl:fault name="fault">
      <soap:fault name="fault" use="literal"/>
    </wsdl:fault>
  </wsdl:operation>
</wsdl:binding>
```

1.7.1.7.1 element GetStateParticipantsListRequest

diagram



namespace <http://www.irs.gov/a2a/mef/MeFMSIServices.xsd>


type [mef:GetStateParticipantsListRequestType](#)

properties content complex

```
source <xs:element name="GetStateParticipantsListRequest" type="mef:GetStateParticipantsListRequestType"/>
```

1.7.1.7.2 element GetStateParticipantsListResponse

diagram



namespace <http://www.irs.gov/a2a/mef/MeFMSIServices.xsd>

type [mef:GetStateParticipantsListResponseType](#)


properties content complex

children [count](#) [StateParticipant](#)

source `<xs:element name="GetStateParticipantsListResponse" type="mef:GetStateParticipantsListResponseType"/>`

GetStateParticipantsListResponseType/StateParticipant

diagram



type [mef:StateParticipantType](#)


properties isRef 0
content complex

children [state](#) [participantPrograms](#)
state name and Doing Business As indicator

source `<xs:element name="StateParticipant" type="mef:StateParticipantType" minOccurs="0" maxOccurs="unbounded"/>`

1.7.1.7.3 element MeFException

diagram



namespace <http://www.irs.gov/a2a/mef/MeFMSIServices.xsd>

type [mef:MeFExceptionType](#)

properties content complex

children [ErrorMessage](#) [ErrorClassification](#) [ErrorCode](#)

source `<xs:element name="MeFException" type="mef:MeFExceptionType"/>`

1.7.2 Third Party Transmitter Web Services

The web services pertinent to the Third Party transmitters are described in the following sections. The web service descriptions and SOAP message contents for the MIME (J2EE) and the DIME (.NET) clients are identical except for the attachment transport mechanism. Therefore, a single set of service and message descriptions is applicable to both MIME and DIME clients.


services	bindings	porttypes	messages
GetAck	GetAck	GetAck	GetAckRequest
GetAcks	GetAcks	GetAcks	GetAckResponse
GetAcksByMsgID	GetAcksByMsgID	GetAcksByMsgID	GetAcksByMsgIDRequest
GetNewAcks	GetNewAcks	GetNewAcks	GetAcksByMsgIDResponse
GetNewSubmissionsStatus	GetNewSubmissionsStatus	GetNewSubmissionsStatus	GetAcksRequest
GetSubmissionsStatus	GetSubmissionsStatus	GetSubmissionsStatus	GetAcksResponse
GetSubmissionStatus	GetSubmissionStatus	GetSubmissionStatus	GetNewAcksRequest
SendSubmissions	SendSubmissions	SendSubmissions	GetNewAcksResponse
			GetNewSubmissionsStatusRequest
			GetNewSubmissionsStatusResponse
			GetSubmissionsStatusRequest
			GetSubmissionsStatusResponse
			GetSubmissionStatusRequest
			GetSubmissionStatusResponse
			SendSubmissionsRequest
			SendSubmissionsResponse
			MeFException

1.7.2.1 Get Ack

Third Party Transmitters will have authorization to programmatically request a Web Service to retrieve acknowledgement for a specified submission ID. The requesting system will provide a GetAckRequest message in the SOAP body containing the submission ID. If successful, the service returns an empty GetAckResponse message tag in the SOAP body and a single zip file attachment containing the acknowledgement. If the submission ID is not found or any other error occurs, a SOAP fault message will be returned to the requesting system.

1.7.2.1.1 element GetAckRequest

diagram



namespace <http://www.irs.gov/a2a/mef/MeFTransmitterService.xsd>

type [GetAckRequestType](#)


properties content complex

children [SubmissionId](#)

source `<xsd:element name="GetAckRequest" type="GetAckRequestType"/>`

1.7.2.1.2 element GetAckResponse

diagram



namespace <http://www.irs.gov/a2a/mef/MeFTTransmitterService.xsd>

type [GetAckResponseType](#)

properties content complex


source `<xsd:element name="GetAckResponse" type="GetAckResponseType"/>`

1.7.2.2 Get Acks

Third Party Transmitters will have authorization to programmatically request a Web Service to retrieve acknowledgements for a specified list of submission IDs. The requesting system will provide a GetAcksRequest message in the SOAP body containing the count and a list of submission IDs. If successful, the service returns a GetAcksResponse message in the SOAP body containing a list of submission errors for any submission IDs from the submission ID list that were not found, and a single zip file attachment containing the acknowledgements. Otherwise, a SOAP error message will be returned to the requesting system.

1.7.2.2.1 element GetAcksRequest

diagram



namespace <http://www.irs.gov/a2a/mef/MeFTTransmitterService.xsd>

type [GetAcksRequestType](#)


properties content complex

children [SubmissionIdList](#)

source `<xsd:element name="GetAcksRequest" type="GetAcksRequestType"/>`

1.7.2.2.2 element GetAcksResponse

diagram



namespace <http://www.irs.gov/a2a/mef/MeFTtransmitterService.xsd>

type [GetAcksResponseType](#)


properties content complex

children [ErrorList](#)

source `<xsd:element name="GetAcksResponse" type="GetAcksResponseType"/>`

GetAcksResponseType/ErrorList

diagram



namespace <http://www.irs.gov/a2a/mef/MeFTtransmitterService.xsd>

type [ListOfSubmissionErrorType](#)


properties isRef 0
content complex

children [Count](#) [SubmissionError](#)

source `<xsd:element name="ErrorList" type="ListOfSubmissionErrorType"/>`

GetAcksResponseType/ErrorList/SubmissionError

diagram



namespace <http://www.irs.gov/a2a/mef/MeFTtransmitterService.xsd>

children [SubmissionId](#) [Error](#)

used by element [ListOfSubmissionErrorType/SubmissionError](#)

source


```
<xsd:complexType name="SubmissionErrorType">
  <xsd:sequence>
    <xsd:element name="SubmissionId" type="SubmissionIdType"/>
    <xsd:element name="Error" type="MeErrorType"/>
  </xsd:sequence>
</xsd:complexType>
```

1.7.2.3 Get New Acks (MeF Release 3.2)

Third Party Transmitters will have authorization to programmatically request a Web Service to retrieve new acknowledgements for a particular ETIN. The requesting system will provide a GetNewAcksRequest message in the SOAP body containing the maximum number of results that should be returned (up to 100) and the MeFHeader message in the SOAP header containing the ETIN. If successful, the service returns a GetNewAcksResponse message in the SOAP body containing a Boolean flag indicating if more acknowledgements are available, and a single zip file attachment containing the acknowledgements. Otherwise, a SOAP error message will be returned to the requesting system.

1.7.2.3.1 element GetNewAcksRequest (MeF Release 3.2)

diagram



namespace <http://www.irs.gov/a2a/mef/MeFTransmitterService.xsd>

type [GetNewAcksRequestType](#)


properties content complex

children [MaxResults](#)

source `<xsd:element name="GetNewAcksRequest" type="GetNewAcksRequestType"/>`

1.7.2.3.2 element GetNewAcksResponse

diagram



namespace <http://www.irs.gov/a2a/mef/MeFTransmitterService.xsd>

type [GetNewAcksResponseType](#)

properties content complex

children [MoreAvailable](#)

source `<xsd:element name="GetNewAcksResponse" type="GetNewAcksResponseType"/>`

GetNewAcksResponseType/MoreAvailable

diagram



namespace <http://www.irs.gov/a2a/mef/MeFTransmitterService.xsd>

type `xsd:boolean`

properties isRef 0
content simple

source `<xsd:element name="MoreAvailable" type="xsd:boolean"/>`

1.7.2.4 Get New Acks (MeF Release 4.0)

Beginning with MeF Release 4.0, Third-Party Transmitters will have authorization to programmatically request a Web Service to retrieve new acknowledgements for a specified category and/or agency. The requesting system will provide a GetNewAcksRequest message in the SOAP body containing the maximum number of results that should be returned (up to 100) and optionally the category and/or agency and the MeFHeader message in the SOAP header containing the ETIN. The requesting system can supply just the MaxResults, the MaxResults and Category, the MaxResults and Agency, or the MaxResults and Category and Agency. If successful, the service returns a GetNewAcksResponse message in the SOAP body containing a Boolean flag indicating if more acknowledgements are available and a single zip file attachment containing the acknowledgements. Otherwise, a SOAP fault error message will be returned to the requesting system. The valid submission categories are:


- CORP (Corporations)
- EO (Tax Exempt Organizations)
- PART (Partnerships)
- all (CORP and/or PART or EO only)

Note: By law, an ETIN is not allowed access to Corporate, Partnership and Tax Exempt Organization data, only Corporate and/or Partnership data, or Tax Exempt Organization data. Therefore, any particular ETIN requesting “all” will retrieve acknowledgements for CORP, PART, CORP and PART or EO only depending on the access allowed for that ETIN in the IRS database.

The valid agency types are Federal, State, or both.

1.7.2.4.1 element GetNewAcksRequest (MeF Release 4.0)

diagram



namespace <http://www.irs.gov/a2a/mef/MeFTransmitterService.xsd>

children [MaxResults](#) [Category](#) [Agency](#)

used by element [GetNewAcksRequest](#)

```
source <xsd:complexType name="GetNewAcksRequestType">
  <xsd:sequence>
    <xsd:element name="MaxResults" type="xsd:positiveInteger"/>
    <xsd:element name="Category" type="CategoryType" minOccurs="0"/>
    <xsd:element name="Agency" type="AgencyType" minOccurs="0"/>
  </xsd:sequence>
</xsd:complexType>
```

GetNewAcksRequestType/MaxResults



namespace <http://www.irs.gov/a2a/mef/MeFTransmitterService.xsd>

type **xsd:positiveInteger**

properties isRef 0
content simple

source `<xsd:element name="MaxResults" type="xsd:positiveInteger"/>`

GetNewAcksRequestType/Category (MeF Release 4.0)



namespace <http://www.irs.gov/a2a/mef/MeFTransmitterService.xsd>

type [CategoryType](#)

properties isRef 0
content simple

facets enumeration CORP
enumeration EO
enumeration PART
enumeration all

source `<xsd:element name="Category" type="CategoryType" minOccurs="0"/>`

GetNewAcksRequestType/Agency (MeF Release 4.0)



namespace <http://www.irs.gov/a2a/mef/MeFTransmitterService.xsd>


type [AgencyType](#)

properties isRef 0
content simple

facets enumeration Federal
enumeration State
enumeration both

source `<xsd:element name="Agency" type="AgencyType" minOccurs="0"/>`

1.7.2.4.2 element GetNewAcksResponse



namespace <http://www.irs.gov/a2a/mef/MeFTransmitterService.xsd>

type [GetNewAcksResponseType](#)

properties content complex

children [MoreAvailable](#)

source `<xsd:element name="GetNewAcksResponse" type="GetNewAcksResponseType"/>`

GetNewAcksResponseType/MoreAvailable

diagram



namespace <http://www.irs.gov/a2a/mef/MeFTransmitterService.xsd>

type **xsd:boolean**

properties isRef 0
content simple


ssource `<xsd:element name="MoreAvailable" type="xsd:boolean"/>`

1.7.2.5 Get Acks by Message ID

Third-Party Transmitters will have authorization to programmatically request a Web Service to retrieve acknowledgements previously retrieved by a Get New Acks request. The requesting system will provide a GetAcksByMsgIDRequest message in the SOAP body containing the MessageID used in the previous Get New Acks request. If successful, the service returns a GetAcksByMsgIDResponse message in the SOAP body containing a Boolean flag indicating if more acknowledgements are available and a single zip file attachment containing the acknowledgements. Otherwise, a SOAP error message will be returned to the requesting system.

1.7.2.5.1 element GetAcksByMsgIDRequest

diagram



namespace <http://www.irs.gov/a2a/mef/MeFTransmitterService.xsd>

type [GetAcksByMsgIDRequestType](#)


properties content complex

children [MessageID](#)

source `<xsd:element name="GetAcksByMsgIDRequest" type="GetAcksByMsgIDRequestType"/>`

1.7.2.5.2 element GetAcksByMsgIDResponse

diagram



namespace <http://www.irs.gov/a2a/mef/MeFTransmitterService.xsd>

type [GetAcksByMsgIDResponse Type](#)

properties content complex

children [MoreAvailable](#)

source `<xsd:element name="GetAcksByMsgIDResponse" type="GetAcksByMsgIDResponse Type"/>`


GetAcksByMsgIDResponseType/MoreAvailable

diagram	
namespace	http://www.irs.gov/a2a/mef/MeFTransmitterService.xsd
type	xsd:boolean
properties	isRef 0 content simple
source	<xsd:element name="MoreAvailable" type="xsd:boolean"/>


1.7.2.6 et New Submissions Status

Third Party Transmitters will have authorization to programmatically request a Web Service to retrieve new submissions statuses for a particular ETIN. The requesting system will provide a GetNewSubmissionsStatusRequest message in the SOAP body containing the maximum number of results that should be returned (up to 100) and the MeFHeader message in the SOAP header containing the ETIN. If successful, the service returns a GetNewSubmissionsStatusResponse message in the SOAP body containing a Boolean flag indicating if more submissions statuses are available, and a single zip file attachment containing the submission statuses. Otherwise, a SOAP error message will be returned to the requesting system.

1.7.2.6.1 element GetNewSubmissionsStatusRequest

diagram	
namespace	http://www.irs.gov/a2a/mef/MeFTransmitterService.xsd
type	GetNewSubmissionsStatusRequestType
properties	content complex
children	MaxResults
source	<xsd:element name="GetNewSubmissionsStatusRequest" type="GetNewSubmissionsStatusRequestType"/>

1.7.2.6.2 element GetNewSubmissionsStatusResponse

diagram	
namespace	http://www.irs.gov/a2a/mef/MeFTransmitterService.xsd
type	GetNewSubmissionsStatusResponseType
properties	content complex
children	MoreAvailable
source	<xsd:element name="GetNewSubmissionsStatusResponse" type="GetNewSubmissionsStatusResponseType"/>

GetNewSubmissionsStatusResponseType/MoreAvailable

diagram



namespace <http://www.irs.gov/a2a/mef/MeFTTransmitterService.xsd>

type **xsd:boolean**

properties isRef 0
content simple


source `<xsd:element name="MoreAvailable" type="xsd:boolean"/>`

1.7.2.7 Get Submissions Status

Third Party Transmitters will have authorization to programmatically request a Web Service to retrieve submissions statuses for a specific set of returns. The requesting system will provide a `GetSubmissionsStatusRequest` message in the SOAP body containing the count and a list of submission IDs. If successful, the service returns a `GetSubmissionsStatusResponse` message in the SOAP body containing a list of submission errors for any submission IDs from the submission ID list that were not found and a single zip file attachment containing the submission statuses. Otherwise, a SOAP error message will be returned to the requesting system.

1.7.2.7.1 element `GetSubmissionsStatusRequest`

diagram



namespace <http://www.irs.gov/a2a/mef/MeFTTransmitterService.xsd>

type [GetSubmissionsStatusRequestType](#)


properties content complex

children [SubmissionIdList](#)

source `<xsd:element name="GetSubmissionsStatusRequest" type="GetSubmissionsStatusRequestType"/>`

1.7.2.7.2 element GetSubmissionsStatusResponse

diagram



namespace <http://www.irs.gov/a2a/mef/MeFTTransmitterService.xsd>

type [GetSubmissionsStatusResponseType](#)


properties content complex

children [ErrorList](#)

source `<xsd:element name="GetSubmissionsStatusResponse" type="GetSubmissionsStatusResponseType"/>`

GetSubmissionsStatusResponseType/ErrorList

diagram



namespace <http://www.irs.gov/a2a/mef/MeFTTransmitterService.xsd>

type [ListOfSubmissionErrorType](#)


properties isRef 0 content complex

children [Count](#) [SubmissionError](#)

source `<xsd:element name="ErrorList" type="ListOfSubmissionErrorType"/>`

ListOfSubmissionErrorType/SubmissionError

diagram



namespace <http://www.irs.gov/a2a/mef/MeFTTransmitterService.xsd>

type [SubmissionErrorType](#)

properties isRef 0 content complex

children [SubmissionId](#) [Error](#)


source `<xsd:element name="SubmissionError" type="SubmissionErrorType" maxOccurs="unbounded"/>`

1.7.2.8 Get Submission Status

Third Party Transmitters will have authorization to programmatically request a Web Service to retrieve a submission status for a specific return. The requesting system will provide a `GetSubmissionStatusRequest` message in the SOAP body containing a submission ID. If successful, the service returns an empty `GetSubmissionStatusResponse` tag in the SOAP body and a single zip file attachment containing the submission status. Otherwise, a SOAP error message will be returned to the requesting system.

1.7.2.8.1 element `GetSubmissionStatusRequest`

diagram



namespace <http://www.irs.gov/a2a/mef/MeFTTransmitterService.xsd>

type [GetSubmissionStatusRequestType](#)


properties content complex

children [SubmissionId](#)

source `<xsd:element name="GetSubmissionStatusRequest" type="GetSubmissionStatusRequestType"/>`

1.7.2.8.2 element `GetSubmissionStatusResponse`

diagram



namespace <http://www.irs.gov/a2a/mef/MeFTTransmitterService.xsd>

type [GetSubmissionStatusResponseType](#)

properties content complex


source `<xsd:element name="GetSubmissionStatusResponse" type="GetSubmissionStatusResponseType"/>`

1.7.2.9 Send Submissions

Third Party Transmitters will have authorization to programmatically request a Web Service to send submissions for a specific set of returns. The requesting system will provide a `SendSubmissionsRequest` message in the SOAP body containing the count and a list of submission IDs and a single zip file attachment containing the submissions. If successful, the service returns an empty `SendSubmissionsResponse` tag in the SOAP body, and a single zip file attachment containing a list of submission receipts. Otherwise, a SOAP error message will be returned to the requesting system.

1.7.2.9.1 element SendSubmissionsRequest

diagram



namespace <http://www.irs.gov/a2a/mef/MeFTTransmitterService.xsd>

type [SendSubmissionsRequestType](#)


properties content complex

children [SubmissionDataList](#)

source `<xsd:element name="SendSubmissionsRequest" type="SendSubmissionsRequestType"/>`

SendSubmissionsRequestType/SubmissionDataList

diagram



namespace <http://www.irs.gov/a2a/mef/MeFTTransmitterService.xsd>

type [SubmissionDataListType](#)


properties isRef 0
content complex

children [Count](#) [SubmissionData](#)

source `<xsd:element name="SubmissionDataList" type="SubmissionDataListType"/>`

SubmissionDataListType/SubmissionData

diagram



namespace <http://www.irs.gov/a2a/mef/MeFTTransmitterService.xsd>

type [SubmissionDataType](#)


properties isRef 0
content complex

children [SubmissionId](#) [ElectronicPostmark](#)

source `<xsd:element name="SubmissionData" type="SubmissionDataType" maxOccurs="unbounded"/>`

1.7.2.9.2 element SendSubmissionsResponse

Diagram



Namespace <http://www.irs.gov/a2a/mef/MeFTTransmitterService.xsd>

Type [SendSubmissionsResponseType](#)

Properties content complex

Source `<xsd:element name="SendSubmissionsResponse" type="SendSubmissionsResponseType"/>`

1.7.3 State Web Services

The web services pertinent to the states are described in the following sections. The web service descriptions and SOAP message contents for the MIME (J2EE) and the DIME (.NET) clients are identical except for the attachment transport mechanism. Therefore, a single set of service and message descriptions is applicable to both MIME and DIME clients.


services	bindings	porttypes	messages
GetAckNotification	GetAckNotification	GetAckNotification	GetAckNotificationRequest
GetAckNotifications	GetAckNotifications	GetAckNotifications	GetAckNotificationResponse
GetNewAckNotifications	GetNewAckNotifications	GetNewAckNotifications	GetAckNotificationsRequest
GetNewSubmissions	GetNewSubmissions	GetNewSubmissions	GetAckNotificationsResponse
GetSubmission	GetSubmission	GetSubmission	GetNewAckNotificationsRequest
GetSubmissions	GetSubmissions	GetSubmissions	GetNewAckNotificationsResponse
GetSubmissionsByMsgID	GetSubmissionsByMsgID	GetSubmissionsByMsgID	GetNewSubmissionsRequest
SendAcks	SendAcks	SendAcks	GetNewSubmissionsResponse
SendSubmissionReceipts	SendSubmissionReceipts	SendSubmissionReceipts	GetSubmissionRequest
			GetSubmissionResponse
			GetSubmissionsByMsgIDRequest
			GetSubmissionsByMsgIDResponse
			GetSubmissionsRequest
			GetSubmissionsResponse
			SendAcksRequest
			SendAcksResponse
			SendSubmissionReceiptsRequest
			SendSubmissionReceiptsResponse
			MeFException

1.7.3.1 Get Ack Notification

States will have authorization to programmatically request a Web Service to retrieve information as to whether Third-Party transmitters have retrieved the acknowledgements submitted by the states for a specified state return. The requesting system will provide a GetAckNotificationRequestArgs message in the SOAP body containing the submission ID. If successful, the service returns an empty GetAckNotificationResponse message tag in the SOAP body and a single zip file attachment containing the acknowledgement retrieval notification. Otherwise, a SOAP error message will be returned to the requesting system.

1.7.3.1.1 element GetAckNotificationRequestArgs

diagram



namespace <http://www.irs.gov/a2a/mef/MeFStateService.xsd>

type [GetAckNotificationRequestType](#)


properties content complex

children [SubmissionId](#)

source `<xsd:element name="GetAckNotificationRequestArgs" type="msx:GetAckNotificationRequestType"/>`

1.7.3.1.2 element GetAckNotificationResponse

diagram



namespace <http://www.irs.gov/a2a/mef/MeFStateService.xsd>

type [GetAckNotificationResponseType](#)

properties content complex


source `<xsd:element name="GetAckNotificationResponse" type="msx:GetAckNotificationResponseType"/>`

1.7.3.2 Get Ack Notifications

States will have authorization to programmatically request a Web Service to retrieve information as to whether Third-Party transmitters have retrieved the acknowledgements submitted by the states for a specified set of state returns. The requesting system will provide a GetAckNotificationsRequestArgs message in the SOAP body containing the count and a list of submission IDs. If successful, the service returns a GetAckNotificationsResponse message in the SOAP body containing a list of submission errors for any submission IDs from the submission ID list that were not found and a single zip file attachment containing the acknowledgement retrieval notification. Otherwise, a SOAP error message will be returned to the requesting system.

1.7.3.2.1 element GetAckNotificationsRequestArgs

diagram



namespace <http://www.irs.gov/a2a/mef/MeFStateService.xsd>

type [GetAckNotificationsRequestType](#)


properties content complex

children [SubmissionIdList](#)

source `<xsd:element name="GetAckNotificationsRequestArgs" type="msx:GetAckNotificationsRequestType"/>`

1.7.3.2.2 element GetAckNotificationsResponse

diagram



namespace <http://www.irs.gov/a2a/mef/MeFStateService.xsd>

type [GetAckNotificationsResponseType](#)


properties content complex

children [ErrorList](#)

source `<xsd:element name="GetAckNotificationsResponse" type="msx:GetAckNotificationsResponseType"/>`

GetAckNotificationsResponseType/ErrorList

diagram



namespace <http://www.irs.gov/a2a/mef/MeFStateService.xsd>

type [ListOfSubmissionErrorType](#)


properties isRef 0
content complex

children [Count](#) [SubmissionError](#)

source `<xsd:element name="ErrorList" type="msx:ListOfSubmissionErrorType"/>`

ListOfSubmissionErrorType/SubmissionError

diagram



namespace <http://www.irs.gov/a2a/mef/MeFStateService.xsd>

type [SubmissionErrorType](#)


properties isRef 0
content complex

children [SubmissionId](#) [Error](#)

source `<xsd:element name="SubmissionError" type="SubmissionErrorType" minOccurs="0" maxOccurs="unbounded"/>`

SubmissionErrorType/Error

diagram




namespace <http://www.irs.gov/a2a/mef/MeFStateService.xsd>
type [MeFErrorType](#)
properties isRef 0
content complex
children [ErrorMessage](#) [ErrorClassification](#) [ErrorCode](#)
source `<xsd:element name="Error" type="MeFErrorType"/>`

1.7.3.3 Get New Ack Notifications

States will have authorization to programmatically request a Web Service to retrieve information as to whether Third-Party transmitters have retrieved the acknowledgements submitted by the states for a particular ETIN. The requesting system will provide a GetNewAckNotificationsRequestArgs message in the SOAP body containing the maximum number of results that should be returned (up to 100) and the MeFHeader message in the SOAP header containing the ETIN. If successful, the service returns a GetNewAckNotificationsResponse message in the SOAP body containing a Boolean flag indicating if more acknowledgement retrieval notifications are available, and a single zip file attachment containing the acknowledgement retrieval notifications. Otherwise, a SOAP error message will be returned to the requesting system.

1.7.3.3.1 element GetNewAckNotificationsRequestArgs


diagram



namespace <http://www.irs.gov/a2a/mef/MeFStateService.xsd>
type [GetNewAckNotificationsRequestType](#)
properties content complex
children [MaxResults](#)
source `<xsd:element name="GetNewAckNotificationsRequestArgs" type="msx:GetNewAckNotificationsRequestType"/>`

1.7.3.3.2 element GetNewAckNotificationsResponse

diagram



namespace <http://www.irs.gov/a2a/mef/MeFStateService.xsd>

type [GetNewAckNotificationsResponseType](#)

properties content complex

children [MoreAvailable](#)


source `<xsd:element name="GetNewAckNotificationsResponse" type="msx:GetNewAckNotificationsResponseType"/>`

1.7.3.4 Get New Submissions (MeF Release 3.2)

States will have authorization to programmatically request a Web Service to retrieve specified number of submissions for a particular ETIN. The requesting system will provide a `GetNewSubmissionsRequestArgs` message in the SOAP body containing the maximum number of results that should be returned (up to 100) and the `MeFHeader` message in the SOAP header containing the ETIN. If successful, the service returns a `GetNewSubmissionsResponse` message in the SOAP body and a single zip file attachment containing the submissions. Otherwise, a SOAP error message will be returned to the requesting system. The `GetNewSubmissionsResponse` message contains a Boolean flag indicating if more submissions are available and a list of submission IDs, ETINs, timestamps indicating when the submission was received, the federal EIN statuses, timestamps indicating when the transmitter received the originated returns before sending them on to the IRS, and the submission IDs used to submit the returns.

1.7.3.4.1 element GetNewSubmissionsRequestArgs (MeF Release 3.2)

diagram



namespace <http://www.irs.gov/a2a/mef/MeFStateService.xsd>

type [GetNewSubmissionsRequestType](#)


properties content complex

children [MaxResults](#)

source `<xsd:element name="GetNewSubmissionsRequestArgs" type="msx:GetNewSubmissionsRequestType"/>`

1.7.3.4.2 element GetNewSubmissionsResponse

diagram



namespace <http://www.irs.gov/a2a/mef/MeFStateService.xsd>

type [GetNewSubmissionsResponseType](#)


properties content complex

children [MoreAvailable](#) [IRSDataList](#)

source `<xsd:element name="GetNewSubmissionsResponse" type="msx:GetNewSubmissionsResponseType"/>`

GetNewSubmissionsResponseType/IRSDataList

diagram



namespace <http://www.irs.gov/a2a/mef/MeFStateService.xsd>

type [IRSDataForStateSubmissionListType](#)


properties isRef 0
content complex

children [Count](#) [IRSData](#)

source `<xsd:element name="IRSDataList" type="msx:IRSDataForStateSubmissionListType" minOccurs="0"/>`

IRSDataForStateSubmissionListType/IRSData

diagram



namespace <http://www.irs.gov/a2a/mef/MeFStateService.xsd>

type [IRSDataForStateSubmissionType](#)

properties isRef 0
content complex

children [SubmissionId](#) [ETIN](#) [ReceivedTimestamp](#) [FederalEINStatus](#) [ElectronicPostmark](#) [SourceIRSSubmissionId](#)

source `<xsd:element name="IRSData" type="msx:IRSDataForStateSubmissionType" maxOccurs="unbounded"/>`

1.7.3.5 Get New Submissions (MeF Release 4.0)


Beginning with MeF Release 4.0, the State applications will have authorization to programmatically request a Web Service to retrieve new submissions for a specified category of state submissions. The requesting system will provide a `GetNewSubmissionsRequestArgs` message in the SOAP body containing the maximum number of submissions to be returned (up to 100) and optionally the submission category and a `MeFHeader` message in the SOAP header containing the ETIN. The requesting system can supply just the `MaxResults`, or the `MaxResults` and `Category`. If successful, the service returns a `GetNewSubmissionsResponse` message in the SOAP body and a single zip file attachment containing the submissions. Otherwise, a SOAP fault error message will be returned to the requesting system. The `GetNewSubmissionsResponse` message contains a Boolean flag indicating if more submissions are available and a list of submission IDs, ETINs, the Federal EIN statuses, timestamps indicating when the transmitter received the originated returns before sending them on to the IRS, and the submission IDs used to submit the returns. The valid submission categories are:

- CORP (Corporations)
- EO (Tax Exempt Organizations)
- PART (Partnerships)
- All (CORP and/or PART or EO only)

Note: By law, an ETIN is not allowed access to Corporate, Partnership and Tax Exempt Organization data, only Corporate and/or Partnership data, or Tax Exempt Organization data. Therefore, any particular ETIN requesting “all” will retrieve submissions for CORP, PART, CORP and PART or EO only depending on the access allowed for that ETIN in the IRS database.

1.7.3.5.1 element `GetNewSubmissionsRequestArgs` (MeF Release 4.0)

diagram



namespace <http://www.irs.gov/a2a/mef/MeFStateService.xsd>

type [GetNewSubmissionsRequestType](#)

properties content complex

children [MaxResults](#) [Category](#)

source `<xsd:element name="GetNewSubmissionsRequestArgs" type="msx:GetNewSubmissionsRequestType"/>`

GetNewSubmissionsRequestType/MaxResults

diagram



namespace <http://www.irs.gov/a2a/mef/MeFStateService.xsd>

type **xsd:positiveInteger**

properties isRef 0
content simple

source `<xsd:element name="MaxResults" type="xsd:positiveInteger"/>`

GetNewSubmissionsRequestType/Category

diagram



namespace <http://www.irs.gov/a2a/mef/MeFStateService.xsd>

type [CategoryType](#)


properties isRef 0
content simple

facets enumeration CORP
enumeration EO
enumeration PART
enumeration all

source `<xsd:element name="Category" type="CategoryType" minOccurs="0"/>`

1.7.3.5.2 element GetNewSubmissionsResponse

diagram



namespace <http://www.irs.gov/a2a/mef/MeFStateService.xsd>

type [GetNewSubmissionsResponseType](#)


properties content complex

children [MoreAvailable](#) [IRSDataList](#)

source `<xsd:element name="GetNewSubmissionsResponse" type="msx:GetNewSubmissionsResponseType"/>`

GetNewSubmissionsResponseType/IRSDataList

diagram



namespace <http://www.irs.gov/a2a/mef/MeFStateService.xsd>

type [IRSDataForStateSubmissionListType](#)


properties
isRef 0
content complex

children [Count](#) [IRSData](#)

source `<xsd:element name="IRSDataList" type="msx:IRSDataForStateSubmissionListType"/>`

IRSDataForStateSubmissionListType/IRSData

diagram



namespace <http://www.irs.gov/a2a/mef/MeFStateService.xsd>

type [IRSDataForStateSubmissionType](#)

properties
isRef 0
content complex

children [SubmissionId](#) [ETIN](#) [ReceivedTimestamp](#) [FederalEINStatus](#) [ElectronicPostmark](#) [SourceIRSSubmissionId](#)

source `<xsd:element name="IRSData" type="msx:IRSDataForStateSubmissionType" minOccurs="0" maxOccurs="unbounded"/>`


1.7.3.6 Get Submissions by Message ID

The State applications will have authorization to programmatically request a Web Service to retrieve submissions previously retrieved by a Get New Submissions request. The requesting system will provide a `GetSubmissionsByMsgIDRequest` message in the SOAP body containing the Message ID used in the previous Get New Submissions request. If successful, the service returns a `GetSubmissionsByMsgIDResponse` message in the SOAP body and a single zip file attachment containing the submissions. Otherwise, a SOAP error message will be returned to the requesting system.

The `GetSubmissionsByMsgIDResponse` message contains a Boolean flag indicating if more submissions are available and a list of submission IDs, ETINs, the Federal EIN statuses, timestamps indicating when the transmitter received the originated returns before sending them on to the IRS, and the submission IDs used to submit the returns.

1.7.3.6.1 element `GetSubmissionsByMsgIDRequestArgs`

diagram



namespace <http://www.irs.gov/a2a/mef/MeFStateService.xsd>

type [GetSubmissionsByMsgIDRequestType](#)


properties content complex

children [MessageID](#)

source `<xsd:element name="GetSubmissionsByMsgIDRequestArgs" type="msx:GetSubmissionsByMsgIDRequestType"/>`

1.7.3.6.2 element `GetSubmissionsByMsgIDResponse`

diagram



namespace <http://www.irs.gov/a2a/mef/MeFStateService.xsd>

type [GetSubmissionsByMsgIDResponseType](#)


properties content complex

children [MoreAvailable](#) [IRSDataList](#)

source `<xsd:element name="GetSubmissionsByMsgIDResponse" type="msx:GetSubmissionsByMsgIDResponseType"/>`

GetSubmissionsByMsgIDResponseType/IRSDataList

diagram



namespace <http://www.irs.gov/a2a/mef/MeFStateService.xsd>

type [IRSDataForStateSubmissionListType](#)


properties isRef 0
content complex

children [Count](#) [IRSData](#)

source `<xsd:element name="IRSDataList" type="msx:IRSDataForStateSubmissionListType"/>`

IRSDataForStateSubmissionListType/IRSData

diagram



namespace <http://www.irs.gov/a2a/mef/MeFStateService.xsd>

type [IRSDataForStateSubmissionType](#)

properties isRef 0
content complex

children [SubmissionId](#) [ETIN](#) [ReceivedTimestamp](#) [FederalEINStatus](#) [ElectronicPostmark](#) [SourceIRSSubmissionId](#)

source `<xsd:element name="IRSData" type="msx:IRSDataForStateSubmissionType" minOccurs="0" maxOccurs="unbounded"/>`

1.7.3.7 Get Submission


States will have authorization to programmatically request a Web Service to retrieve a submission for a specified submission ID. The requesting system will provide a GetSubmissionRequestArgs message in the SOAP body containing the submission ID. If successful, the service returns a GetSubmissionResponse message in the SOAP body and a single zip file attachment containing the submission. Otherwise, a SOAP error message will be returned to the requesting system.

The GetSubmissionResponse message contains the submission ID, ETIN, timestamp indicating when the submission was received, the federal EIN status, timestamp indicating when the

transmitter received the originated return before sending it on to the IRS, and the submission ID used to submit the returns.

1.7.3.7.1 element GetSubmissionRequestArgs

diagram



namespace <http://www.irs.gov/a2a/mef/MeFStateService.xsd>

type [GetSubmissionRequestType](#)


properties content complex

children [SubmissionId](#)

source `<xsd:element name="GetSubmissionRequestArgs" type="msx:GetSubmissionRequestType"/>`

1.7.3.7.2 element GetSubmissionResponse

diagram



namespace <http://www.irs.gov/a2a/mef/MeFStateService.xsd>

type [GetSubmissionResponseType](#)


properties content complex

children [IRSData](#)

source `<xsd:element name="GetSubmissionResponse" type="msx:GetSubmissionResponseType"/>`

GetSubmissionResponseType/IRSData

diagram



namespace <http://www.irs.gov/a2a/mef/MeFStateService.xsd>

type [IRSDataForStateSubmissionType](#)

properties	isRef	0
	content	complex
children	SubmissionId ETIN ReceivedTimestamp FederalEINStatus ElectronicPostmark SourceIRSSubmissionId	
source	<code><xsd:element name="IRSDData" type="msx:IRSDDataForStateSubmissionType" maxOccurs="unbounded"/></code>	


1.7.3.8 Get Submissions

States will have authorization to programmatically request a Web Service to retrieve submissions for a specified list of submission IDs. The requesting system will provide a `GetSubmissionsRequestArgs` message in the SOAP body containing the count and a list of submission IDs. If successful, the service returns a `GetSubmissionsResponse` message in the SOAP body and a single zip file attachment containing the submissions. Otherwise, a SOAP error message will be returned to the requesting system.

The `GetSubmissionsResponse` message contains a list of submission IDs, ETINs, timestamps indicating when the submission was received, the federal EIN statuses, timestamps indicating when the transmitter received the originated returns before sending them on to the IRS, and the submission IDs used to submit the returns and a list of submission errors for any submission IDs from the submission ID list that were not found.

1.7.3.8.1 element GetSubmissionsRequestArgs


diagram



namespace	<code>http://www.irs.gov/a2a/mef/MeFStateService.xsd</code>
type	GetSubmissionsRequestType
properties	content complex
children	SubmissionIdList
source	<code><xsd:element name="GetSubmissionsRequestArgs" type="msx:GetSubmissionsRequestType"/></code>

1.7.3.8.2 element GetSubmissionsResponse

diagram




namespace	<code>http://www.irs.gov/a2a/mef/MeFStateService.xsd</code>
-----------	-------------------------------------------------------------

type [GetSubmissionsResponseType](#)
 properties content complex
 children [IRSDataList](#) [ErrorList](#)
 source `<xsd:element name="GetSubmissionsResponse" type="msx:GetSubmissionsResponseType"/>`

GetSubmissionsResponseType/IRSDataList


diagram



namespace `http://www.irs.gov/a2a/mef/MeFStateService.xsd`
 type [IRSDataForStateSubmissionListType](#)
 properties isRef 0 content complex
 children [Count](#) [IRSData](#)
 source `<xsd:element name="IRSDataList" type="msx:IRSDataForStateSubmissionListType"/>`

IRSDataForStateSubmissionListType/IRSData

diagram



namespace `http://www.irs.gov/a2a/mef/MeFStateService.xsd`
 type [IRSDataForStateSubmissionType](#)
 properties isRef 0 content complex
 children [SubmissionId](#) [ETIN](#) [ReceivedTimestamp](#) [FederalEINStatus](#) [ElectronicPostmark](#) [SourceIRSSubmissionId](#)
 source `<xsd:element name="IRSData" type="msx:IRSDataForStateSubmissionType" minOccurs="0" maxOccurs="unbounded"/>`


1.7.3.9 Send Acks Request

States will have authorization to programmatically request a Web Service to acknowledge the processing of state returns. The requesting system will provide an empty `SendAcksRequestArgs` tag in the SOAP body and a single zip file attachment containing the acknowledgements. If

successful, the service returns a SendAcksResponse message in the SOAP body indicating the number of acknowledgements received. If one of the acknowledgements is a duplicate all of them will be rejected and a SOAP fault will be returned to the requesting system identifying only the first duplicate encountered. Also, if any other error occurs, a SOAP fault message will be returned to the requesting system.

1.7.3.9.1 element SendAcksRequestArgs

diagram



namespace <http://www.irs.gov/a2a/mef/MeFStateService.xsd>


type [SendAcksRequestType](#)

properties content complex

source `<xsd:element name="SendAcksRequestArgs" type="msx:SendAcksRequestType"/>`

1.7.3.9.2 element SendAcksResponse

diagram



namespace <http://www.irs.gov/a2a/mef/MeFStateService.xsd>

type [SendAcksResponseType](#)

properties content complex

children [Count](#)


source `<xsd:element name="SendAcksResponse" type="msx:SendAcksResponseType"/>`

1.7.3.10 Send Submission Receipts

States will have authorization to programmatically request a Web Service to indicate that the specified state returns have been successfully received by the state's application. The requesting system will provide an empty `SendSubmissionReceiptsRequestArgs` tag in the SOAP body and a single zip file attachment containing the receipts for the state returns. If successful, the service returns a `SendSubmissionReceiptsResponse` message in the SOAP body indicating the number of receipts received. If one of the receipts is a duplicate all of them will be rejected and a SOAP fault will be returned the requesting system identifying only the first duplicate encountered. Also, if any other error occurs, a SOAP fault message will be returned to the requesting system.

1.7.3.10.1 element SendSubmissionReceiptsRequestArgs

diagram



namespace <http://www.irs.gov/a2a/mef/MeFStateService.xsd>


type [SendSubmissionReceiptsRequestType](#)

properties content complex

source `<xsd:element name="SendSubmissionReceiptsRequestArgs" type="msx:SendSubmissionReceiptsRequestType"/>`

1.7.3.10.2 element SendSubmissionReceiptsResponse

diagram



namespace <http://www.irs.gov/a2a/mef/MeFStateService.xsd>

type [SendSubmissionReceiptsResponseType](#)

properties content complex

children [Count](#)


source `<xsd:element name="SendSubmissionReceiptsResponse" type="msx:SendSubmissionReceiptsResponseType"/>`

1.7.4 Exceptions

When errors occur processing a service request a SOAP fault response is returned containing a MeFException message within the SOAP fault detail tag.

1.7.4.1 element MeFException

diagram



namespace <http://www.irs.gov/a2a/mef/MeFMSIServices.xsd>

type [mef:MeFExceptionType](#)

properties content complex

children [ErrorMessage](#) [ErrorClassification](#) [ErrorCode](#)

source `<xs:element name="MeFException" type="mef:MeFExceptionType"/>`

1.8 Attachment Files

The A2A, EMS and IFA all use “attachment” files as the mechanism to exchange submission and response information with the MeF. There are the following attachment types:

- IRS submission
- State submission
- IRS data for state submission
- Acknowledgements
- Receipts
- Acknowledgement notifications
- Status records
- Errors

1.8.1 Submission ID

A submission identifier (ID) uniquely identifies a submission. A submission ID is present in all attachment files and many request and response messages. To ensure the global uniqueness of a submission ID, the following format is adopted:

EFIN + ccyydd + xxxxxxxx

For example:

Submission ID: 00349720060731234567

The first six digits (003497) contain the EFIN, the next four digits (2006) contain the year, the next three digits (073) contain the Julian date, and the last seven digits (1234567) contain a sequence number to uniquely identify messages sent within a day with the given EFIN. The total number of characters of the submission ID is twenty.

1.8.2 IRS Submission

An IRS submission is sent from a transmitter to the IRS. The structure of an IRS submission is shown in Figure 1-4 below




Figure 1-4. IRS Submission Message Structure

- **Submission Manifest**—This is an XML document containing metadata about the submission. The data elements are defined in Table 1-1. The XML schema is published by the IRS elsewhere.
- **Submission XML Data**—This is XML data conforming to an IRS XML schema for the indicated submission type. The XML schema depends on the submission type and is published by the IRS elsewhere.
- **Binary Attachment**—A PDF file containing a taxpayer business document associated with the submission. Information describing the binary file is included in the submission XML data, according to IRS XML schema definitions.

Table 1-1. IRS Submission Manifest Elements

Element	Definition
Submission ID	A globally unique identifier for the submission created by the originator.
EFIN	IRS-provided identifier for the originator of the submission.
Government Code	Identifies the government entity where the submission is to be filed – IRS, state, or other jurisdiction codes.
Submission Type	Identifies the type of document being filed, using IRS form numbers or state form identifiers.
Tax Year	The tax year the submission applies to.

1.8.3 State Submission

A state submission is created by an originator and then sent from a transmitter to the IRS. The structure of a state submission is shown in Figure 1-5.




Figure 1-5. State Submission Message Structure

- **Submission Manifest**—This is an XML document containing metadata about the submission. The data elements are defined in Table 1-2. The State Submission Response Structure is illustrated in Figure 1-6. The XML schema is published by the IRS elsewhere
- **Submission XML Data**—This is XML data conforming to the state-provided XML schema associated with the indicated submission type.
- **Binary Attachment**—A PDF file containing business content as allowed by rules defined by the receiving state agency.
- **IRS Submission Info**—This is an XML document provided by the taxpayer containing information derived from an IRS submission, conforming to rules specified by the receiving state agency.
- **IRS Binary Attachment**—A PDF document associated with the IRS submission info. A standalone state submission will not have this.

Table 1-2. State Submission Manifest Elements

Element	Definition
Submission ID	A globally unique identifier for the submission created by the originator.
EFIN	IRS-provided identifier for the originator of the submission.
Government Code	Identifies government entity where the submission is to be filed—IRS, state, or other jurisdiction codes.
Submission Type	Identifies the type of document being filed, using IRS form numbers or state form identifiers.
Submission Category	Identifies the submission category, for example EO or Corporate submission.
Tax Year	The tax year the submission applies to.
Federal EIN	Federal EIN of the filer.
Name Control	Name control of the filer.
IRS Submission ID	(Optional) The submission ID of an IRS submission that the processing of this state submission depends on.

State Submission Response Structure

A state may receive more than one state submissions in response to a request for submissions. State submissions are combined into one ZIP archive that is returned in the response. The data structure for one or more state submission responses is shown in Figure 1-6.



Figure 1-6. State Submission Response Message Structure

- **State Submission**—This is a ZIP archive containing one or more state submissions.

1.8.4 IRS Data for State Submission (IRS Submission Info)

When a state submission is sent to the state agency, the IRS also provides additional data derived from its own processing of the state submission. This IRS data is associated with one state submission. The content of the IRS data is shown in the following table.

Table 1-3. IRS Data for State Submission Elements

Element	Definition
Submission ID	The submission ID of the received submission.
ETIN	The identifier of the transmitter that sent this submission to the IRS.
Received Timestamp	The date and time when the submission was received by the IRS.
FEIN Status	(Codes TBD.) The results of FEIN and name control lookup.
Electronic Postmark	(Optional) The time stamp indicating when the transmitter received the originated return before sending it on to the IRS.
Source IRS Submission ID	(Optional) The submission ID of an IRS submission from which the state copy was made (only for EO, currently).

1.8.5 Acknowledgements

State tax agencies send one state acknowledgement for each state submission processed by the IRS. The IRS forwards the acknowledgements to the appropriate transmitter. If the state sends more than one acknowledgement to the IRS in one request, the acknowledgements are combined into one container XML document that is then put into to a ZIP archive. The data structure for one or more acknowledgements is shown in Figure 1-7.



Figure 1-7. Acknowledgments Structure

- **Acknowledgements XML Data**—This is an XML document containing acknowledgements. The data elements for each acknowledgement are defined below. The XML schema is published by the IRS elsewhere.

Acknowledgement Elements

There are two types of acknowledgements: submission and transmission. Only the EMS channel receives transmission acknowledgements. The A2A Web Services and IFA channels do not receive transmission acknowledgements. The data elements are defined in Tables 1-4 and 1-5.

Table 1-4. Submission Acknowledgement Elements

Element	Definition
Submission ID	A globally unique identifier for the submission created by the originator.
EFIN	IRS-provided identifier for the originator of the submission.
Government Code	Identifies government entity where the submission is to be filed—IRS, state, or other jurisdiction codes.
Submission Type	Identifies the type of document being filed, using IRS form numbers or state form identifiers.
Submission Category	Identifies the submission category, for example EO or Corporate submission.
Tax Year	The tax year the submission applies to.
Electronic Postmark	(Optional) The time stamp indicating when the transmitter received the originated return before sending it on to the IRS.
Status	(A/R) Accepted or rejected filing status of the submission.
Status Date	The date submission filing status was acknowledged.
IRS Submission ID	(Optional) The submission ID of an IRS submission that the processing of this state submission depends on.
State Submission Copy Count	The number of copies made of an IRS submission (only for EO, currently).
Note: The following elements are optional and only apply to IRS submissions.	
EIN	The EIN of the filer.
Filing Type	For applications for extension, the type of return for which the filing time is being extended.
Tax Period End Date	The tax period end date of the submission.
Payment Indicator	Indicates the existence of a payment voucher with the submission.
Completed Validation	(Y/N) Indicates whether the submission went through all possible validation processing.
Note: The following elements are optional for all acknowledgements and will be included (as a repeating group) for each error found during the validation of a rejected submission.	
XPath	The location of the error in the XML data.
Category	The IRS-defined category for the reported error.
Message	Text describing the error, usually the rule text.
Rule Number	The IRS-assigned number for the rule creating the error.
Severity	(Alert/Reject/Reject and Stop) Reject and Stop errors cause validation of the submission to stop before any remaining validation rules are executed.
Value	The value provided in the submission data for the element used in the validation rule.

Table 1-5. Transmission Acknowledgement Elements

Element	Definition
Message ID	The message ID in the transmission file.
Transmission Timestamp	The timestamp of when the transmission file is received by the IRS.
Transmission Status	Indicator whether the transmission is accepted or rejected.
Error List	List of errors for a rejected transmission.
GTX Key	The GTX key that the IRS sent to the transmitter as a receipt.
GTX Key Of Original Duplicated	A duplicated GTX key.

1.8.6 Receipts

Receipts are sent from the IRS to a transmitter informing that a list of submissions has been received. Receipts are also sent from a state tax agency to the IRS, informing that a list of submissions has been successfully retrieved. They share the same data structure. The structure for receipts data is shown in Figure 1-8..




Figure 1-8. Receipts Structure

- **Receipts XML Data**—This is an XML document containing one or more submission receipts. The data elements for each receipt are defined in Table 1-6. The XML schema is published by the IRS elsewhere.

Table 1-6. Receipts Elements

Element	Definition
Submission ID	A globally unique identifier for the submission created by the originator.
Timestamp	The date and time the receipt is created.

1.8.7 Acknowledgement Notifications

Acknowledgement notifications are retrieved from the IRS by a state tax agency. Each notification informs the state that the appropriate transmitter has received a state acknowledgement. The data structure for one or more acknowledgement notifications is shown in Figure 1-9.




Figure 1-9. Acknowledgement Notifications Structure

- Notifications XML Data
This is an XML document containing one or more notifications. The data elements for each notification are defined in Table 1-7. The XML schema is published by the IRS elsewhere.

Table 1-7. Notifications Elements

Element	Definition
Submission ID	A globally unique identifier for the submission created by the originator.
Timestamp	The date and time the notification is created.

1.8.8 Status Records

Status Records are sent from the IRS to a transmitter. The structure for sending one or more status records is shown in Figure 1-10.



Figure 1-10. Status Records Structure

- **Status Records XML Data**—This is an XML document containing status records. The data elements for each status record are defined in Table 1-8. The XML schema is published by the IRS elsewhere.

Table 1-8. Status Records Elements

Element	Definition
Submission ID	A globally unique identifier for the submission created by the originator.
Status	The status of the submission.
Timestamp	The date and time the status is created.

1.8.9 Errors

When a state or third party transmitter provides a list of submission identifiers for data retrieval but some of submissions are not found in the MeF Application system, a list of errors will be returned, together with the list of data items that are found. The data elements for each error record are defined in Table 1-9.

Table 1-9. Errors Elements

Element	Definition
Submission ID	A globally unique identifier for the submission created by the originator.
Error Type	A structure containing an error message and category, as well as a major and minor code.

1.9 EMS and IFA Service Messages

For file transmissions through the EMS or IFA channels, only the MIME Multipart structure (as illustrated in Figure 1-11) is supported by the MeF system.




Figure 1-11. Structure of Messages with Attachments for EMS and IFA Channels

1.10 A2A Web Services Error Handling and Exception Reporting

Countermeasures to prevent internal implementation details from being revealed to the Third Party Transmitters or State applications are:

- Use exception handling throughout application's code
- Handle and log exceptions that are allowed to propagate to the application boundary
- Return generic, harmless error messages to the external client

1.10.1 XML Gateway Exceptions

The XML Gateway shall collect all the error exceptions and forward the exception data to the URL published on the SOAP WebSphere Application Server over HTTP.

The error messages will be processed, transformed, and logged to the appropriate data store (e.g., Business Object repository, MeF Database, Log File Collector, ITAMS).

The XML Gateway device will classify the error messages into two categories. The first category of errors will be reported real time. The second category of errors will be reported on a batch basis.

1.10.2 Faults Response

Fault messages are correlated as replies using the [relationship] property. The [action] property below designates WS-Addressing fault messages:

<http://schemas.xmlsoap.org/ws/2004/08/addressing/fault>

The WS-Addressing definitions of faults use the following properties:

[Subcode] The fault subcode.

[Reason] The English language reason element.

1.10.2.1 MeF Fault

When faults (or errors) occur while processing a MSI service request, the client process is notified via a SOAP fault response containing a MeFException message within the SOAP fault detail tag. This interface is defined as a MeFFault message with the only element being the complex type MeFException as defined below.

MeFFaultMessage

parts
MeFFault
element mef:MeFException


used by
PortType [ChangePassword](#) in Operation [ChangePassword](#)
PortType [EtinRetrieval](#) in Operation [EtinRetrieval](#)
PortType [EtinStatus](#) in Operation [EtinStatus](#)
PortType [GetStateParticipantsList](#) in Operation [GetStateParticipantsList](#)
PortType [InitialLogin](#) in Operation [InitialLogin](#)
PortType [Logout](#) in Operation [Logout](#)
PortType [Login](#) in Operation [Login](#)

source

```
<wsdl:message name="MeFFaultMessage">  
  <wsdl:part name="MeFFault" element="mef:MeFException"/>  
</wsdl:message>
```

1.10.2.1.1 element MeFException

diagram



namespace <http://www.irs.gov/a2a/mef/MeFStateService.xsd>

type [MeFExceptionType](#)

properties content complex

children [ErrorMessage](#) [ErrorClassification](#) [ErrorCode](#)

source

```
<xsd:element name="MeFException" type="msx:MeFExceptionType"/>
```

An example of a SOAP fault for an InitialLogin request with an incorrect length Message ID is shown below.

```
<?xml version="1.0" encoding="UTF-8" standalone="yes"?>  
<e:Envelope .....  
  <e:Body>  
    <e:Fault>  
      <faultcode>e:Server</faultcode>  
      <faultstring>class gov.irs.mef.common.iface.struct.MeFExceptionType:</faultstring>  
      <detail>  
        <wn1:MeFException i:type="wn1:MeFExceptionType">  
          <wn1:ErrorMessage i:type="d:string">Incorrect length for Message ID  
          </wn1:ErrorMessage>  
          <wn1:ErrorClassification i:type="wn1:ErrorClassificationType">REQUEST_ERROR  
          </wn1:ErrorClassification>  
          <wn1:ErrorCode i:type="d:string">REQSTI004000008</wn1:ErrorCode>  
        </wn1:MeFException>  
      </detail>  
    </e:Fault>  
  </e:Body>  
</e:Envelope>
```

1.10.2.2 MeF Exception

When faults (or errors) occur while processing a Third Party transmitter or State service request, the client process is notified via a SOAP fault response containing a MeFException message within the SOAP fault detail tag. This interface is defined as a MeFException with the only element being the complex type MeFException as defined below.

MeFException for Third Party transmitter services

parts **MeFException**
 element **mtx:MeFException**

used by PortType [SendSubmissions](#) in Operation [SendSubmissions](#)
 PortType [GetNewAcks](#) in Operation [GetNewAcks](#)
 PortType [GetAcks](#) in Operation [GetAcks](#)
 PortType [GetAck](#) in Operation [GetAck](#)
 PortType [GetNewSubmissionsStatus](#) in Operation [GetNewSubmissionsStatus](#)
 PortType [GetSubmissionsStatus](#) in Operation [GetSubmissionsStatus](#)
 PortType [GetSubmissionStatus](#) in Operation [GetSubmissionStatus](#)
 PortType [GetAcksByMsgID](#) in Operation [GetAcksByMsgID](#)

source <wsdl:message name="MeFException">
 <wsdl:part name="MeFException" element="mtx:MeFException"/>
 </wsdl:message>

MeFException for State services


parts **MeFException**
 element **msx:MeFException**

used by PortType [GetNewSubmissions](#) in Operation [GetNewSubmissions](#)
 PortType [GetSubmissions](#) in Operation [GetSubmissions](#)
 PortType [GetSubmission](#) in Operation [GetSubmission](#)
 PortType [SendSubmissionReceipts](#) in Operation [SendSubmissionReceipts](#)
 PortType [SendAcks](#) in Operation [SendAcks](#)
 PortType [GetNewAckNotifications](#) in Operation [GetNewAckNotifications](#)
 PortType [GetAckNotifications](#) in Operation [GetAckNotifications](#)
 PortType [GetAckNotification](#) in Operation [GetAckNotification](#)
 PortType [GetSubmissionsByMsgID](#) in Operation [GetSubmissionsByMsgID](#)

source <wsdl:message name="MeFException">
 <wsdl:part name="MeFException" element="msx:MeFException"/>
 </wsdl:message>

1.10.2.2.1 element MeFException

diagram



namespace <http://www.irs.gov/a2a/mef/MeFStateService.xsd>

type [MeFExceptionType](#)

properties content complex

children [ErrorMessage](#) [ErrorClassification](#) [ErrorCode](#)

source <xsd:element name="MeFException" type="msx:MeFExceptionType"/>

An example of a SOAP fault for a GetAck request with an invalid Submission ID is shown below.

```
<?xml version="1.0" encoding="UTF-8" standalone="yes"?>
<e:Envelope .....
  <e:Body>
    <e:Fault>
      <faultcode>e:Server</faultcode>
      <faultstring>class MeFExceptionType: Invalid SubmissionId
      </faultstring>
      <detail>
        <wn0:MeFException i:type="wn0:MeFExceptionType">
          <ErrorMessage i:type="d:string">
            Failed to get acknowledgement for message id 001232006123msg00012.
            Reason: Could not find acknowledgement for submission ID 98792345076929
            for this ETIN 00123. If the submission was sent in through any channel other
            than Channel[A2A], then the acknowledgement must be retrieved through that
            channel.
          </ErrorMessage>
          <ErrorClassification i:type="wn0:ErrorClassificationType">
            REQUEST_ERROR
          </ErrorClassification>
          <ErrorCode i:type="d:string"> REQSTInnnnnnnnn</ErrorCode>
        </wn0:MeFException>
      </detail>
    </e:Fault>
  </e:Body>
</e:Envelope>
```

[This page intentionally left blank.]

Section 2. Data Mapping

2.1 Data Mapping for A2A Web Services

The Web services provided by the MeF system are described in Web Service Definition Language (WSDL) and XML Schemas. Note that for MeF Release 4.0 there are no longer separate Schemas for MIME and DIME. Both the MIME and DIME WSDLs use the same XML Schema files. For MeF Release 3.2, there are separate schema files for MIME and DIME. However, the only difference is in the file name and schema namespace. The MIME schema names are MeFStateService.xsd and MeFTransmitterService.xsd, while the DIME names are MeFStateServiceWse.xsd and MeFTransmitterServiceWse.xsd. There is no MIME or DIME distinction for the MSI services. Only the file names are presented in Table 2-1. The actual WSDL and XML Schema files are published by the IRS elsewhere.

Table 2-1. A2A WSDL and XML Schema Files

WSDL Files	XML Schema Files
MeFMSIServices_SeparateServices.wsdl	MeFHeader.xsd
MeFStateService_SeparateServices.wsdl	MeFMSIServices.xsd
MeFStateServiceWse_SeparateServices.wsdl	MeFStateService.xsd
MeFTransmitterService_SeparateServices.wsdl	MeFStateServiceWse.xsd (MeF 3.2 Only)
MeFTransmitterServiceWse_SeparateServices.wsdl	MeFTransmitterService.xsd
MeFMSIServices_SeparateServices.wsdl	MeFTransmitterServiceWse.xsd (MeF 3.2 Only)

2.1.1 Namespaces Used for A2A Web Services

The namespaces used for the MeF A2A services follow a logical naming organization. The XML Schema target namespace is always the XML Schema file name in the IRS/MeF domain (e.g. “http://www.irs.gov/a2a/mef/MeFMSIServices.xsd”). The WSDL target namespace is the WSDL name in the IRS/MeF domain (e.g., “http://www.irs.gov/a2a/mef/MeFStateService”). The namespaces used in the WSDL and XML Schema files are presented in Table 2-2. The XML namespace prefixes used are presented in Table 2-3.

Table 2-2. A2A Target Namespace

XML Schemas	
File	targetNamespace
MeFHeader.xsd	http://www.irs.gov/a2a/mef/MeFHeader.xsd
MeFMSIServices.xsd	http://www.irs.gov/a2a/mef/MeFMSIServices.xsd
MeFStateService.xsd	http://www.irs.gov/a2a/mef/MeFStateService.xsd
MeFStateServiceWse.xsd (MeF 3.2 Only)	http://www.irs.gov/a2a/mef/MeFStateServiceWse.xsd
MeFTTransmitterService.xsd	http://www.irs.gov/a2a/mef/MeFTTransmitterService.xsd
MeFTTransmitterServiceWse.xsd (MeF 3.2 Only)	http://www.irs.gov/a2a/mef/MeFTTransmitterServiceWse.xsd
WSDLs	
File	targetNamespace
MeFMSIServices_SeparateServices.wsdl	http://www.irs.gov/a2a/mef/MeFMSIServices
MeFStateService_SeparateServices.wsdl	http://www.irs.gov/a2a/mef/MeFStateService
MeFStateServiceWse_SeparateServices.wsdl	http://www.irs.gov/a2a/mef/MeFStateServiceWse
MeFTTransmitterService_SeparateServices.wsdl	http://www.irs.gov/a2a/mef/MeFTTransmitterService
MeFTTransmitterServiceWse_SeparateServices.wsdl	http://www.irs.gov/a2a/mef/MeFTTransmitterServiceWse

Table 2-3. A2A XML Namespace Prefixes

XML Schemas	
Prefix	Namespace
xsd	http://www.w3.org/2001/XMLSchema
xs	http://www.w3.org/2001/XMLSchema
mefhdr	http://www.irs.gov/a2a/mef/MeFHeader.xsd
mef	http://www.irs.gov/a2a/mef/MeFMSIServices.xsd
msx	http://www.irs.gov/a2a/mef/MeFStateService.xsd
msx	http://www.irs.gov/a2a/mef/MeFStateServiceWse.xsd
ds	http://www.w3.org/2000/09/xmldsig#
wsse	http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-wssecurity-secext-1.0.xsd
WSDLs	
Prefix	Namespace
wsdl	http://schemas.xmlsoap.org/wsdl/
xsd	http://www.w3.org/2001/XMLSchema
xs	http://www.w3.org/2001/XMLSchema
soap	http://schemas.xmlsoap.org/wsdl/soap/
soapbind	http://schemas.xmlsoap.org/wsdl/soap/
mime	http://schemas.xmlsoap.org/wsdl/mime/
dime	http://schemas.xmlsoap.org/ws/2002/04/dime/wsdl/
mefhdr	http://www.irs.gov/a2a/mef/MeFHeader.xsd
mef	http://www.irs.gov/a2a/mef/MeFMSIServices.xsd
tns	http://www.irs.gov/a2a/mef/MeFMSIServices
mef	http://www.irs.gov/a2a/mef/MeFStateService
msx	http://www.irs.gov/a2a/mef/MeFStateService.xsd
mef	http://www.irs.gov/a2a/mef/MeFStateServiceWse
msx	http://www.irs.gov/a2a/mef/MeFStateServiceWse.xsd
mef	http://www.irs.gov/a2a/mef/MeFTTransmitterService
mtx	http://www.irs.gov/a2a/mef/MeFTTransmitterService.xsd
mef	http://www.irs.gov/a2a/mef/MeFTTransmitterServiceWse
mtx	http://www.irs.gov/a2a/mef/MeFTTransmitterServiceWse.xsd

2.2 Data Mapping for EMS and IFA Services

In the EMS and IFA channels the data are exchanged in files with SOAP data structures. The contents of these files are defined as attachments. Only the schema file names are presented in Table 2-4. The actual XML Schema files are published by the IRS elsewhere.

Table 2-4. EMS and IFA XML Schema Files

XML Schema Files
BinaryAttachment.xsd
efileAttachments.xsd
efileMessageCommon.xsd
efileMessageEMS.xsd
efileMessageIFA.xsd
efileTypes.xsd
SOAP.xsd

2.2.1 Namespaces Used for EMS and IFA Services

The namespaces used for the MeF EMS and IFA services follow a logical naming organization. The XML Schema target namespace for most of the files is “efile” in the IRS domain (i.e. “http://www.irs.gov/efile”). The namespaces used in the XML Schema files are presented in Table 2-5. The XML namespace prefixes used are presented in Table 2-6.

Table 2-5. EMS and IFA Target Namespaces

XML Schemas	
File	targetNamespace
BinaryAttachment.xsd	http://www.irs.gov/efile
efileAttachments.xsd	http://www.irs.gov/efile
efileMessageCommon.xsd	http://www.irs.gov/efile
efileMessageEMS.xsd	http://www.irs.gov/efile
efileMessageIFA.xsd	http://www.irs.gov/efile
efileTypes.xsd	http://www.irs.gov/efile
SOAP.xsd	http://schemas.xmlsoap.org/soap/envelope/

Table 2-6. EMS and IFA XML Namespace Prefixes

XML Schemas	
Prefix	Namespace
xsd	http://www.w3.org/2001/XMLSchema
xs	http://www.w3.org/2001/XMLSchema
tns	http://schemas.xmlsoap.org/soap/envelope/
<none>	http://www.irs.gov/efile

[This page intentionally left blank.]

Section 3. EMS Interface Specification

3.1 Transmitter Operations

A transmitter can transmit a transmission file to and retrieve an acknowledgement file from EMS. The file formats are specified in the following sections.

NOTE: The interactions between a transmitter and EMS are defined by EMS and not specified in this document.

3.2 Transmission File Specification

A transmission file contains a SOAP message with one or more attachments, where each attachment contains an IRS submission. A sample transmission file is shown below:

```
MIME-Version: 1.0
Content-Type: multipart/related; boundary="MIMEBoundary"; type="text/xml"
Content-Description: This is a sample 1120 transmission file
X-eFileRoutingCode: MEF

--MIMEBoundary
Content-Type: text/xml; charset=UTF-8
Content-Transfer-Encoding: 8bit
Content-Location: Envelope1120

<?xml version="1.0" encoding="UTF-8"?>
<SOAP:Envelope xmlns="http://www.irs.gov/efile" xmlns:efile="http://www.irs.gov/efile" xmlns
:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:SOAP="http://schemas.xmlsoap.org/soap
/envelope/" xsi:schemaLocation="http://schemas.xmlsoap.org/soap/envelope/ SOAP.xsd http://ww
w.irs.gov/efile efileMessage.xsd">
  <SOAP:Header>
    <TransmissionHeader>
      <TransmissionId>TID01</TransmissionId>
      <Timestamp>2003-10-15T15:15:33+05:00</Timestamp>
      <Transmitter>
        <ETIN>00001</ETIN>
      </Transmitter>
    </TransmissionHeader>
  </SOAP:Header>
  <SOAP:Body>
    <TransmissionManifest>
      <SubmissionDataList>
        <Count>2</Count>
        <SubmissionData>
          <SubmissionId>00000000000000000001</SubmissionId>
          <ElectronicPostmark>2005-05-04T16:11:47+05:00</ElectronicPostmark>
        </SubmissionData>
        <SubmissionData>
          <SubmissionId>00000000000000000002</SubmissionId>
          <ElectronicPostmark>2005-05-04T16:11:47+05:00</ElectronicPostmark>
        </SubmissionData>
      </SubmissionDataList>
    </TransmissionManifest>
  </SOAP:Body>
</SOAP:Envelope>

--MIMEBoundary
Content-Type: application/zip
Content-Transfer-Encoding: Binary
Content-Location: SubmissionsZip
ZIP of submissions.
--MIMEBoundary--
```

'transmissionVersion' attribute is removed

'ProcessType' (T/P) element is removed

References to Content-Locations is changed to a list of SubmissionData, where each SubmissionId would match up with a SubmissionId in the manifest of the IRS submission.

Figure 3-1. Sample Transmission File Submitted to EMS

3.3 Acknowledgement File Specification

An acknowledgement file contains a SOAP message with one attachment. A sample acknowledgement is shown below:

```
MIME-Version: 1.0
Content-Type: multipart/related; boundary="MIMEBoundary"; type="text/xml"
Content-Description: Acknowledgement - P20030811030857.0504

--MIMEBoundary
Content-Type: text/xml; charset=UTF-8
Content-Transfer-Encoding: 8bit
Content-Location: Envelope1120

<?xml version="1.0" encoding="UTF-8"?>
<SOAP:Envelope xmlns="http://www.irs.gov/efile" xmlns:efile="http://www.irs.gov/efile" xsi:schemaLocation="http://schemas.xmlsoap.org/soap/envelope/ SOAP.xsd http://www.irs.gov/efile/efileMessage.xsd" xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/" xmlns:xsd="http://www.w3.org/2001/XMLSchema" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:SOAP="http://schemas.xmlsoap.org/soap/envelope/">
  <SOAP:Header>
    <AcknowledgementHeader>
      <AcknowledgementTimestamp>2003-10-20T16:15:33+05:00</AcknowledgementTimestamp>
    </AcknowledgementHeader>
  </SOAP:Header>
  <SOAP:Body>
    <TransmissionAcknowledgement>
      <TransmissionId>TID01</TransmissionId>
      <TransmissionTimestamp>2003-10-20T15:25:36+05:00</TransmissionTimestamp>
      <TransmissionStatus>A</TransmissionStatus>
      <GTxKey>P20030811030857.0504</GTxKey>
      <GTxKeyOfOriginalDuplicated>P20030811030856.0504</GTxKeyOfOriginalDuplicated>
    </TransmissionAcknowledgement>
  </SOAP:Body>
</SOAP:Envelope>

--MIMEBoundary
Content-Type: application/zip
Content-Transfer-Encoding: Binary
Content-Location: AcknowledgementListZip
←
--MIMEBoundary--
```

'transmissionVersion' attribute is removed

In 3.1, this was the next MIME part after the SOAP part. In 3.2 and 4.0, it is here in the SOAP body, separate from the submission Acks, which are zipped-up and attached.

ZIP of AcknowledgementList is here.

Figure 3-2. Sample Transmission Acknowledgement File Received from EMS

Section 4. IFA Interface Specification

4.1 Transmitter Operations

A transmitter can upload transmission files to and retrieve submission acknowledgements from IFA. The transmission file format and submission acknowledgement format are specified in the following sections. The IFA channel supports all of the same services as the A2A channel except for the GetAcksByMsgID service.

Note: The interactions between a transmitter and the IFA are defined in the *MeF Internet Filing Application (IFA) Interface Control Document*.

4.2 Transmission File Specifications

The transmission file format for IFA is the same as the format used for EMS. For a description of the IFA transmission please see the EMS File Specification section above.

4.3 Submission Acknowledgement Specification

The submission acknowledgements are packaged in a file for download that contains SOAP structured data. Sample content of the file of submission acknowledgements is shown below:

```
<?xml version="1.0" encoding="UTF-8"?>
<AcknowledgementList xmlns="http://www.irs.gov/efile" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xsi:schemaLocation="http://www.irs.gov/efile efileAttachments.xsd">
  <Count>1</Count>
  <Acknowledgement submissionVersion="String" validatingSchemaVersion="String">
    <SubmissionId>00000000000000000000</SubmissionId>
    <AgencyCode>AL</AgencyCode>
    <SubmissionType>1120</SubmissionType>
    <SubmissionCategory>String</SubmissionCategory>
    <TaxYear>9999</TaxYear>
    <ElectronicPostmark>2005-05-04T16:46:50Z</ElectronicPostmark>
    <FilingStatus>String</FilingStatus>
    <StatusDate>2005-05-04</StatusDate>
    <IRSSubmissionId>00000000000000000000</IRSSubmissionId>
    <EIN>010000000</EIN>
    <FilingTypeDescription>String</FilingTypeDescription>
    <PaymentIndicator>Payment Request Received</PaymentIndicator>
    <CompletedValidation>1</CompletedValidation>
    <ErrorList errorCount="1">
      <Error errorId="2">
        <XPath>String</XPath>
        <ErrorCategory>String</ErrorCategory>
        <ErrorMessage>String</ErrorMessage>
        <RuleNumber>String</RuleNumber>
        <Severity>String</Severity>
        <DataValue>String</DataValue>
      </Error>
    </ErrorList>
  </Acknowledgement>
</AcknowledgementList>
```

← One Acknowledgement is shown. More could follow here ...

Figure 4-1. Sample Transmission Acknowledgement File Received from IFA

[This page intentionally left blank.]

Section 5. Example A2A Web Service Messages

This section presents request and response message examples for all the A2A Web services. The messages are divided into three classifications:

1. MSI Services Messages
2. State Services Messages
3. Transmitter Services Messages

Note that all of the SOAP request and response messages are identical for MIME and DIME except for the attachment transport mechanism.

5.1 MSI Services Messages

This section presents SOAP request and response message examples for the following MSI services:

- InitialLogin
- Login
- ChangePassword
- Logout
- EtinRetrieval
- EtinStatus
- GetStateParticipantsList

Note that the request and response messages are identical for Password Authenticated and Strong Authentication users except for the location of the Application System ID (username) as noted earlier. It is in the WS-Security UsernameToken for Password Authenticated and in the MeF Header AppSysID for Strong Authentication users. Therefore, to avoid redundancy, many of the examples below are for Password Authenticated users except where noted.

5.1.1 InitialLogin Service Request Message (not Applicable for Strong Authentication Users)

```
<?xml version="1.0" encoding="UTF-8"?>
<SOAP-ENV:Envelope xmlns:SOAP-ENV="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns:xsd="http://www.w3.org/2001/XMLSchema"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
  <SOAP-ENV:Header>
    <ns1:MeF xmlns:ns1="http://www.irs.gov/a2a/mef/MeFHeader.xsd">
      <ns1:MessageID>00123200603900000001</ns1:MessageID>
      <ns1:Action>InitialLogin</ns1:Action>
      <ns1:Timestamp>2006-01-16T19:13:09.193Z</ns1:Timestamp>
      <ns1:ETIN>00123</ns1:ETIN>
    </ns1:MeF>
  </SOAP-ENV:Header>
  <SOAP-ENV:Body>
    <ns1:InitialLoginRequest xmlns:ns1="http://www.irs.gov/a2a/mef/MeFHeader.xsd">
      <ns1:AppSysID>00123</ns1:AppSysID>
      <ns1:Username>00123</ns1:Username>
      <ns1:Password>00123</ns1:Password>
    </ns1:InitialLoginRequest>
  </SOAP-ENV:Body>
</SOAP-ENV:Envelope>
```

```

    <ns1:SessionIndicator>N</ns1:SessionIndicator>
    <ns1:TestIndicator>P</ns1:TestIndicator>
  </ns1:MeF>
  <wsse:Security xmlns:wsse="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-wssecurity-
  secext-1.0.xsd" xmlns:wsu="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-
  wssecurity-utility-1.0.xsd">
    <wsse:UsernameToken>
      <wsse:Username>username</wsse:Username>
      <wsse:Password Type="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-username-
      token-profile-1.0#PasswordText">password</wsse:Password>
    </wsse:UsernameToken>
  </wsse:Security>
</SOAP-ENV:Header>
<SOAP-ENV:Body>
  <InitialLoginRequest xmlns="http://www.irs.gov/a2a/mef/MeFMSIServices.xsd">
    <Password>password</Password>
    <NewPassword>newpassword</NewPassword>
    <ConfirmationToken>111</ConfirmationToken>
  </InitialLoginRequest>
</SOAP-ENV:Body>
</SOAP-ENV:Envelope>

```

5.1.2 InitialLogin Service Response Message (not Applicable for Strong Authentication Users)

```

<?xml version="1.0" encoding="UTF-8"?>
<e:Envelope xmlns:d="http://www.w3.org/2001/XMLSchema"
  xmlns:e="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns:i="http://www.w3.org/2001/XMLSchema-instance"
  xmlns:wn0="http://www.irs.gov/a2a/mef/MeFHeader.xsd"
  xmlns:wn1="http://www.irs.gov/a2a/mef/MeFMSIServices.xsd">
  <e:Header>
    <ns0:MeF xmlns:ns0="http://www.irs.gov/MeF/MeFHeader.xsd">
      <ns0:MessageID>00123200603900000001R</ns0:MessageID>
      <ns0:RelatesTo>00123200603900000001</ns0:RelatesTo>
      <ns0:Action>InitialLogin</ns0:Action>
      <ns0:Timestamp>2006-02-08T19:13:37Z</ns0:Timestamp>
      <ns0:ETIN>00123</ns0:ETIN>
      <ns0:SessionIndicator>N</ns0:SessionIndicator>
      <ns0:TestIndicator>P</ns0:TestIndicator>
    </ns0:MeF>
  </e:Header>
  <e:Body>
    <wn1:InitialLoginResponse i:type="wn1:InitialLoginResponseType">
      <wn1:Status i:type="d:string">InitialLogin success</wn1:Status>
    </wn1:InitialLoginResponse>
  </e:Body>
</e:Envelope>

```

5.1.3 Login Service Request Message

The Login Service Request Messages for Password Authenticated and Strong Authentication users differ slightly in format. The request messages are presented in the subsections that follow.

5.1.3.1 Login Service Request Message for Password Authenticated Users

```
<?xml version="1.0" encoding="UTF-8"?>
<SOAP-ENV:Envelope xmlns:SOAP-ENV="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns:xsd="http://www.w3.org/2001/XMLSchema"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
  <SOAP-ENV:Header>
    <ns1:MeF xmlns:ns1="http://www.irs.gov/a2a/mef/MeFHeader.xsd">
      <ns1:MessageID>00123200603900000102</ns1:MessageID>
      <ns1:Action>Login</ns1:Action>
      <ns1:Timestamp>2006-01-20T08:35:53.907Z</ns1:Timestamp>
      <ns1:ETIN>00123</ns1:ETIN>
      <ns1:SessionIndicator>Y</ns1:SessionIndicator>
      <ns1:TestIndicator>P</ns1:TestIndicator>
    </ns1:MeF>
    <wsse:Security xmlns:wsse="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-wssecurity-
      secext-1.0.xsd" xmlns:wsu="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-
      wssecurity-utility-1.0.xsd">
      <wsse:UsernameToken>
        <wsse:Username>username</wsse:Username> ← Here for Password Authenticated users
        <wsse:Password Type="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-username-
          token-profile-1.0#PasswordText">password</wsse:Password>
      </wsse:UsernameToken>
    </wsse:Security>
  </SOAP-ENV:Header>
  <SOAP-ENV:Body>
    <LoginRequest xmlns="http://www.irs.gov/a2a/mef/MeFMSIServices.xsd"/>
  </SOAP-ENV:Body>
</SOAP-ENV:Envelope>
```

5.1.3.2 Login Service Request Message for Strong Authentication Users

```
<?xml version="1.0" encoding="UTF-8"?>
<SOAP-ENV:Envelope xmlns:SOAP-ENV="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns:xsd="http://www.w3.org/2001/XMLSchema"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xmlns:ds="http://www.w3.org/2000/09/xmldsig#">
  <SOAP-ENV:Header>
    <ns1:MeF xmlns:ns1="http://www.irs.gov/a2a/mef/MeFHeader.xsd" ID="myHdr">
      <MessageID>001232006026123abcde</MessageID>
      <Action>https://www.irs.gov/a2a/mef/Login</Action>
      <Timestamp>2006-09-27T08:55:29.348Z</Timestamp>
      <ETIN>00123</ETIN>
      <SessionIndicator>Y</SessionIndicator>
      <TestIndicator>T</TestIndicator>
      <AppSysID>username</AppSysID> ← Here for Strong Authentication users
    </ns1:MeF>
  </SOAP-ENV:Header>
  <SOAP-ENV:Body>
    <LoginRequest xmlns="http://www.irs.gov/a2a/mef/MeFMSIServices.xsd"/>
  </SOAP-ENV:Body>
</SOAP-ENV:Envelope>
```

```

</ns1:MeF>
<wsse:Security xmlns:wsse="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-wssecurity-
secext-1.0.xsd"
xmlns:wsu="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-wssecurity-utility-
1.0.xsd">
<wsse:BinarySecurityToken ValueType="...#X509v3" EncodingType="...#Base64Binary"
wsu:Id="X509Token">
/CgBr+1CEl/PtYtAaMB0GA1UdDgQWBBSrtL3lSnDOzSluMLggQUgHpkDFGTaJBgNV
HRMEAjAAMBkGCSqGSIb2fQdBAAQMMAobBFY1LjADAgMoMA0GCSqGSIb3DQEB
BQUAA4GBAC6SVzmX2I2kr5f0Na83ujcSwixpzHE2LqLBFsKm0GdPdarHFB2Qt85zbQ9
PRCROObm9HCIO5KMCjHp7D4g+.....0QVA36IbEn8</wsse:BinarySecurityToken>
<ds:Signature>
<ds:SignedInfo>
<ds:CanonicalizationMethod Algorithm="http://www.w3.org/2001/10/xml-exc-c14n#"/>
<ds:SignatureMethod Algorithm="http://www.w3.org/2000/09/xmldsig#rsa-sha1"/>
<ds:Reference URI="#myHdr">
<ds:Transforms>
<ds:Transform Algorithm="http://www.w3.org/2001/10/xml-exc-c14n#"/>
</ds:Transforms>
<ds:DigestMethod Algorithm="http://www.w3.org/2000/09/xmldsig#sha1"/>
<ds:DigestValue>qZk+NkcGgWq6PiVxeFDCbJzQ2J0=</ds:DigestValue>
</ds:Reference>
<ds:Reference URI="#myBody">
<ds:Transforms>
<ds:Transform Algorithm="http://www.w3.org/2001/10/xml-exc-c14n#"/>
</ds:Transforms>
<ds:DigestMethod Algorithm="http://www.w3.org/2000/09/xmldsig#sha1"/>
<ds:DigestValue>hJg+RBw70m66rkqh+VEp5eVGcPE=</ds:DigestValue>
</ds:Reference>
</ds:SignedInfo>
<ds:SignatureValue>
dsBeQ9qNXM1yU6BbWdBkSN676inwf+CgDORUKqOFuwWUzaOxUmHIq1Pb7uAB
Yw6xkoolbQGS/M3t4Df+hd31prR9Pn9IFqG87Rt169+II8L9GRgPhAATgne8Rh3jOaq
nfrJ5BBM0VmbZdL+c7dfNcnpW13D/klZMvIFR XR87Hs=
</ds:SignatureValue>
<ds:KeyInfo>
<wsse:SecurityTokenReference>
<wsse:Reference URI="#X509Token"/>
</wsse:SecurityTokenReference>
</ds:KeyInfo>
</ds:Signature>
</wsse:Security>
</SOAP-ENV:Header>
<SOAP-ENV:Body ID="myBody">
<LoginRequest xmlns="http://www.irs.gov/a2a/mef/MeFMSIServices.xsd"/>
</SOAP-ENV:Body>
</SOAP-ENV:Envelope>

```

← No UsernameToken for Strong Authentication users

5.1.4 Login Service Response Message

The Login Service Response Messages for Password Authenticated and Strong Authentication users differ slightly in format. The response messages are presented in the subsections that follow.

5.1.4.1 Login Service Response Message for Password Authenticated Users

```
<?xml version="1.0" encoding="UTF-8"?>
<e:Envelope xmlns:d="http://www.w3.org/2001/XMLSchema"
  xmlns:e="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns:i="http://www.w3.org/2001/XMLSchema-instance"
  xmlns:wn0="http://www.irs.gov/a2a/mef/MeFHeader.xsd"
  xmlns:wn1="http://www.irs.gov/a2a/mef/MeFMSIServices.xsd">
  <e:Header>
    <ns0:MeF xmlns:ns0="http://www.irs.gov/MeF/MeFHeader.xsd">
      <ns0:MessageID>00123200603900000102R</ns0:MessageID>
      <ns0:RelatesTo>00123200603900000102</ns0:RelatesTo>
      <ns0:Action>Login</ns0:Action>
      <ns0:Timestamp>2006-02-08T19:19:41Z</ns0:Timestamp>
      <ns0:ETIN>00123</ns0:ETIN>
      <ns0:SessionIndicator>Y</ns0:SessionIndicator>
      <ns0:TestIndicator>P</ns0:TestIndicator>
    </ns0:MeF>
    <wsse:Security xmlns:wsse="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-wssecurity-secext-1.0.xsd" xmlns:wsu="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-wssecurity-utility-1.0.xsd">
      <wsu:Timestamp wsu:Id="id-1bb9afcac6a9602a5384ce23cd64b12dc5353ae8">
        <wsu:Created>2006-02-08T19:19:41Z</wsu:Created>
        <wsu:Expires>2006-02-08T19:34:41Z</wsu:Expires>
      </wsu:Timestamp>
      <saml:Assertion AssertionID="id-da33a4c03b5f1acf14283356d1f68de2daddf164"
        IssueInstant="2006-02-08T19:19:41.080Z" Issuer="http://www.forumsys.com/sentry"
        MajorVersion="1" MinorVersion="1"
        xmlns:saml="urn:oasis:names:tc:SAML:1.0:assertion">
        <saml:Conditions NotBefore="2006-02-08T19:19:41.080Z"
          NotOnOrAfter="2006-02-08T19:34:41.080Z">
          <saml:DoNotCacheCondition/>
        </saml:Conditions>
        <saml:AuthenticationStatement AuthenticationInstant="2006-02-08T19:19:41.080Z"
          AuthenticationMethod="urn:oasis:names:tc:SAML:1.0:am:password">
          <saml:Subject>
            <saml:NameIdentifier Format="urn:oasis:names:tc:SAML:1.1:nameid-format:X509SubjectName">UID=username,OU=irsA2ASystem,OU=External,
              OU=Internal Revenue Service,OU=Department of the Treasury,
              O=U.S. Government,C=US</saml:NameIdentifier>
            <saml:SubjectConfirmation>
              <saml:ConfirmationMethod>urn:oasis:names:tc:SAML:1.0:cm:sender-vouches
            </saml:ConfirmationMethod>
            </saml:SubjectConfirmation>
          </saml:Subject>
          <saml:SubjectLocality IPAddress="123.34.56.789"/>
        </saml:AuthenticationStatement>
      </saml:Assertion>
    </wsse:Security>
  </e:Header>
  <ns0:MeFBody xmlns:ns0="http://www.irs.gov/MeF/MeFHeader.xsd">
    <ns0:MessageID>00123200603900000102R</ns0:MessageID>
    <ns0:RelatesTo>00123200603900000102</ns0:RelatesTo>
    <ns0:Action>Login</ns0:Action>
    <ns0:Timestamp>2006-02-08T19:19:41Z</ns0:Timestamp>
    <ns0:ETIN>00123</ns0:ETIN>
    <ns0:SessionIndicator>Y</ns0:SessionIndicator>
    <ns0:TestIndicator>P</ns0:TestIndicator>
  </ns0:MeFBody>
</e:Envelope>
```

```

</saml:AuthenticationStatement>
<saml:AttributeStatement>
  <saml:Subject>
    <saml:NameIdentifier Format="urn:oasis:names:tc:SAML:1.1:nameid-format:X509SubjectName">UID=username,OU=irsA2ASystem,OU=External,OU=Internal Revenue Service,OU=Department of the Treasury,OU=U.S. Government,C=US</saml:NameIdentifier>
    <saml:SubjectConfirmation>
      <saml:ConfirmationMethod>urn:oasis:names:tc:SAML:1.0:cm:sender-vouches</saml:ConfirmationMethod>
    </saml:SubjectConfirmation>
  </saml:Subject>
  <saml:Attribute AttributeName="SMSESSION" AttributeNamespace="http://www.forumsys.com/sentry">
    <saml:AttributeValue>
      wFQ7FQ0TQ2RclopYC0ZBTNPFy58xYF9LWNqNqafTutnMyQSE89FWm4B+yWsvq8+DGJSFx5KQszPG9RqYkPF3FF52cRt1DNg5FkwOMMYgW7VjRk3LiLhEILo6Fc6GfQhBIRGihkwrAXXtGOr2ZZ+jR7YtsdevpjeuQzKCDgd0qsR3nd.....</saml:AttributeValue>
    </saml:Attribute>
  </saml:AttributeStatement>
</saml:Assertion>
<wsse:UsernameToken>
  <wsse:Username>username</wsse:Username> ← Here for Password Authenticated users
  <wsse:Password Type="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-username-token-profile-1.0#PasswordText">password</wsse:Password>
</wsse:UsernameToken>
</wsse:Security>
</e:Header>
<e:Body>
  <wn1:LoginResponse i:type="wn1:LoginResponseType">
    <wn1:Status i:type="d:string">session counter updated</wn1:Status>
  </wn1:LoginResponse>
</e:Body>
</e:Envelope>

```

5.1.4.2 Login Service Response Message for Strong Authentication Users

```

<?xml version="1.0" encoding="UTF-8"?>
<SOAP-ENV:Envelope xmlns:SOAP-ENV="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns:xsd="http://www.w3.org/2001/XMLSchema"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xmlns:ds="http://www.w3.org/2000/09/xmldsig#">
  <SOAP-ENV:Header>
    <ns1:MeF xmlns:ns1="http://www.irs.gov/a2a/mef/MeFHeader.xsd" ID="myHdr">
      <MessageID>001232006026123abcde</MessageID>
      <RelatesTo>001232006026123abcde</RelatesTo>
      <Action>https://www.irs.gov/a2a/mef/Login/</Action>
      <Timestamp>2006-09-27T08:55:29.348Z</Timestamp>
      <ETIN>00123</ETIN>
      <SessionIndicator>Y</SessionIndicator>
    </ns1:MeF>
  </SOAP-ENV:Header>

```

```

<TestIndicator>T</TestIndicator>
<AppSysID>username</AppSysID>      ← Here for Strong Authentication users
</ns1:MeF>
<wsse:Security xmlns:wsse="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-wssecurity-
secect-1.0.xsd" xmlns:wsu="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-
wssecurity-utility-1.0.xsd">
  <wsu:Timestamp wsu:Id="id-1bb9afcac6a9602a5384ce23cd64b12dc5353ae8">
    <wsu:Created>2006-09-27T08:55:41Z</wsu:Created>
    <wsu:Expires>2006-09-27T19:55:41Z</wsu:Expires>
  </wsu:Timestamp>
  <saml:Assertion AssertionID="id-da33a4c03b5f1acf14283356d1f68de2daddf164"
  IssueInstant="2006-09-27T08:55:41Z" Issuer="http://www.forumsys.com/sentry"
  MajorVersion="1" MinorVersion="1"
  xmlns:saml="urn:oasis:names:tc:SAML:1.0:assertion">
    <saml:Conditions NotBefore="2006-09-27T08:55:41Z"
    NotOnOrAfter="2006-09-27T19:55:41Z">
      <saml:DoNotCacheCondition/>
    </saml:Conditions>
    <saml:AuthenticationStatement AuthenticationInstant="2006-09-27T08:55:41Z"
    AuthenticationMethod="urn:oasis:names:tc:SAML:1.0:am:password">
      <saml:Subject>
        <saml:NameIdentifier Format="urn:oasis:names:tc:SAML:1.1:nameid-
        format:X509SubjectName">UID=username,OU=irsA2ASystem,OU=External,
        OU=Internal Revenue Service,OU=Department of the Treasury,
        O=U.S. Government,C=US</saml:NameIdentifier>
        <saml:SubjectConfirmation>
          <saml:ConfirmationMethod>urn:oasis:names:tc:SAML:1.0:cm:sender-vouches
          </saml:ConfirmationMethod>
        </saml:SubjectConfirmation>
      </saml:Subject>
      <saml:SubjectLocality IPAddress="123.34.56.789"/>
    </saml:AuthenticationStatement>
    <saml:AttributeStatement>
      <saml:Subject>
        <saml:NameIdentifier Format="urn:oasis:names:tc:SAML:1.1:nameid-
        format:X509SubjectName">UID=username,OU=irsA2ASystem,OU=External,
        OU=Internal Revenue Service,OU=Department of the Treasury,
        O=U.S. Government,C=US</saml:NameIdentifier>
        <saml:SubjectConfirmation>
          <saml:ConfirmationMethod>urn:oasis:names:tc:SAML:1.0:cm:sender-vouches
          </saml:ConfirmationMethod>
        </saml:SubjectConfirmation>
      </saml:Subject>
      <saml:Attribute AttributeName="SMSESSION"
      AttributeNamespace="http://www.forumsys.com/sentry">
        <saml:AttributeValue>
          wFQ7FQ0TQ2RclopYC0ZBTNPFy58xYF9LWNqNqatTutnMyQSE89FWm4B
          +yWsvq8+DGJSFx5KQszPG9RqYkPF3FF52cRt1DNg5FkwOMMYgW7VjRk3
          LiLhEILo6Fc6GfQhBIRGihkwrAXXtGOr2ZZ+jR7YtsdevpjeuQzKCDgd0qsR3n
          d.....</saml:AttributeValue>
        </saml:Attribute>
      </saml:AttributeStatement>
    </saml:Assertion>
  </wsse:Security>

```

```

        </saml:AttributeStatement>
      </saml:Assertion>
    </wsse:Security>    ← No UsernameToken for Strong Authentication users
  </e:Header>
  <e:Body>
    <wn1:LoginResponse i:type="wn1:LoginResponseType">
      <wn1:Status i:type="d:string">session counter updated</wn1:Status>
    </wn1:LoginResponse>
  </e:Body>
</e:Envelope>

```

5.1.5 ChangePassword Service Request Message (not Applicable for Strong Authentication Users)

```

<?xml version="1.0" encoding="UTF-8"?>
<SOAP-ENV:Envelope xmlns:SOAP-ENV="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns:xsd="http://www.w3.org/2001/XMLSchema"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
  <SOAP-ENV:Header>
    <ns1:MeF xmlns:ns1="http://www.irs.gov/a2a/mef/MeFHeader.xsd">
      <ns1:MessageID>00123200603900010003</ns1:MessageID>
      <ns1:Action>ChangePassword</ns1:Action>
      <ns1:Timestamp>2006-01-17T04:40:56.711Z</ns1:Timestamp>
      <ns1:SessionIndicator>Y</ns1:SessionIndicator>
    </ns1:MeF>
    <wsse:Security xmlns:wsse="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-wssecurity-
      secext-1.0.xsd"
      xmlns:wsu="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-wssecurity-utility-
        1.0.xsd">
      <wsu:Timestamp wsu:Id="id-49a3f0300212843fa6b5681091b125c366ab24f5">
        <wsu:Created>2006-02-09T16:09:02Z</wsu:Created>
        <wsu:Expires>2006-02-09T16:24:02Z</wsu:Expires>
      </wsu:Timestamp>
      <saml:Assertion AssertionID="id-a22de43062ccb7e3ff8b809e84307fd93fd681f5"
        IssueInstant="2006-02-09T16:09:02.453Z" Issuer="http://www.forumsys.com/sentry"
        MajorVersion="1" MinorVersion="1"
        xmlns:saml="urn:oasis:names:tc:SAML:1.0:assertion">
        <saml:Conditions NotBefore="2006-02-09T16:09:02.453Z" NotOnOrAfter="2006-02-
          09T16:24:02.453Z">
          <saml:DoNotCacheCondition/>
        </saml:Conditions>
        <saml:AuthenticationStatement AuthenticationInstant="2006-02-09T16:09:02.453Z"
          AuthenticationMethod="urn:oasis:names:tc:SAML:1.0:am:password">
          <saml:Subject>
            <saml:NameIdentifier Format="urn:oasis:names:tc:SAML:1.1:nameid-
              format:X509SubjectName">UID=username,OU=irsA2ASystem,OU=External,
              OU=Internal Revenue Service,OU=Department of the Treasury,
              O=U.S. Government,C=US</saml:NameIdentifier>
            <saml:SubjectConfirmation>
              <saml:ConfirmationMethod>urn:oasis:names:tc:SAML:1.0:cm:sender-vouches
            </saml:ConfirmationMethod>
            </saml:SubjectConfirmation>
          </saml:Subject>
        </saml:AuthenticationStatement>
      </wsse:Security>
    </SOAP-ENV:Header>
    <SOAP-ENV:Body>
      <ns1:ChangePasswordRequest xmlns:ns1="http://www.irs.gov/a2a/mef/MeFHeader.xsd">
        <ns1:ChangePasswordRequest/>
      </ns1:ChangePasswordRequest>
    </SOAP-ENV:Body>
  </SOAP-ENV:Envelope>

```

```

    </saml:Subject>
    <saml:SubjectLocality IPAddress="123.34.56.789"/>
  </saml:AuthenticationStatement>
  <saml:AttributeStatement>
    <saml:Subject>
      <saml:NameIdentifier Format="urn:oasis:names:tc:SAML:1.1:nameid-
        format:X509SubjectName">UID=username,OU=irsA2ASystem,OU=External,
        OU=Internal Revenue Service,OU=Department of the Treasury,
        O=U.S. Government,C=US</saml:NameIdentifier>
      <saml:SubjectConfirmation>
        <saml:ConfirmationMethod>urn:oasis:names:tc:SAML:1.0:cm:sender-vouches
        </saml:ConfirmationMethod>
      </saml:SubjectConfirmation>
    </saml:Subject>
    <saml:Attribute AttributeName="SMSESSION"
      AttributeNamespace="http://www.forumsys.com/sentry">
      <saml:AttributeValue>
        1vLjq5rEOUTdiVZWU+AdUL42Hothx2H783b0jJAmV6gWhKwOhWD7NlnF
        ghtyPBVRi1P59D8BalhMAMeZIxz93aOE1B9aW8DXcS4NJSxJhugW2bewMg
        ySwi/+zhLvTAEyF1tScTEdSy5TrgGdgHaSrfC8ikNNdHFWRIGHT+8Lv4tI6...
        .....</saml:AttributeValue>
      </saml:Attribute>
    </saml:AttributeStatement>
  </saml:Assertion>
  <wsse:UsernameToken>
    <wsse:Username>username</wsse:Username>
    <wsse:Password Type="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-username-
      token-profile-1.0#PasswordText">password</wsse:Password>
  </wsse:UsernameToken>
</wsse:Security>
</SOAP-ENV:Header>
<SOAP-ENV:Body>
  <ChangePasswordRequest xmlns="http://www.irs.gov/a2a/mef/MeFMSIServices.xsd">
    <Password>password</Password>
    <NewPassword>newpassword</NewPassword>
  </ChangePasswordRequest>
</SOAP-ENV:Body>
</SOAP-ENV:Envelope>

```

5.1.6 ChangePassword Service Response Message (not Applicable for Strong Authentication Users)

```

<?xml version="1.0" encoding="UTF-8"?>
<e:Envelope xmlns:d="http://www.w3.org/2001/XMLSchema"
  xmlns:e="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns:i="http://www.w3.org/2001/XMLSchema-instance"
  xmlns:wn0="http://www.irs.gov/a2a/mef/MeFHeader.xsd"
  xmlns:wn1="http://www.irs.gov/a2a/mef/MeFMSIServices.xsd">
  <e:Header>
    <ns0:MeF xmlns:ns0="http://www.irs.gov/MeF/MeFHeader.xsd">
      <ns0:MessageID>00123200603900010003R</ns0:MessageID>
      <ns0:RelatesTo>00123200603900010003</ns0:RelatesTo>
    </ns0:MeF>
  </e:Header>

```

```

<ns0:Action>ChangePassword</ns0:Action>
<ns0:Timestamp>2006-02-09T16:09:15Z</ns0:Timestamp>
<ns0:SessionIndicator>Y</ns0:SessionIndicator>
</ns0:MeF>
<wsse:Security xmlns:wsse="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-wssecurity-
secect-1.0.xsd" xmlns:wsu="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-
wssecurity-utility-1.0.xsd">
  <wsu:Timestamp wsu:Id="id-49a3f0300212843fa6b5681091b125c366ab24f5">
    <wsu:Created>2006-02-09T16:09:02Z</wsu:Created>
    <wsu:Expires>2006-02-09T16:24:02Z</wsu:Expires>
  </wsu:Timestamp>
  <saml:Assertion AssertionID="id-a22de43062ccb7e3ff8b809e84307fd93fd681f5"
  IssueInstant="2006-02-09T16:09:02.453Z" Issuer="http://www.forumsys.com/sentry"
  MajorVersion="1" MinorVersion="1"
  xmlns:saml="urn:oasis:names:tc:SAML:1.0:assertion">
    <saml:Conditions NotBefore="2006-02-09T16:09:02.453Z"
    NotOnOrAfter="2006-02-09T16:24:02.453Z">
      <saml:DoNotCacheCondition/>
    </saml:Conditions>
    <saml:AuthenticationStatement AuthenticationInstant="2006-02-09T16:09:02.453Z"
    AuthenticationMethod="urn:oasis:names:tc:SAML:1.0:am:password">
      <saml:Subject>
        <saml:NameIdentifier Format="urn:oasis:names:tc:SAML:1.1:nameid-
        format:X509SubjectName">UID=username,OU=irsA2ASystem,OU=External,
        OU=Internal Revenue Service,OU=Department of the Treasury,
        O=U.S. Government,C=US</saml:NameIdentifier>
        <saml:SubjectConfirmation>
          <saml:ConfirmationMethod>urn:oasis:names:tc:SAML:1.0:cm:sender-vouches
          </saml:ConfirmationMethod>
        </saml:SubjectConfirmation>
      </saml:Subject>
      <saml:SubjectLocality IPAddress="123.34.56.789"/>
    </saml:AuthenticationStatement>
    <saml:AttributeStatement>
      <saml:Subject>
        <saml:NameIdentifier Format="urn:oasis:names:tc:SAML:1.1:nameid-
        format:X509SubjectName">UID=username,OU=irsA2ASystem,OU=External,
        OU=Internal Revenue Service,OU=Department of the Treasury,
        O=U.S. Government,C=US</saml:NameIdentifier>
        <saml:SubjectConfirmation>
          <saml:ConfirmationMethod>urn:oasis:names:tc:SAML:1.0:cm:sender-vouches
          </saml:ConfirmationMethod>
        </saml:SubjectConfirmation>
      </saml:Subject>
      <saml:Attribute AttributeName="SMSESSION"
      AttributeNamespace="http://www.forumsys.com/sentry">
        <saml:AttributeValue>
          1vLjq5rEOUTdiVZWU+AdUL42Hothx2H783b0jJAmV6gWhKwOhWD7NlnF
          ghtyPBVRi1P59D8BalhMAMeZlXz93aOE1B9aW8DXcS4NJSxJhugW2bewMg
          ySwi/+zhLvTAEyF1tScTedSy5TrgGdgHaSrfC8ikNNdHFWRIGHT+.....
          .....</saml:AttributeValue>
        </saml:AttributeValue>
      </saml:AttributeStatement>
    </saml:Assertion>
  </wsse:Security>

```

```

        </saml:Attribute>
      </saml:AttributeStatement>
    </saml:Assertion>
  </wsse:UsernameToken>
  <wsse:Username>username</wsse:Username>
  <wsse:Password Type="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-username-
    token-profile-1.0#PasswordText">password</wsse:Password>
</wsse:UsernameToken>
</wsse:Security>
</e:Header>
<e:Body>
  <wn1:ChangePasswordResponse i:type="wn1:ChangePasswordResponseType">
    <wn1:Status i:type="d:string">Ok</wn1:Status>
  </wn1:ChangePasswordResponse>
</e:Body>
</e:Envelope>

```

5.1.7 Logout Service Request Message

The Logout Service Request Messages for Password Authenticated and Strong Authentication users differ slightly in format. The request messages are presented in the subsections that follow.

5.1.7.1 Logout Service Request Message for Password Authenticated Users

```

<?xml version="1.0" encoding="UTF-8"?>
<SOAP-ENV:Envelope xmlns:SOAP-ENV="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns:xsd="http://www.w3.org/2001/XMLSchema"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
  <SOAP-ENV:Header>
    <ns1:MeF xmlns:ns1="http://www.irs.gov/a2a/mef/MeFHeader.xsd">
      <ns1:MessageID>00123200603900000004</ns1:MessageID>
      <ns1:Action>Logout</ns1:Action>
      <ns1:Timestamp>2006-03-03T19:55:04.195Z</ns1:Timestamp>
      <ns1:ETIN>00123</ns1:ETIN>
      <ns1:SessionIndicator>N</ns1:SessionIndicator>
      <ns1:TestIndicator>P</ns1:TestIndicator>
    </ns1:MeF>
    <wsse:Security xmlns:wsse="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-wssecurity-
      secext-1.0.xsd" xmlns:wsu="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-
      wssecurity-utility-1.0.xsd">
      <wsu:Timestamp wsu:Id="id-1bb9afcac6a9602a5384ce23cd64b12dc5353ae8">
        <wsu:Created>2006-02-08T19:19:41Z</wsu:Created>
        <wsu:Expires>2006-02-08T19:34:41Z</wsu:Expires>
      </wsu:Timestamp>
      <saml:Assertion AssertionID="id-da33a4c03b5f1acf14283356d1f68de2daddf164"
        IssueInstant="2006-02-08T19:19:41.080Z" Issuer="http://www.forumsys.com/sentry"
        MajorVersion="1" MinorVersion="1"
        xmlns:saml="urn:oasis:names:tc:SAML:1.0:assertion">
        <saml:Conditions NotBefore="2006-02-08T19:19:41.080Z"
          NotOnOrAfter="2006-02-08T19:34:41.080Z">
          <saml:DoNotCacheCondition/>
        </saml:Conditions>

```

```

<saml:AuthenticationStatement AuthenticationInstant="2006-02-08T19:19:41.080Z"
  AuthenticationMethod="urn:oasis:names:tc:SAML:1.0:am:password">
  <saml:Subject>
    <saml:NameIdentifier Format="urn:oasis:names:tc:SAML:1.1:nameid-
      format:X509SubjectName">UID=username,OU=irsA2ASystem,OU=External,
      OU=Internal Revenue Service,OU=Department of the Treasury,
      O=U.S. Government,C=US</saml:NameIdentifier>
    <saml:SubjectConfirmation>
      <saml:ConfirmationMethod>urn:oasis:names:tc:SAML:1.0:cm:sender-vouches
      </saml:ConfirmationMethod>
    </saml:SubjectConfirmation>
  </saml:Subject>
  <saml:SubjectLocality IPAddress="123.34.56.789"/>
</saml:AuthenticationStatement>
<saml:AttributeStatement>
  <saml:Subject>
    <saml:NameIdentifier Format="urn:oasis:names:tc:SAML:1.1:nameid-
      format:X509SubjectName">UID=username,OU=irsA2ASystem,OU=External,
      OU=Internal Revenue Service,OU=Department of the Treasury,
      O=U.S. Government,C=US</saml:NameIdentifier>
    <saml:SubjectConfirmation>
      <saml:ConfirmationMethod>urn:oasis:names:tc:SAML:1.0:cm:sender-vouches
      </saml:ConfirmationMethod>
    </saml:SubjectConfirmation>
  </saml:Subject>
  <saml:Attribute AttributeName="SMSESSION"
    AttributeNamespace="http://www.forumsys.com/sentry">
    <saml:AttributeValue>
      wFQ7FQ0TQ2RclopYC0ZBTNPfy58xYF9LWNqNqatTutnMyQSE89FWm4B
      +yWsvq8+DGJSFx5KQszPG9RqYkPF3FF52cRt1DNg5FkwOMMYgW7VjRk3
      LiLhEILo6Fc6GfQhBIRGihkwrAXXtGOr2ZZ+jR7YtsdevpjeuQzKCDgd0.....
      .....</saml:AttributeValue>
    </saml:Attribute>
  </saml:AttributeStatement>
</saml:Assertion>
<wsse:UsernameToken>
  <wsse:Username>username</wsse:Username> ← Here for Password Authenticated users
  <wsse:Password Type="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-username-
    token-profile-1.0#PasswordText">password</wsse:Password>
</wsse:UsernameToken>
</wsse:Security>
</SOAP-ENV:Header>
<SOAP-ENV:Body>
  <LogoutRequest xmlns="http://www.irs.gov/a2a/mef/MeFMSIServices.xsd"/>
</SOAP-ENV:Body>
</SOAP-ENV:Envelope>

```

5.1.7.2 Logout Service Request Message for Strong Authentication Users

```
<?xml version="1.0" encoding="UTF-8"?>
<SOAP-ENV:Envelope xmlns:SOAP-ENV="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns:xsd="http://www.w3.org/2001/XMLSchema"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
  <SOAP-ENV:Header>
    <ns1:MeF xmlns:ns1="http://www.irs.gov/a2a/mef/MeFHeader.xsd">
      <ns1:MessageID>00123200603900000004</ns1:MessageID>
      <ns1:Action>Logout</ns1:Action>
      <ns1:Timestamp>2006-03-03T19:55:04.195Z</ns1:Timestamp>
      <ns1:ETIN>00123</ns1:ETIN>
      <ns1:SessionIndicator>N</ns1:SessionIndicator>
      <ns1:TestIndicator>P</ns1:TestIndicator>
      <AppSysID>username</AppSysID>      ← Here for Strong Authentication users
    </ns1:MeF>
    <wsse:Security xmlns:wsse="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-wssecurity-
      secext-1.0.xsd" xmlns:wsu="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-
      wssecurity-utility-1.0.xsd">
      <wsu:Timestamp wsu:Id="id-1bb9afc6a9602a5384ce23cd64b12dc5353ae8">
        <wsu:Created>2006-02-08T19:19:41Z</wsu:Created>
        <wsu:Expires>2006-02-08T19:34:41Z</wsu:Expires>
      </wsu:Timestamp>
      <saml:Assertion AssertionID="id-da33a4c03b5f1acf14283356d1f68de2daddf164"
        IssueInstant="2006-02-08T19:19:41.080Z" Issuer="http://www.forumsys.com/sentry"
        MajorVersion="1" MinorVersion="1"
        xmlns:saml="urn:oasis:names:tc:SAML:1.0:assertion">
        <saml:Conditions NotBefore="2006-02-08T19:19:41.080Z"
          NotOnOrAfter="2006-02-08T19:34:41.080Z">
          <saml:DoNotCacheCondition/>
        </saml:Conditions>
        <saml:AuthenticationStatement AuthenticationInstant="2006-02-08T19:19:41.080Z"
          AuthenticationMethod="urn:oasis:names:tc:SAML:1.0:am:password">
          <saml:Subject>
            <saml:NameIdentifier Format="urn:oasis:names:tc:SAML:1.1:nameid-
              format:X509SubjectName">UID=username,OU=irsA2ASystem,OU=External,
              OU=Internal Revenue Service,OU=Department of the Treasury,
              O=U.S. Government,C=US</saml:NameIdentifier>
            <saml:SubjectConfirmation>
              <saml:ConfirmationMethod>urn:oasis:names:tc:SAML:1.0:cm:sender-vouches
            </saml:ConfirmationMethod>
            </saml:SubjectConfirmation>
          </saml:Subject>
          <saml:SubjectLocality IPAddress="123.34.56.789"/>
        </saml:AuthenticationStatement>
        <saml:AttributeStatement>
          <saml:Subject>
            <saml:NameIdentifier Format="urn:oasis:names:tc:SAML:1.1:nameid-
              format:X509SubjectName">UID=username,OU=irsA2ASystem,OU=External,
              OU=Internal Revenue Service,OU=Department of the Treasury,
              O=U.S. Government,C=US</saml:NameIdentifier>
            <saml:SubjectConfirmation>
```

```

        <saml:ConfirmationMethod>urn:oasis:names:tc:SAML:1.0:cm:sender-vouches
      </saml:ConfirmationMethod>
    </saml:SubjectConfirmation>
  </saml:Subject>
  <saml:Attribute AttributeName="SMSESSION"
    AttributeNamespace="http://www.forumsys.com/sentry">
    <saml:AttributeValue>
      wFQ7FQ0TQ2RclopYC0ZBTNPFy58xYF9LWNqNqatTutnMyQSE89FWm4B
      +yWsvq8+DGJSFx5KQszPG9RqYkPF3FF52cRt1DNg5FkwOMMYgW7VjRk3
      LiLhEILo6Fc6GfQhBIRgihkwrAXXtGOr2ZZ+jR7YtsdevpjeuQzKCDgd0.....
      .....</saml:AttributeValue>
    </saml:Attribute>
  </saml:AttributeStatement>
</saml:Assertion>
</wsse:Security>      ← No UsernameToken for Strong Authentication users
</SOAP-ENV:Header>
<SOAP-ENV:Body>
  <LogoutRequest xmlns="http://www.irs.gov/a2a/mef/MeFMSIServices.xsd"/>
</SOAP-ENV:Body>
</SOAP-ENV:Envelope>

```

5.1.8 Logout Service Response Message

The Logout Service Response Messages for Password Authenticated and Strong Authentication users differ slightly in format. The request messages are presented in the subsections that follow.

5.1.8.1 Logout Service Response Message for Password Authenticated Users

```

<?xml version="1.0" encoding="UTF-8"?>
<e:Envelope xmlns:d="http://www.w3.org/2001/XMLSchema"
  xmlns:e="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns:i="http://www.w3.org/2001/XMLSchema-instance"
  xmlns:wn0="http://www.irs.gov/a2a/mef/MeFHeader.xsd"
  xmlns:wn1="http://www.irs.gov/a2a/mef/MeFMSIServices.xsd">
  <e:Header>
    <ns0:MeF xmlns:ns0="http://www.irs.gov/MeF/MeFHeader.xsd">
      <ns0:MessageID>00123200603900000004R</ns0:MessageID>
      <ns0:RelatesTo>00123200603900000004</ns0:RelatesTo>
      <ns0:Action>Logout</ns0:Action>
      <ns0:Timestamp>2006-02-08T19:32:11Z</ns0:Timestamp>
      <ns0:ETIN>00123</ns0:ETIN>
      <ns0:SessionIndicator>N</ns0:SessionIndicator>
      <ns0:TestIndicator>P</ns0:TestIndicator>
    </ns0:MeF>
  </e:Header>
  <e:Body>
    <wn1:LogoutResponse i:type="wn1:LogoutResponseType">
      <wn1:Status i:type="d:string">Session counter decremented</wn1:Status>
    </wn1:LogoutResponse>
  </e:Body>
</e:Envelope>

```

5.1.8.2 Logout Service Response Message for Strong Authentication Users

```
<?xml version="1.0" encoding="UTF-8"?>
<e:Envelope xmlns:d="http://www.w3.org/2001/XMLSchema"
  xmlns:e="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns:i="http://www.w3.org/2001/XMLSchema-instance"
  xmlns:wn0="http://www.irs.gov/a2a/mef/MeFHeader.xsd"
  xmlns:wn1="http://www.irs.gov/a2a/mef/MeFMSIServices.xsd">
  <e:Header>
    <ns0:MeF xmlns:ns0="http://www.irs.gov/MeF/MeFHeader.xsd">
      <ns0:MessageID>00123200603900000004R</ns0:MessageID>
      <ns0:RelatesTo>00123200603900000004</ns0:RelatesTo>
      <ns0:Action>Logout</ns0:Action>
      <ns0:Timestamp>2006-02-08T19:32:11Z</ns0:Timestamp>
      <ns0:ETIN>00123</ns0:ETIN>
      <ns0:SessionIndicator>N</ns0:SessionIndicator>
      <ns0:TestIndicator>P</ns0:TestIndicator>
      <AppSysID>username</AppSysID> ← For Strong Authentication users
    </ns0:MeF>
  </e:Header>
  <e:Body>
    <wn1:LogoutResponse i:type="wn1:LogoutResponseType">
      <wn1:Status i:type="d:string">Session counter decremented</wn1:Status>
    </wn1:LogoutResponse>
  </e:Body>
</e:Envelope>
```

5.1.9 EtinRetrieval Service Request Message

```
<?xml version="1.0" encoding="UTF-8"?>
<SOAP-ENV:Envelope xmlns:SOAP-ENV="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns:xsd="http://www.w3.org/2001/XMLSchema"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
  <SOAP-ENV:Header>
    <ns1:MeF xmlns:ns1="http://www.irs.gov/a2a/mef/MeFHeader.xsd">
      <ns1:MessageID>00123200603900000012</ns1:MessageID>
      <ns1:Action>EtinRetrieval</ns1:Action>
      <ns1:Timestamp>2006-02-03T13:50:00.576Z</ns1:Timestamp>
      <ns1:ETIN>00123</ns1:ETIN>
      <ns1:SessionIndicator>Y</ns1:SessionIndicator>
      <ns1:TestIndicator>P</ns1:TestIndicator>
    </ns1:MeF>
    <wsse:Security xmlns:wsse="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-wssecurity-secext-1.0.xsd" xmlns:wsu="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-wssecurity-utility-1.0.xsd">
      <wsu:Timestamp wsu:Id="id-bb994af0be9c74e44d86cf619da4a52da42d5ebe">
        <wsu:Created>2006-02-08T20:07:37Z</wsu:Created>
        <wsu:Expires>2006-02-08T20:22:37Z</wsu:Expires>
      </wsu:Timestamp>
      <saml:Assertion AssertionID="id-3b8ddb1eb70936a44e7994b3d894e2af9bcd99a5"
        IssueInstant="2006-02-08T20:07:37.879Z" Issuer="http://www.forumsys.com/sentry"
```

```

MajorVersion="1" MinorVersion="1"
xmlns:saml="urn:oasis:names:tc:SAML:1.0:assertion">
<saml:Conditions NotBefore="2006-02-08T20:07:37.879Z"
    NotOnOrAfter="2006-02-08T20:22:37.879Z">
    <saml:DoNotCacheCondition/>
</saml:Conditions>
<saml:AuthenticationStatement AuthenticationInstant="2006-02-08T20:07:37.879Z"
    AuthenticationMethod="urn:oasis:names:tc:SAML:1.0:am:password">
    <saml:Subject>
        <saml:NameIdentifier Format="urn:oasis:names:tc:SAML:1.1:nameid-
            format:X509SubjectName">UID=username,OU=irsA2ASystem,OU=External,
            OU=Internal Revenue Service,OU=Department of the Treasury,
            O=U.S. Government,C=US</saml:NameIdentifier>
        <saml:SubjectConfirmation>
            <saml:ConfirmationMethod>urn:oasis:names:tc:SAML:1.0:cm:sender-vouches
            </saml:ConfirmationMethod>
        </saml:SubjectConfirmation>
    </saml:Subject>
    <saml:SubjectLocality IPAddress="123.34.56.789"/>
</saml:AuthenticationStatement>
<saml:AttributeStatement>
    <saml:Subject>
        <saml:NameIdentifier Format="urn:oasis:names:tc:SAML:1.1:nameid-
            format:X509SubjectName">UID=username,OU=irsA2ASystem,OU=External,
            OU=Internal Revenue Service,OU=Department of the Treasury,
            O=U.S. Government,C=US</saml:NameIdentifier>
        <saml:SubjectConfirmation>
            <saml:ConfirmationMethod>urn:oasis:names:tc:SAML:1.0:cm:sender-vouches
            </saml:ConfirmationMethod>
        </saml:SubjectConfirmation>
    </saml:Subject>
    <saml:Attribute AttributeName="SMSESSION"
        AttributeNamespace="http://www.forumsys.com/sentry">
        <saml:AttributeValue>
            GcC6RZf3Z5v+6V93q84R9QHkvUwYgqpKHZ0CDWSptQch002Way1fwwXW
            s9Pj73JIZ+voHUyFSK1fbsWz+NvNIrV5jjXvY1BvmkdBpbsfKSr1ZduMbSfqEf
            WBIwvMqSityIe0ohxoRqjsyfuYRMMzNrZOOb+BV71be0pA/PZZZSmQGje...
            .....</saml:AttributeValue>
        </saml:Attribute>
    </saml:AttributeStatement>
</saml:Assertion>
<wsse:UsernameToken>
    <wsse:Username>username</wsse:Username>
    <wsse:Password Type="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-username-
        token-profile-1.0#PasswordText">password</wsse:Password>
</wsse:UsernameToken>
</wsse:Security>
</SOAP-ENV:Header>
<SOAP-ENV:Body>
    <EtinRetrievalRequest xmlns="http://www.irs.gov/a2a/mef/MeFMSIServices.xsd">
        <TestIndicator>P</TestIndicator>

```

```
</EtinRetrievalRequest>
</SOAP-ENV:Body>
</SOAP-ENV:Envelope>
```

5.1.10 EtinRetrieval Service Response Message

```
<?xml version="1.0" encoding="UTF-8"?>
<e:Envelope xmlns:d="http://www.w3.org/2001/XMLSchema"
  xmlns:e="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns:i="http://www.w3.org/2001/XMLSchema-instance"
  xmlns:wn0="http://www.irs.gov/a2a/mef/MeFHeader.xsd"
  xmlns:wn1="http://www.irs.gov/a2a/mef/MeFMSIServices.xsd">
  <e:Header>
    <ns0:MeF xmlns:ns0="http://www.irs.gov/MeF/MeFHeader.xsd">
      <ns0:MessageID>00123200603900000012R</ns0:MessageID>
      <ns0:RelatesTo>00123200603900000012</ns0:RelatesTo>
      <ns0:Action>EtinRetrieval</ns0:Action>
      <ns0:Timestamp>2006-02-08T20:08:11Z</ns0:Timestamp>
      <ns0:ETIN>00123</ns0:ETIN>
      <ns0:SessionIndicator>Y</ns0:SessionIndicator>
      <ns0:TestIndicator>P</ns0:TestIndicator>
    </ns0:MeF>
    <wsse:Security xmlns:wsse="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-wssecurity-secext-1.0.xsd" xmlns:wsu="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-wssecurity-utility-1.0.xsd">
      <wsu:Timestamp wsu:Id="id-bb994af0be9c74e44d86cf619da4a52da42d5ebe">
        <wsu:Created>2006-02-08T20:07:37Z</wsu:Created>
        <wsu:Expires>2006-02-08T20:22:37Z</wsu:Expires>
      </wsu:Timestamp>
      <saml:Assertion AssertionID="id-3b8ddb1eb70936a44e7994b3d894e2af9bcd99a5"
        IssueInstant="2006-02-08T20:07:37.879Z" Issuer="http://www.forumsys.com/sentry"
        MajorVersion="1" MinorVersion="1"
        xmlns:saml="urn:oasis:names:tc:SAML:1.0:assertion">
        <saml:Conditions NotBefore="2006-02-08T20:07:37.879Z"
          NotOnOrAfter="2006-02-08T20:22:37.879Z">
          <saml:DoNotCacheCondition/>
        </saml:Conditions>
        <saml:AuthenticationStatement AuthenticationInstant="2006-02-08T20:07:37.879Z"
          AuthenticationMethod="urn:oasis:names:tc:SAML:1.0:am:password">
          <saml:Subject>
            <saml:NameIdentifier Format="urn:oasis:names:tc:SAML:1.1:nameid-format:X509SubjectName">UID=username,OU=irsA2ASystem,OU=External,
              OU=Internal Revenue Service,OU=Department of the Treasury,
              O=U.S. Government,C=US</saml:NameIdentifier>
            <saml:SubjectConfirmation>
              <saml:ConfirmationMethod>urn:oasis:names:tc:SAML:1.0:cm:sender-vouches
            </saml:ConfirmationMethod>
            </saml:SubjectConfirmation>
          </saml:Subject>
          <saml:SubjectLocality IPAddress="123.34.56.789"/>
        </saml:AuthenticationStatement>
        <saml:AttributeStatement>
```

```

<saml:Subject>
  <saml:NameIdentifier Format="urn:oasis:names:tc:SAML:1.1:nameid-
    format:X509SubjectName">UID=username,OU=irsA2ASystem,OU=External,
    OU=Internal Revenue Service,OU=Department of the Treasury,
    O=U.S. Government,C=US</saml:NameIdentifier>
  <saml:SubjectConfirmation>
    <saml:ConfirmationMethod>urn:oasis:names:tc:SAML:1.0:cm:sender-vouches
    </saml:ConfirmationMethod>
  </saml:SubjectConfirmation>
</saml:Subject>
<saml:Attribute AttributeName="SMSESSION"
  AttributeNamespace="http://www.forumsys.com/sentry">
  <saml:AttributeValue>
    GcC6RZf3Z5v+6V93q84R9QHkvUwYgqpKHZ0CDWSptQch002Way1fvwxW
    s9Pj73JlZ+voHUyFSK1fbsWz+NvNlrV5jjXvY1BvmkdBpbsfKSr1ZduMbSfqEf
    WBIwvMqSityIe0ohxoRqjsyfuYRMMzNrzoOb+BV71be0pA/PZZZSmQG...
    .....</saml:AttributeValue>
  </saml:Attribute>
</saml:AttributeStatement>
</saml:Assertion>
<wsse:UsernameToken>
  <wsse:Username>username</wsse:Username>
  <wsse:Password Type="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-username-
    token-profile-1.0#PasswordText">password</wsse:Password>
</wsse:UsernameToken>
</wsse:Security>
</e:Header>
<e:Body>
  <wn1:EtinRetrievalResponse i:type="wn1:EtinRetrievalResponseType">
    <wn1:count i:type="d:int">5</wn1:count>
    <wn1:ETINStatus i:type="wn1:ETINStatusType">
      <wn1:ETIN i:type="d:string">00234</wn1:ETIN>
      <wn1:status i:type="d:string">P</wn1:status>
      <wn1:form i:type="wn1:ETINFormStatusType">
        <wn1:formName i:type="d:string">1120</wn1:formName>
        <wn1:formStatus i:type="d:string">P</wn1:formStatus>
      </wn1:form>
      <wn1:form i:type="wn1:ETINFormStatusType">
        <wn1:formName i:type="d:string">1120POL</wn1:formName>
        <wn1:formStatus i:type="d:string">P</wn1:formStatus>
      </wn1:form>
      <wn1:form i:type="wn1:ETINFormStatusType">
        <wn1:formName i:type="d:string">990</wn1:formName>
        <wn1:formStatus i:type="d:string">P</wn1:formStatus>
      </wn1:form>
    </wn1:ETINStatus>
    <wn1:ETINStatus i:type="wn1:ETINStatusType">
      <wn1:ETIN i:type="d:string">00567</wn1:ETIN>
      <wn1:status i:type="d:string">P</wn1:status>
      <wn1:form i:type="wn1:ETINFormStatusType">
        <wn1:formName i:type="d:string">1120</wn1:formName>

```



```

        <wn1:formName i:type="d:string">1120POL</wn1:formName>
        <wn1:formStatus i:type="d:string">P</wn1:formStatus>
    </wn1:form>
    <wn1:form i:type="wn1:ETINFormStatusType">
        <wn1:formName i:type="d:string">990</wn1:formName>
        <wn1:formStatus i:type="d:string">P</wn1:formStatus>
    </wn1:form>
</wn1:ETINStatus>
</wn1:EtinRetrievalResponse>
</e:Body>
</e:Envelope>

```

5.1.11 EtinStatus Service Request Message

```

<?xml version="1.0" encoding="UTF-8"?>
<SOAP-ENV:Envelope xmlns:SOAP-ENV="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns:xsd="http://www.w3.org/2001/XMLSchema"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
  <SOAP-ENV:Header>
    <ns1:MeF xmlns:ns1="http://www.irs.gov/a2a/mef/MeFHeader.xsd">
      <ns1:MessageID>00123200603900000011</ns1:MessageID>
      <ns1:Action>EtinStatus</ns1:Action>
      <ns1:Timestamp>2006-02-08T06:24:38.290Z</ns1:Timestamp>
      <ns1:ETIN>00123</ns1:ETIN>
      <ns1:SessionIndicator>Y</ns1:SessionIndicator>
      <ns1:TestIndicator>P</ns1:TestIndicator>
    </ns1:MeF>
    <wsse:Security xmlns:wsse="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-wssecurity-
      secext-1.0.xsd" xmlns:wsu="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-
      wssecurity-utility-1.0.xsd">
      <wsu:Timestamp wsu:Id="id-bb994af0be9c74e44d86cf619da4a52da42d5ebe">
        <wsu:Created>2006-02-08T20:07:37Z</wsu:Created>
        <wsu:Expires>2006-02-08T20:22:37Z</wsu:Expires>
      </wsu:Timestamp>
      <saml:Assertion AssertionID="id-3b8ddb1eb70936a44e7994b3d894e2af9bcd99a5"
        IssueInstant="2006-02-08T20:07:37.879Z" Issuer="http://www.forumsys.com/sentry"
        MajorVersion="1" MinorVersion="1"
        xmlns:saml="urn:oasis:names:tc:SAML:1.0:assertion">
        <saml:Conditions NotBefore="2006-02-08T20:07:37.879Z"
          NotOnOrAfter="2006-02-08T20:22:37.879Z">
          <saml:DoNotCacheCondition/>
        </saml:Conditions>
        <saml:AuthenticationStatement AuthenticationInstant="2006-02-08T20:07:37.879Z"
          AuthenticationMethod="urn:oasis:names:tc:SAML:1.0:am:password">
          <saml:Subject>
            <saml:NameIdentifier Format="urn:oasis:names:tc:SAML:1.1:nameid-
              format:X509SubjectName">UID=username,OU=irsA2ASystem,OU=External,
              OU=Internal Revenue Service,OU=Department of the Treasury,
              O=U.S. Government,C=US</saml:NameIdentifier>
            <saml:SubjectConfirmation>
              <saml:ConfirmationMethod>urn:oasis:names:tc:SAML:1.0:cm:sender-vouches
            </saml:ConfirmationMethod>
          </saml:Subject>
        </saml:AuthenticationStatement>
      </saml:Assertion>
    </wsse:Security>
  </SOAP-ENV:Header>
  <SOAP-ENV:Body>
    <ns1:EtinStatusRequest xmlns:ns1="http://www.irs.gov/a2a/mef/MeFHeader.xsd">
      <ns1:ETIN>00123</ns1:ETIN>
      <ns1:SessionIndicator>Y</ns1:SessionIndicator>
      <ns1:TestIndicator>P</ns1:TestIndicator>
    </ns1:EtinStatusRequest>
  </SOAP-ENV:Body>
</SOAP-ENV:Envelope>

```

```

        </saml:SubjectConfirmation>
    </saml:Subject>
    <saml:SubjectLocality IPAddress="123.34.56.789"/>
</saml:AuthenticationStatement>
<saml:AttributeStatement>
    <saml:Subject>
        <saml:NameIdentifier Format="urn:oasis:names:tc:SAML:1.1:nameid-
            format:X509SubjectName">UID=username,OU=irsA2ASystem,OU=External,
            OU=Internal Revenue Service,OU=Department of the Treasury,
            O=U.S. Government,C=US</saml:NameIdentifier>
        <saml:SubjectConfirmation>
            <saml:ConfirmationMethod>urn:oasis:names:tc:SAML:1.0:cm:sender-vouches
            </saml:ConfirmationMethod>
        </saml:SubjectConfirmation>
    </saml:Subject>
    <saml:Attribute AttributeName="SMSESSION"
        AttributeNamespace="http://www.forumsys.com/sentry">
        <saml:AttributeValue>
            GcC6RZf3Z5v+6V93q84R9QHkvUwYgqpKHZ0CDWSptQch002Way1fvwxW
            s9Pj73JIZ+voHUyFSK1fbsWz+NvNlrV5jjXvY1BvmkdBpbsfKSr1ZduMbSfqEf
            WBIwvMqSityIe0ohxoRqjsyfuYRM.....</saml:AttributeValue>
        </saml:Attribute>
    </saml:AttributeStatement>
</saml:Assertion>
<wsse:UsernameToken>
    <wsse:Username>username</wsse:Username>
    <wsse:Password Type="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-username-
        token-profile-1.0#PasswordText">password</wsse:Password>
</wsse:UsernameToken>
</wsse:Security>
</SOAP-ENV:Header>
<SOAP-ENV:Body>
    <EtinStatusRequest xmlns="http://www.irs.gov/a2a/mef/MeFMSIServices.xsd">
        <ETIN>00456</ETIN>
    </EtinStatusRequest>
</SOAP-ENV:Body>
</SOAP-ENV:Envelope>

```

5.1.12 EtinStatus Service Response Message

```

<?xml version="1.0" encoding="UTF-8"?>
<e:Envelope xmlns:d="http://www.w3.org/2001/XMLSchema"
    xmlns:e="http://schemas.xmlsoap.org/soap/envelope/"
    xmlns:i="http://www.w3.org/2001/XMLSchema-instance"
    xmlns:wn0="http://www.irs.gov/a2a/mef/MeFHeader.xsd"
    xmlns:wn1="http://www.irs.gov/a2a/mef/MeFMSIServices.xsd">
    <e:Header>
        <ns0:MeF xmlns:ns0="http://www.irs.gov/MeF/MeFHeader.xsd">
            <ns0:MessageID>00123200603900000011R</ns0:MessageID>
            <ns0:RelatesTo>00123200603900000011</ns0:RelatesTo>
            <ns0:Action>EtinStatus</ns0:Action>
            <ns0:Timestamp>2006-02-08T20:07:54Z</ns0:Timestamp>
        </ns0:MeF>
    </e:Header>

```

```

<ns0:ETIN>00123</ns0:ETIN>
<ns0:SessionIndicator>Y</ns0:SessionIndicator>
<ns0:TestIndicator>P</ns0:TestIndicator>
</ns0:MeF>
<wsse:Security xmlns:wsse="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-wssecurity-
secect-1.0.xsd" xmlns:wsu="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-
wssecurity-utility-1.0.xsd">
  <wsu:Timestamp wsu:Id="id-bb994af0be9c74e44d86cf619da4a52da42d5ebe">
    <wsu:Created>2006-02-08T20:07:37Z</wsu:Created>
    <wsu:Expires>2006-02-08T20:22:37Z</wsu:Expires>
  </wsu:Timestamp>
  <saml:Assertion AssertionID="id-3b8ddb1eb70936a44e7994b3d894e2af9bcd99a5"
  IssueInstant="2006-02-08T20:07:37.879Z" Issuer="http://www.forumsys.com/sentry"
  MajorVersion="1" MinorVersion="1"
  xmlns:saml="urn:oasis:names:tc:SAML:1.0:assertion">
    <saml:Conditions NotBefore="2006-02-08T20:07:37.879Z"
    NotOnOrAfter="2006-02-08T20:22:37.879Z">
      <saml:DoNotCacheCondition/>
    </saml:Conditions>
    <saml:AuthenticationStatement AuthenticationInstant="2006-02-08T20:07:37.879Z"
    AuthenticationMethod="urn:oasis:names:tc:SAML:1.0:am:password">
      <saml:Subject>
        <saml:NameIdentifier Format="urn:oasis:names:tc:SAML:1.1:nameid-
        format:X509SubjectName">UID=username,OU=irsA2ASystem,OU=External,
        OU=Internal Revenue Service,OU=Department of the Treasury,
        O=U.S. Government,C=US</saml:NameIdentifier>
        <saml:SubjectConfirmation>
          <saml:ConfirmationMethod>urn:oasis:names:tc:SAML:1.0:cm:sender-vouches
          </saml:ConfirmationMethod>
        </saml:SubjectConfirmation>
      </saml:Subject>
      <saml:SubjectLocality IPAddress="123.34.56.789"/>
    </saml:AuthenticationStatement>
    <saml:AttributeStatement>
      <saml:Subject>
        <saml:NameIdentifier Format="urn:oasis:names:tc:SAML:1.1:nameid-
        format:X509SubjectName">UID=username,OU=irsA2ASystem,OU=External,
        OU=Internal Revenue Service,OU=Department of the Treasury,
        O=U.S. Government,C=US</saml:NameIdentifier>
        <saml:SubjectConfirmation>
          <saml:ConfirmationMethod>urn:oasis:names:tc:SAML:1.0:cm:sender-vouches
          </saml:ConfirmationMethod>
        </saml:SubjectConfirmation>
      </saml:Subject>
      <saml:Attribute AttributeName="SMSESSION"
      AttributeNamespace="http://www.forumsys.com/sentry">
        <saml:AttributeValue>
          GcC6RZf3Z5v+6V93q84R9QHkvUwYgqpKHZ0CDWSptQch002Way1fvwxW
          s9Pj73JIZ+voHUYFSK1fbsWz+NvNlrV5jjXvY1BvmkdBpbsfKsr1ZduMbSfqEf
          WBIwvMqSityIe0ohxoRqjsyfuYRM.....</saml:AttributeValue>
        </saml:Attribute>
      </saml:AttributeStatement>
    </saml:AttributeStatement>
  </saml:Assertion>
</wsse:Security>

```

```

        </saml:AttributeStatement>
    </saml:Assertion>
    <wsse:UsernameToken>
        <wsse:Username>username</wsse:Username>
        <wsse:Password Type="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-username-
            token-profile-1.0#PasswordText">password</wsse:Password>
    </wsse:UsernameToken>
</wsse:Security>
</e:Header>
<e:Body>
    <wn1:EtinStatusResponse i:type="wn1:EtinStatusResponseType">
        <wn1:ETIN i:type="d:string">00456</wn1:ETIN>
        <wn1:status i:type="d:string">V</wn1:status>
        <wn1:form i:type="wn1:ETINFormStatusType">
            <wn1:formName i:type="d:string">1120</wn1:formName>
            <wn1:formStatus i:type="d:string">P</wn1:formStatus>
        </wn1:form>
        <wn1:form i:type="wn1:ETINFormStatusType">
            <wn1:formName i:type="d:string">1120POL</wn1:formName>
            <wn1:formStatus i:type="d:string">P</wn1:formStatus>
        </wn1:form>
        <wn1:form i:type="wn1:ETINFormStatusType">
            <wn1:formName i:type="d:string">990</wn1:formName>
            <wn1:formStatus i:type="d:string">P</wn1:formStatus>
        </wn1:form>
    </wn1:EtinStatusResponse>
</e:Body>
</e:Envelope>

```

5.1.13 GetStateParticipantsList Service Request Message

```

<?xml version="1.0" encoding="UTF-8"?>
<SOAP-ENV:Envelope xmlns:SOAP-ENV="http://schemas.xmlsoap.org/soap/envelope/"
    xmlns:xsd="http://www.w3.org/2001/XMLSchema"
    xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
    <SOAP-ENV:Header>
        <ns1:MeF xmlns:ns1="http://www.irs.gov/a2a/mef/MeFHeader.xsd">
            <ns1:MessageID>00123200603900000013</ns1:MessageID>
            <ns1:Action>GetStateParticipantsList</ns1:Action>
            <ns1:Timestamp>2006-01-28T00:19:26.393Z</ns1:Timestamp>
            <ns1:ETIN>00123</ns1:ETIN>
            <ns1:SessionIndicator>Y</ns1:SessionIndicator>
            <ns1:TestIndicator>P</ns1:TestIndicator>
        </ns1:MeF>
        <wsse:Security xmlns:wsse="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-wssecurity-
            secext-1.0.xsd" xmlns:wsu="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-
            wssecurity-utility-1.0.xsd">
            <wsu:Timestamp wsu:Id="id-bb994af0be9c74e44d86cf619da4a52da42d5ebe">
                <wsu:Created>2006-02-08T20:07:37Z</wsu:Created>
                <wsu:Expires>2006-02-08T20:22:37Z</wsu:Expires>
            </wsu:Timestamp>

```

```

<saml:Assertion AssertionID="id-3b8ddb1eb70936a44e7994b3d894e2af9bcd99a5"
  IssueInstant="2006-02-08T20:07:37.879Z" Issuer="http://www.forumsys.com/sentry"
  MajorVersion="1" MinorVersion="1"
  xmlns:saml="urn:oasis:names:tc:SAML:1.0:assertion">
  <saml:Conditions NotBefore="2006-02-08T20:07:37.879Z"
    NotOnOrAfter="2006-02-08T20:22:37.879Z">
    <saml:DoNotCacheCondition/>
  </saml:Conditions>
  <saml:AuthenticationStatement AuthenticationInstant="2006-02-08T20:07:37.879Z"
    AuthenticationMethod="urn:oasis:names:tc:SAML:1.0:am:password">
    <saml:Subject>
      <saml:NameIdentifier Format="urn:oasis:names:tc:SAML:1.1:nameid-
        format:X509SubjectName">UID=username,OU=irsA2ASystem,OU=External,
        OU=Internal Revenue Service,OU=Department of the Treasury,
        O=U.S. Government,C=US</saml:NameIdentifier>
      <saml:SubjectConfirmation>
        <saml:ConfirmationMethod>urn:oasis:names:tc:SAML:1.0:cm:sender-vouches
        </saml:ConfirmationMethod>
      </saml:SubjectConfirmation>
    </saml:Subject>
    <saml:SubjectLocality IPAddress="123.34.56.789"/>
  </saml:AuthenticationStatement>
  <saml:AttributeStatement>
    <saml:Subject>
      <saml:NameIdentifier Format="urn:oasis:names:tc:SAML:1.1:nameid-
        format:X509SubjectName">UID=username,OU=irsA2ASystem,OU=External,
        OU=Internal Revenue Service,OU=Department of the Treasury,
        O=U.S. Government,C=US</saml:NameIdentifier>
      <saml:SubjectConfirmation>
        <saml:ConfirmationMethod>urn:oasis:names:tc:SAML:1.0:cm:sender-vouches
        </saml:ConfirmationMethod>
      </saml:SubjectConfirmation>
    </saml:Subject>
    <saml:Attribute AttributeName="SMSESSION"
      AttributeNamespace="http://www.forumsys.com/sentry">
      <saml:AttributeValue>
        GcC6RZf3Z5v+6V93q84R9QHkvUwYgqpKHZ0CDWSptQch002Way1fvwxW
        s9Pj73JIZ+voHUyFSK1fbsWz+NvNIrV5jjXvY1BvmkdBpbsfKSr1ZduMbSfqEf
        WBIwvMqSityIe0ohxoRqjsyfuYRM.....</saml:AttributeValue>
      </saml:Attribute>
    </saml:AttributeStatement>
  </saml:Assertion>
  <wsse:UsernameToken>
    <wsse:Username>username</wsse:Username>
    <wsse:Password Type="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-username-
      token-profile-1.0#PasswordText">password</wsse:Password>
  </wsse:UsernameToken>
</wsse:Security>
</SOAP-ENV:Header>
<SOAP-ENV:Body>
  <GetStateParticipantsListRequest xmlns="http://www.irs.gov/a2a/mef/MeFMSIServices.xsd"/>

```

```
</SOAP-ENV:Body>
</SOAP-ENV:Envelope>
```

5.1.14 GetStateParticipantsList Service Response Message

```
<?xml version="1.0" encoding="UTF-8"?>
<e:Envelope xmlns:d="http://www.w3.org/2001/XMLSchema"
  xmlns:e="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns:i="http://www.w3.org/2001/XMLSchema-instance"
  xmlns:wn0="http://www.irs.gov/a2a/mef/MeFHeader.xsd"
  xmlns:wn1="http://www.irs.gov/a2a/mef/MeFMSIServices.xsd">
  <e:Header>
    <ns0:MeF xmlns:ns0="http://www.irs.gov/MeF/MeFHeader.xsd">
      <ns0:MessageID>00123200603900000013R</ns0:MessageID>
      <ns0:RelatesTo>00123200603900000013</ns0:RelatesTo>
      <ns0:Action>GetStateParticipantsList</ns0:Action>
      <ns0:Timestamp>2006-02-08T20:08:21Z</ns0:Timestamp>
      <ns0:ETIN>00123</ns0:ETIN>
      <ns0:SessionIndicator>Y</ns0:SessionIndicator>
      <ns0:TestIndicator>P</ns0:TestIndicator>
    </ns0:MeF>
    <wsse:Security xmlns:wsse="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-wssecurity-secext-1.0.xsd" xmlns:wssu="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-wssecurity-utility-1.0.xsd">
      <wsu:Timestamp wsu:Id="id-bb994af0be9c74e44d86cf619da4a52da42d5ebe">
        <wsu:Created>2006-02-08T20:07:37Z</wsu:Created>
        <wsu:Expires>2006-02-08T20:22:37Z</wsu:Expires>
      </wsu:Timestamp>
      <saml:Assertion AssertionID="id-3b8ddb1eb70936a44e7994b3d894e2af9bcd99a5"
        IssueInstant="2006-02-08T20:07:37.879Z" Issuer="http://www.forumsys.com/sentry"
        MajorVersion="1" MinorVersion="1"
        xmlns:saml="urn:oasis:names:tc:SAML:1.0:assertion">
        <saml:Conditions NotBefore="2006-02-08T20:07:37.879Z"
          NotOnOrAfter="2006-02-08T20:22:37.879Z">
          <saml:DoNotCacheCondition/>
        </saml:Conditions>
        <saml:AuthenticationStatement AuthenticationInstant="2006-02-08T20:07:37.879Z"
          AuthenticationMethod="urn:oasis:names:tc:SAML:1.0:am:password">
          <saml:Subject>
            <saml:NameIdentifier Format="urn:oasis:names:tc:SAML:1.1:nameid-format:X509SubjectName">UID=username,OU=irsA2ASystem,OU=External,
              OU=Internal Revenue Service,OU=Department of the Treasury,
              O=U.S. Government,C=US</saml:NameIdentifier>
            <saml:SubjectConfirmation>
              <saml:ConfirmationMethod>urn:oasis:names:tc:SAML:1.0:cm:sender-vouches</saml:ConfirmationMethod>
            </saml:SubjectConfirmation>
          </saml:Subject>
          <saml:SubjectLocality IPAddress="123.34.56.789"/>
        </saml:AuthenticationStatement>
        <saml:AttributeStatement>
          <saml:Subject>
```

```

<saml:NameIdentifier Format="urn:oasis:names:tc:SAML:1.1:nameid-
format:X509SubjectName">UID=username,OU=irsA2ASystem,OU=External,
OU=Internal Revenue Service,OU=Department of the Treasury,
O=U.S. Government,C=US</saml:NameIdentifier>
<saml:SubjectConfirmation>
  <saml:ConfirmationMethod>urn:oasis:names:tc:SAML:1.0:cm:sender-vouches
  </saml:ConfirmationMethod>
</saml:SubjectConfirmation>
</saml:Subject>
<saml:Attribute AttributeName="SMSESSION"
AttributeNamespace="http://www.forumsys.com/sentry">
  <saml:AttributeValue>
    GcC6RZf3Z5v+6V93q84R9QHkvUwYgqpKHZ0CDWSptQch002Way1fvwxW
    s9Pj73JIZ+voHUyFSK1fbsWz+NvNlrV5jjXvY1BvmkdBpbsfKSr1ZduMbSfqEf
    WBIwvMqSityIe0ohxoRqjsyfuYRM.....</saml:AttributeValue>
  </saml:Attribute>
</saml:AttributeStatement>
</saml:Assertion>
<wsse:UsernameToken>
  <wsse:Username>username</wsse:Username>
  <wsse:Password Type="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-username-
token-profile-1.0#PasswordText">password</wsse:Password>
</wsse:UsernameToken>
</wsse:Security>
</e:Header>
<e:Body>
  <wn1:GetStateParticipantsListResponse i:type="wn1:GetStateParticipantsListResponseType">
    <wn1:count i:type="d:int">39</wn1:count>
    <wn1:StateParticipant i:type="wn1:StateParticipantType">
      <wn1:state i:type="d:string">IL</wn1:state>
      <wn1:participantPrograms i:type="d:string">ILSTEB</wn1:participantPrograms>
    </wn1:StateParticipant>
    <wn1:StateParticipant i:type="wn1:StateParticipantType">
      <wn1:state i:type="d:string">IL</wn1:state>
      <wn1:participantPrograms i:type="d:string">ILSTCB</wn1:participantPrograms>
    </wn1:StateParticipant>
    <wn1:StateParticipant i:type="wn1:StateParticipantType">
      <wn1:state i:type="d:string">IL</wn1:state>
      <wn1:participantPrograms i:type="d:string">ILSTCB</wn1:participantPrograms>
    </wn1:StateParticipant>
    <wn1:StateParticipant i:type="wn1:StateParticipantType">
      <wn1:state i:type="d:string">IL</wn1:state>
      <wn1:participantPrograms i:type="d:string">ILSTCF</wn1:participantPrograms>
    </wn1:StateParticipant>
    <wn1:StateParticipant i:type="wn1:StateParticipantType">
      <wn1:state i:type="d:string">KS</wn1:state>
      <wn1:participantPrograms i:type="d:string">KSSTCF</wn1:participantPrograms>
    </wn1:StateParticipant>
    <wn1:StateParticipant i:type="wn1:StateParticipantType">
      <wn1:state i:type="d:string">KS</wn1:state>
      <wn1:participantPrograms i:type="d:string">KSSTCB</wn1:participantPrograms>
    </wn1:StateParticipant>
  </wn1:GetStateParticipantsListResponse>

```

```
<wn1:state i:type="d:string">NM</wn1:state>
  <wn1:participantPrograms i:type="d:string">NMSTEB</wn1:participantPrograms>
</wn1:StateParticipant>
<wn1:StateParticipant i:type="wn1:StateParticipantType">
  <wn1:state i:type="d:string">CA</wn1:state>
  <wn1:participantPrograms i:type="d:string">CASTEF</wn1:participantPrograms>
</wn1:StateParticipant>
<wn1:StateParticipant i:type="wn1:StateParticipantType">
  <wn1:state i:type="d:string">CA</wn1:state>
  <wn1:participantPrograms i:type="d:string">CASTEB</wn1:participantPrograms>
</wn1:StateParticipant>
<wn1:StateParticipant i:type="wn1:StateParticipantType">
  <wn1:state i:type="d:string">CT</wn1:state>
  <wn1:participantPrograms i:type="d:string">CTSTCF</wn1:participantPrograms>
</wn1:StateParticipant>
<wn1:StateParticipant i:type="wn1:StateParticipantType">
  <wn1:state i:type="d:string">CT</wn1:state>
  <wn1:participantPrograms i:type="d:string">CTSTCB</wn1:participantPrograms>
</wn1:StateParticipant>
<wn1:StateParticipant i:type="wn1:StateParticipantType">
  <wn1:state i:type="d:string">CT</wn1:state>
  <wn1:participantPrograms i:type="d:string">CTSTEF</wn1:participantPrograms>
</wn1:StateParticipant>
<wn1:StateParticipant i:type="wn1:StateParticipantType">
  <wn1:state i:type="d:string">CT</wn1:state>
  <wn1:participantPrograms i:type="d:string">CTSTEB</wn1:participantPrograms>
</wn1:StateParticipant>
<wn1:StateParticipant i:type="wn1:StateParticipantType">
  <wn1:state i:type="d:string">MD</wn1:state>
  <wn1:participantPrograms i:type="d:string">MDCTCF</wn1:participantPrograms>
</wn1:StateParticipant>
</wn1:GetStateParticipantsListResponse>
</e:Body>
</e:Envelope>
```



```

</wsu:Timestamp>
<saml:Assertion AssertionID="id-ce99a06ac772602bfc954e3b807e7519e9807d01"
  IssueInstant="2006-02-08T22:39:28.567Z" Issuer="http://www.forumsys.com/sentry"
  MajorVersion="1" MinorVersion="1"
  xmlns:saml="urn:oasis:names:tc:SAML:1.0:assertion">
  <saml:Conditions NotBefore="2006-02-08T22:39:28.567Z"
    NotOnOrAfter="2006-02-08T22:54:28.567Z">
    <saml:DoNotCacheCondition/>
  </saml:Conditions>
  <saml:AuthenticationStatement AuthenticationInstant="2006-02-08T22:39:28.567Z"
    AuthenticationMethod="urn:oasis:names:tc:SAML:1.0:am:password">
    <saml:Subject>
      <saml:NameIdentifier Format="urn:oasis:names:tc:SAML:1.1:nameid-
        format:X509SubjectName">UID=username,OU=irsA2ASystem,OU=External,
        OU=Internal Revenue Service,OU=Department of the Treasury,
        O=U.S. Government,C=US</saml:NameIdentifier>
      <saml:SubjectConfirmation>
        <saml:ConfirmationMethod>urn:oasis:names:tc:SAML:1.0:cm:sender-vouches
        </saml:ConfirmationMethod>
      </saml:SubjectConfirmation>
    </saml:Subject>
    <saml:SubjectLocality IPAddress="123.34.56.789"/>
  </saml:AuthenticationStatement>
  <saml:AttributeStatement>
    <saml:Subject>
      <saml:NameIdentifier Format="urn:oasis:names:tc:SAML:1.1:nameid-
        format:X509SubjectName">UID=username,OU=irsA2ASystem,OU=External,
        OU=Internal Revenue Service,OU=Department of the Treasury,
        O=U.S. Government,C=US</saml:NameIdentifier>
      <saml:SubjectConfirmation>
        <saml:ConfirmationMethod>urn:oasis:names:tc:SAML:1.0:cm:sender-vouches
        </saml:ConfirmationMethod>
      </saml:SubjectConfirmation>
    </saml:Subject>
    <saml:Attribute AttributeName="SMSESSION"
      AttributeNamespace="http://www.forumsys.com/sentry">
      <saml:AttributeValue>
        uOwaIfiL+JB6MXFKJMYKbvZfrU2h7eHzRThDeGttFfZjnVrxs/ZDcfUUhiU1p
        9ZiUB8dGOuW8xR/NupMTV9kycUrOExNRo3QqWXy3P9Vgyg/dHMV2DJH
        Yp2D1oUCP58f4Av0t9yyBRhSKF.....</saml:AttributeValue>
      </saml:Attribute>
    </saml:AttributeStatement>
  </saml:Assertion>
</wsse:UsernameToken>
  <wsse:Username>username</wsse:Username>
  <wsse:Password Type="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-username-
    token-profile-1.0#PasswordText">password</wsse:Password>
</wsse:UsernameToken>
</wsse:Security>
</SOAP-ENV:Header>
<SOAP-ENV:Body>

```

```

    <GetNewSubmissionsRequestArgs xmlns="http://www.irs.gov/a2a/mef/MeFStateService.xsd">
      <MaxResults>1</MaxResults>
    </GetNewSubmissionsRequestArgs>
  </SOAP-ENV:Body>
</SOAP-ENV:Envelope>

```

5.2.2 GetNewSubmissions Service Request Message (MeF Release 4.0)

```

<?xml version="1.0" encoding="UTF-8"?>
<SOAP-ENV:Envelope xmlns:SOAP-ENV="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns:xsd="http://www.w3.org/2001/XMLSchema"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
  <SOAP-ENV:Header>
    <ns1:MeF xmlns:ns1="http://www.irs.gov/a2a/mef/MeFHeader.xsd">
      <ns1:MessageID>00123200603900000002</ns1:MessageID>
      <ns1:Action>GetNewSubmissions</ns1:Action>
      <ns1:Timestamp>2006-02-24T09:53:51.237Z</ns1:Timestamp>
      <ns1:ETIN>00123</ns1:ETIN>
      <ns1:SessionIndicator>Y</ns1:SessionIndicator>
      <ns1:TestIndicator>P</ns1:TestIndicator>
    </ns1:MeF>
    <wsse:Security xmlns:wsse="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-wssecurity-secext-1.0.xsd" xmlns:wsu="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-wssecurity-utility-1.0.xsd">
      <wsu:Timestamp wsu:Id="id-80bf7b190129b908ee31d5412acbbdc7d0b95998">
        <wsu:Created>2006-02-08T22:39:28Z</wsu:Created>
        <wsu:Expires>2006-02-08T22:54:28Z</wsu:Expires>
      </wsu:Timestamp>
      <saml:Assertion AssertionID="id-ce99a06ac772602bfc954e3b807e7519e9807d01"
        IssueInstant="2006-02-08T22:39:28.567Z" Issuer="http://www.forumsys.com/sentry"
        MajorVersion="1" MinorVersion="1"
        xmlns:saml="urn:oasis:names:tc:SAML:1.0:assertion">
        <saml:Conditions NotBefore="2006-02-08T22:39:28.567Z"
          NotOnOrAfter="2006-02-08T22:54:28.567Z">
          <saml:DoNotCacheCondition/>
        </saml:Conditions>
        <saml:AuthenticationStatement AuthenticationInstant="2006-02-08T22:39:28.567Z"
          AuthenticationMethod="urn:oasis:names:tc:SAML:1.0:am:password">
          <saml:Subject>
            <saml:NameIdentifier Format="urn:oasis:names:tc:SAML:1.1:nameid-format:X509SubjectName">UID=username,OU=irsA2ASystem,OU=External,
              OU=Internal Revenue Service,OU=Department of the Treasury,
              O=U.S. Government,C=US</saml:NameIdentifier>
            <saml:SubjectConfirmation>
              <saml:ConfirmationMethod>urn:oasis:names:tc:SAML:1.0:cm:sender-vouches</saml:ConfirmationMethod>
            </saml:SubjectConfirmation>
          </saml:Subject>
          <saml:SubjectLocality IPAddress="123.34.56.789"/>
        </saml:AuthenticationStatement>
        <saml:AttributeStatement>
          <saml:Subject>

```

```

    <saml:NameIdentifier Format="urn:oasis:names:tc:SAML:1.1:nameid-
      format:X509SubjectName">UID=username,OU=irsA2ASystem,OU=External,
      OU=Internal Revenue Service,OU=Department of the Treasury,
      O=U.S. Government,C=US</saml:NameIdentifier>
    <saml:SubjectConfirmation>
      <saml:ConfirmationMethod>urn:oasis:names:tc:SAML:1.0:cm:sender-vouches
      </saml:ConfirmationMethod>
    </saml:SubjectConfirmation>
  </saml:Subject>
  <saml:Attribute AttributeName="SMSESSION"
    AttributeNamespace="http://www.forumsys.com/sentry">
    <saml:AttributeValue>
      uOwaIfiL+JB6MXFKJMYKbvZfrU2h7eHzRThDeGttFfZjnVrxs/ZDcfUUhiU1p
      9ZiUB8dGOuW8xR/NupMTV9kycUrOExNRo3QqWXy3P9Vgyg/dHMOV2DJH
      Yp2D1oUCP58f4Av0t9yyBRhSKF.....</saml:AttributeValue>
    </saml:Attribute>
  </saml:AttributeStatement>
</saml:Assertion>
<wsse:UsernameToken>
  <wsse:Username>username</wsse:Username>
  <wsse:Password Type="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-username-
    token-profile-1.0#PasswordText">password</wsse:Password>
</wsse:UsernameToken>
</wsse:Security>
</SOAP-ENV:Header>
<SOAP-ENV:Body>
  <GetNewSubmissionsRequestArgs xmlns="http://www.irs.gov/a2a/mef/MeFStateService.xsd">
    <MaxResults>1</MaxResults>
    <Category>CORP</Category>
  </GetNewSubmissionsRequestArgs>
</SOAP-ENV:Body>
</SOAP-ENV:Envelope>

```

5.2.3 GetNewSubmissions Service Response Message

```

<?xml version="1.0" encoding="UTF-8"?>
<e:Envelope xmlns:wn1="http://www.irs.gov/a2a/mef/MeFStateService.xsd"
  xmlns:wn0="http://www.irs.gov/a2a/mef/MeFHeader.xsd"
  xmlns:i="http://www.w3.org/2001/XMLSchema-instance"
  xmlns:e="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns:d="http://www.w3.org/2001/XMLSchema">
  <e:Header>
    <ns0:MeF xmlns:ns0="http://www.irs.gov/MeF/MeFHeader.xsd">
      <ns0:MessageID>00123200603900000002R</ns0:MessageID>
      <ns0:RelatesTo>00123200603900000002</ns0:RelatesTo>
      <ns0:Action>GetNewSubmissions</ns0:Action>
      <ns0:Timestamp>2006-02-08T22:42:58Z</ns0:Timestamp>
      <ns0:ETIN>00123</ns0:ETIN>
      <ns0:SessionIndicator>Y</ns0:SessionIndicator>
      <ns0:TestIndicator>P</ns0:TestIndicator>
    </ns0:MeF>

```

```

<wsse:Security xmlns:wsse="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-wssecurity-
secext-1.0.xsd" xmlns:wsu="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-
wssecurity-utility-1.0.xsd">
  <wsu:Timestamp wsu:Id="id-80bf7b190129b908ee31d5412acbbdc7d0b95998">
    <wsu:Created>2006-02-08T22:39:28Z</wsu:Created>
    <wsu:Expires>2006-02-08T22:54:28Z</wsu:Expires>
  </wsu:Timestamp>
  <saml:Assertion MajorVersion="1" IssueInstant="2006-02-08T22:39:28.567Z"
    Issuer="http://www.forumsys.com/sentry"
    AssertionID="id-ce99a06ac772602bfc954e3b807e7519e9807d01"
    MinorVersion="1" xmlns:saml="urn:oasis:names:tc:SAML:1.0:assertion">
    <saml:Conditions NotOnOrAfter="2006-02-08T22:54:28.567Z"
      NotBefore="2006-02-08T22:39:28.567Z">
      <saml:DoNotCacheCondition/>
    </saml:Conditions>
    <saml:AuthenticationStatement AuthenticationInstant="2006-02-08T22:39:28.567Z"
      AuthenticationMethod="urn:oasis:names:tc:SAML:1.0:am:password">
      <saml:Subject>
        <saml:NameIdentifier Format="urn:oasis:names:tc:SAML:1.1:nameid-
          format:X509SubjectName">UID=username,OU=irsA2ASystem,OU=External,
          OU=Internal Revenue Service,OU=Department of the Treasury,
          O=U.S. Government,C=US</saml:NameIdentifier>
        <saml:SubjectConfirmation>
          <saml:ConfirmationMethod>urn:oasis:names:tc:SAML:1.0:cm:sender-vouches
          </saml:ConfirmationMethod>
        </saml:SubjectConfirmation>
      </saml:Subject>
      <saml:SubjectLocality IPAddress="123.34.56.789"/>
    </saml:AuthenticationStatement>
    <saml:AttributeStatement>
      <saml:Subject>
        <saml:NameIdentifier Format="urn:oasis:names:tc:SAML:1.1:nameid-
          format:X509SubjectName">UID=username,OU=irsA2ASystem,OU=External,
          OU=Internal Revenue Service,OU=Department of the Treasury,
          O=U.S. Government,C=US</saml:NameIdentifier>
        <saml:SubjectConfirmation>
          <saml:ConfirmationMethod>urn:oasis:names:tc:SAML:1.0:cm:sender-vouches
          </saml:ConfirmationMethod>
        </saml:SubjectConfirmation>
      </saml:Subject>
      <saml:Attribute AttributeNamespace="http://www.forumsys.com/sentry"
        AttributeName="SMSESSION">
        <saml:AttributeValue>
          uOwaIfiL+JB6MXFKJMYKbvZfrU2h7eHzRThDeGttFfZjnVrxs/ZDcfUUhiU1p
          9ZiUB8dGOuW8xR/NupMTV9kycUrOExNRo3QqWXy3P9Vgyg/dHMOV2DJH
          Yp2D1oUCP58f4Av0t9yyBRhSKF.....</saml:AttributeValue>
        </saml:Attribute>
      </saml:AttributeStatement>
    </saml:Assertion>
  <wsse:UsernameToken>
    <wsse:Username>username</wsse:Username>
  </wsse:UsernameToken>
</wsse:Security>

```

```

        <wsse:Password Type="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-username-
            token-profile-1.0#PasswordText">password</wsse:Password>
    </wsse:UsernameToken>
</wsse:Security>
</e:Header>
<e:Body>
    <ns10:GetNewSubmissionsResponse
xmlns:ns10="http://www.irs.gov/a2a/mef/MeFStateService.xsd">
    <ns10:MoreAvailable>true</ns10:MoreAvailable>
    <ns10:IRSDataList>
        <ns10:Count>1</ns10:Count>
        <ns10:IRSData>
            <ns10:SubmissionId>00123420060320000057</ns10:SubmissionId>
            <ns10:ETIN>00123</ns10:ETIN>
            <ns10:ReceivedTimestamp>2006-02-02T14:24:11.482Z</ns10:ReceivedTimestamp>
            <ns10:FederalEINStatus>Found Match</ns10:FederalEINStatus>
            <ns10:ElectronicPostmark>2006-01-31T18:34:50.113Z</ns10:ElectronicPostmark>
            <ns10:SourceIRSSubmissionId i:nil="true"/>
        </ns10:IRSData>
    </ns10:IRSDataList>
</ns10:GetNewSubmissionsResponse>
</e:Body>
</e:Envelope>

```

5.2.4 Get Submissions by Message ID Service Request Message

```

<?xml version="1.0" encoding="UTF-8"?>
<SOAP-ENV:Envelope xmlns:SOAP-ENV="http://schemas.xmlsoap.org/soap/envelope/"
    xmlns:xsd="http://www.w3.org/2001/XMLSchema"
    xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
    <SOAP-ENV:Header>
        <ns1:MeF xmlns:ns1="http://www.irs.gov/a2a/mef/MeFHeader.xsd">
            <ns1:MessageID>00123200603900000003</ns1:MessageID>
            <ns1:Action>GetSubmissionsByMsgID</ns1:Action>
            <ns1:Timestamp>2006-02-02T02:41:42.473Z</ns1:Timestamp>
            <ns1:ETIN>00123</ns1:ETIN>
            <ns1:SessionIndicator>Y</ns1:SessionIndicator>
            <ns1:TestIndicator>P</ns1:TestIndicator>
        </ns1:MeF>
        <wsse:Security xmlns:wsse="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-wssecurity-
            secext-1.0.xsd" xmlns:wsu="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-
            wssecurity-utility-1.0.xsd">
            <wsu:Timestamp wsu:Id="id-80bf7b190129b908ee31d5412acbbdc7d0b95998">
                <wsu:Created>2006-02-08T22:39:28Z</wsu:Created>
                <wsu:Expires>2006-02-08T22:54:28Z</wsu:Expires>
            </wsu:Timestamp>
            <saml:Assertion AssertionID="id-ce99a06ac772602bfc954e3b807e7519e9807d01"
                IssueInstant="2006-02-08T22:39:28.567Z" Issuer="http://www.forumsys.com/sentry"
                MajorVersion="1" MinorVersion="1"
                xmlns:saml="urn:oasis:names:tc:SAML:1.0:assertion">
                <saml:Conditions NotBefore="2006-02-08T22:39:28.567Z"
                    NotOnOrAfter="2006-02-08T22:54:28.567Z">

```

```

    <saml:DoNotCacheCondition/>
  </saml:Conditions>
  <saml:AuthenticationStatement AuthenticationInstant="2006-02-08T22:39:28.567Z"
    AuthenticationMethod="urn:oasis:names:tc:SAML:1.0:am:password">
    <saml:Subject>
      <saml:NameIdentifier Format="urn:oasis:names:tc:SAML:1.1:nameid-
        format:X509SubjectName">UID=username,OU=irsA2ASystem,OU=External,
        OU=Internal Revenue Service,OU=Department of the Treasury,
        O=U.S. Government,C=US</saml:NameIdentifier>
      <saml:SubjectConfirmation>
        <saml:ConfirmationMethod>urn:oasis:names:tc:SAML:1.0:cm:sender-vouches
        </saml:ConfirmationMethod>
      </saml:SubjectConfirmation>
    </saml:Subject>
    <saml:SubjectLocality IPAddress="123.34.56.789"/>
  </saml:AuthenticationStatement>
  <saml:AttributeStatement>
    <saml:Subject>
      <saml:NameIdentifier Format="urn:oasis:names:tc:SAML:1.1:nameid-
        format:X509SubjectName">UID=username,OU=irsA2ASystem,OU=External,
        OU=Internal Revenue Service,OU=Department of the Treasury,
        O=U.S. Government,C=US</saml:NameIdentifier>
      <saml:SubjectConfirmation>
        <saml:ConfirmationMethod>urn:oasis:names:tc:SAML:1.0:cm:sender-vouches
        </saml:ConfirmationMethod>
      </saml:SubjectConfirmation>
    </saml:Subject>
    <saml:Attribute AttributeName="SMSESSION"
      AttributeNamespace="http://www.forumsys.com/sentry">
      <saml:AttributeValue>
        uOwaIfiL+JB6MXFKJMYKbvZfrU2h7eHzRThDeGttFfZjnVrxs/ZDcfUUhiU1p
        9ZiUB8dGOuW8xR/NupMTV9kycUrOExNRo3QqWXy3P9Vgyg/dHMV2DJH
        Yp2D1oUCP58f4Av0t9yyBRhSK.....</saml:AttributeValue>
      </saml:Attribute>
    </saml:AttributeStatement>
  </saml:Assertion>
  <wsse:UsernameToken>
    <wsse:Username>username</wsse:Username>
    <wsse:Password Type="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-username-
      token-profile-1.0#PasswordText">password</wsse:Password>
  </wsse:UsernameToken>
</wsse:Security>
</SOAP-ENV:Header>
<SOAP-ENV:Body>
  <GetSubmissionsByMsgIDRequestArgs xmlns="http://www.irs.gov/a2a/mef/MeFStateService.xsd">
    <MessageID>0012300603900000002</MessageID>
  </GetSubmissionsByMsgIDRequestArgs>
</SOAP-ENV:Body>
</SOAP-ENV:Envelope>

```

5.2.5 Get Submissions by Message ID Service Response Message

```
<?xml version="1.0" encoding="UTF-8"?>
<e:Envelope xmlns:wn1="http://www.irs.gov/a2a/mef/MeFStateService.xsd"
  xmlns:wn0="http://www.irs.gov/a2a/mef/MeFHeader.xsd"
  xmlns:i="http://www.w3.org/2001/XMLSchema-instance"
  xmlns:e="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns:d="http://www.w3.org/2001/XMLSchema">
  <e:Header>
    <ns0:MeF xmlns:ns0="http://www.irs.gov/MeF/MeFHeader.xsd">
      <ns0:MessageID>00123200603900000003R</ns0:MessageID>
      <ns0:RelatesTo>00123200603900000003</ns0:RelatesTo>
      <ns0:Action>GetSubmissionsByMsgID</ns0:Action>
      <ns0:Timestamp>2006-02-08T22:43:14Z</ns0:Timestamp>
      <ns0:ETIN>00123</ns0:ETIN>
      <ns0:SessionIndicator>Y</ns0:SessionIndicator>
      <ns0:TestIndicator>P</ns0:TestIndicator>
    </ns0:MeF>
    <wsse:Security xmlns:wsse="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-wssecurity-
      secext-1.0.xsd" xmlns:wsu="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-
      wssecurity-utility-1.0.xsd">
      <wsu:Timestamp wsu:Id="id-80bf7b190129b908ee31d5412acbbdc7d0b95998">
        <wsu:Created>2006-02-08T22:39:28Z</wsu:Created>
        <wsu:Expires>2006-02-08T22:54:28Z</wsu:Expires>
      </wsu:Timestamp>
      <saml:Assertion MajorVersion="1" IssueInstant="2006-02-08T22:39:28.567Z"
        Issuer="http://www.forumsys.com/sentry"
        AssertionID="id-ce99a06ac772602bfc954e3b807e7519e9807d01"
        MinorVersion="1" xmlns:saml="urn:oasis:names:tc:SAML:1.0:assertion">
        <saml:Conditions NotOnOrAfter="2006-02-08T22:54:28.567Z"
          NotBefore="2006-02-08T22:39:28.567Z">
          <saml:DoNotCacheCondition/>
        </saml:Conditions>
        <saml:AuthenticationStatement AuthenticationInstant="2006-02-08T22:39:28.567Z"
          AuthenticationMethod="urn:oasis:names:tc:SAML:1.0:am:password">
          <saml:Subject>
            <saml:NameIdentifier Format="urn:oasis:names:tc:SAML:1.1:nameid-
              format:X509SubjectName">UID=username,OU=irsA2ASystem,OU=External,
              OU=Internal Revenue Service,OU=Department of the Treasury,
              O=U.S. Government,C=US</saml:NameIdentifier>
            <saml:SubjectConfirmation>
              <saml:ConfirmationMethod>urn:oasis:names:tc:SAML:1.0:cm:sender-vouches
            </saml:ConfirmationMethod>
            </saml:SubjectConfirmation>
          </saml:Subject>
          <saml:SubjectLocality IPAddress="123.34.56.789"/>
        </saml:AuthenticationStatement>
        <saml:AttributeStatement>
          <saml:Subject>
            <saml:NameIdentifier Format="urn:oasis:names:tc:SAML:1.1:nameid-
              format:X509SubjectName">UID=username,OU=irsA2ASystem,OU=External,
```

```

        OU=Internal Revenue Service,OU=Department of the Treasury,
        O=U.S. Government,C=US</saml:NameIdentifier>
    <saml:SubjectConfirmation>
        <saml:ConfirmationMethod>urn:oasis:names:tc:SAML:1.0:cm:sender-vouches
        </saml:ConfirmationMethod>
    </saml:SubjectConfirmation>
</saml:Subject>
<saml:Attribute AttributeNamespace="http://www.forumsys.com/sentry"
    AttributeName="SMSESSION">
    <saml:AttributeValue>
        uOwaIfiL+JB6MXFKJMYKbvZfrU2h7eHzRThDeGttFfZjnVrxs/ZDcfUUhiU1p
        9ZiUB8dGOuW8xR/NupMTV9kycUrOExNRo3QqWXy3P9Vgyg/dHMV2DJH
        Yp2D1oUCP58f4Av0t9yyBRhSK.....</saml:AttributeValue>
    </saml:Attribute>
</saml:AttributeStatement>
</saml:Assertion>
<wsse:UsernameToken>
    <wsse:Username>username</wsse:Username>
    <wsse:Password Type="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-username-
        token-profile-1.0#PasswordText">password</wsse:Password>
</wsse:UsernameToken>
</wsse:Security>
</e:Header>
<e:Body>
    <ns10:GetSubmissionsByMsgIDResponse
        xmlns:ns10="http://www.irs.gov/a2a/mef/MeFStateService.xsd">
        <ns10:MoreAvailable>>false</ns10:MoreAvailable>
        <ns10:IRSDataList>
            <ns10:Count>1</ns10:Count>
            <ns10:IRSData>
                <ns10:SubmissionId>00123420060320000057</ns10:SubmissionId>
                <ns10:ETIN>00165</ns10:ETIN>
                <ns10:ReceivedTimestamp>2006-02-02T14:24:11.482Z</ns10:ReceivedTimestamp>
                <ns10:FederalEINStatus>Found Match</ns10:FederalEINStatus>
                <ns10:ElectronicPostmark>2006-01-31T18:34:50.113Z</ns10:ElectronicPostmark>
                <ns10:SourceIRSSubmissionId i:nil="true"/>
            </ns10:IRSData>
        </ns10:IRSDataList>
    </ns10:GetSubmissionsByMsgIDResponse>
</e:Body>
</e:Envelope>

```

5.2.6 Get Submissions Service Request Message

```

<?xml version="1.0" encoding="UTF-8"?>
<SOAP-ENV:Envelope xmlns:SOAP-ENV="http://schemas.xmlsoap.org/soap/envelope/"
    xmlns:xsd="http://www.w3.org/2001/XMLSchema"
    xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
    <SOAP-ENV:Header>
        <ns1:MeF xmlns:ns1="http://www.irs.gov/a2a/mef/MeFHeader.xsd">
            <ns1:MessageID>00123200603900000004</ns1:MessageID>
            <ns1:Action>GetSubmissions</ns1:Action>
        </ns1:MeF>
    </SOAP-ENV:Header>

```

```

<ns1:Timestamp>2006-02-07T06:15:13.898Z</ns1:Timestamp>
<ns1:ETIN>00123</ns1:ETIN>
<ns1:SessionIndicator>Y</ns1:SessionIndicator>
<ns1:TestIndicator>P</ns1:TestIndicator>
</ns1:MeF>
<wsse:Security xmlns:wsse="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-wssecurity-
secext-1.0.xsd" xmlns:wsu="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-
wssecurity-utility-1.0.xsd">
  <wsu:Timestamp wsu:Id="id-80bf7b190129b908ee31d5412acbbdc7d0b95998">
    <wsu:Created>2006-02-08T22:39:28Z</wsu:Created>
    <wsu:Expires>2006-02-08T22:54:28Z</wsu:Expires>
  </wsu:Timestamp>
  <saml:Assertion AssertionID="id-ce99a06ac772602bfc954e3b807e7519e9807d01"
  IssueInstant="2006-02-08T22:39:28.567Z" Issuer="http://www.forumsys.com/sentry"
  MajorVersion="1" MinorVersion="1"
  xmlns:saml="urn:oasis:names:tc:SAML:1.0:assertion">
    <saml:Conditions NotBefore="2006-02-08T22:39:28.567Z"
    NotOnOrAfter="2006-02-08T22:54:28.567Z">
      <saml:DoNotCacheCondition/>
    </saml:Conditions>
    <saml:AuthenticationStatement AuthenticationInstant="2006-02-08T22:39:28.567Z"
    AuthenticationMethod="urn:oasis:names:tc:SAML:1.0:am:password">
      <saml:Subject>
        <saml:NameIdentifier Format="urn:oasis:names:tc:SAML:1.1:nameid-
        format:X509SubjectName">UID=username,OU=irsA2ASystem,OU=External,
        OU=Internal Revenue Service,OU=Department of the Treasury,
        O=U.S. Government,C=US</saml:NameIdentifier>
        <saml:SubjectConfirmation>
          <saml:ConfirmationMethod>urn:oasis:names:tc:SAML:1.0:cm:sender-vouches
          </saml:ConfirmationMethod>
        </saml:SubjectConfirmation>
      </saml:Subject>
      <saml:SubjectLocality IPAddress="123.34.56.789"/>
    </saml:AuthenticationStatement>
    <saml:AttributeStatement>
      <saml:Subject>
        <saml:NameIdentifier Format="urn:oasis:names:tc:SAML:1.1:nameid-
        format:X509SubjectName">UID=username,OU=irsA2ASystem,OU=External,
        OU=Internal Revenue Service,OU=Department of the Treasury,
        O=U.S. Government,C=US</saml:NameIdentifier>
        <saml:SubjectConfirmation>
          <saml:ConfirmationMethod>urn:oasis:names:tc:SAML:1.0:cm:sender-vouches
          </saml:ConfirmationMethod>
        </saml:SubjectConfirmation>
      </saml:Subject>
      <saml:Attribute AttributeName="SMSESSION"
      AttributeNamespace="http://www.forumsys.com/sentry">
        <saml:AttributeValue>
          uOwaIfiL+JB6MXFKJMYKbvZfrU2h7eHzRThDeGttFfZjnVrxs/ZDcfUUhiU1p
          9ZiUB8dGOuW8xR/NupMTV9kycUrOExNRo3QqWXy3P9Vgyg/dHMV2DJH
          Yp2D1oUCP58f4Av0t9yyBRhSKFb.....</saml:AttributeValue>
        </saml:AttributeValue>
      </saml:Attribute>
    </saml:AttributeStatement>
  </saml:Assertion>
</wsse:Security>

```

```

        </saml:Attribute>
      </saml:AttributeStatement>
    </saml:Assertion>
  </wsse:UsernameToken>
  <wsse:Username>username</wsse:Username>
  <wsse:Password Type="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-username-
    token-profile-1.0#PasswordText">password</wsse:Password>
</wsse:UsernameToken>
</wsse:Security>
</SOAP-ENV:Header>
<SOAP-ENV:Body>
  <GetSubmissionsRequestArgs xmlns="http://www.irs.gov/a2a/mef/MeFStateService.xsd">
    <SubmissionIdList>
      <Count>1</Count>
      <SubmissionId>00123420060380000097</SubmissionId>
    </SubmissionIdList>
  </GetSubmissionsRequestArgs>
</SOAP-ENV:Body>
</SOAP-ENV:Envelope>

```

5.2.7 GetSubmissions Service Response Message

```

<?xml version="1.0" encoding="UTF-8"?>
<e:Envelope xmlns:wn1="http://www.irs.gov/a2a/mef/MeFStateService.xsd"
  xmlns:wn0="http://www.irs.gov/a2a/mef/MeFHeader.xsd"
  xmlns:i="http://www.w3.org/2001/XMLSchema-instance"
  xmlns:e="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns:d="http://www.w3.org/2001/XMLSchema">
  <e:Header>
    <ns0:MeF xmlns:ns0="http://www.irs.gov/MeF/MeFHeader.xsd">
      <ns0:MessageID>00123200603900000004R</ns0:MessageID>
      <ns0:RelatesTo>00123200603900000004</ns0:RelatesTo>
      <ns0:Action>GetSubmissions</ns0:Action>
      <ns0:Timestamp>2006-02-08T22:43:47Z</ns0:Timestamp>
      <ns0:ETIN>00123</ns0:ETIN>
      <ns0:SessionIndicator>Y</ns0:SessionIndicator>
      <ns0:TestIndicator>P</ns0:TestIndicator>
    </ns0:MeF>
    <wsse:Security xmlns:wsse="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-wssecurity-
      secext-1.0.xsd" xmlns:wsu="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-
      wssecurity-utility-1.0.xsd">
      <wsu:Timestamp wsu:Id="id-80bf7b190129b908ee31d5412acbbdc7d0b95998">
        <wsu:Created>2006-02-08T22:39:28Z</wsu:Created>
        <wsu:Expires>2006-02-08T22:54:28Z</wsu:Expires>
      </wsu:Timestamp>
      <saml:Assertion MajorVersion="1" IssueInstant="2006-02-08T22:39:28.567Z"
        Issuer="http://www.forumsys.com/sentry"
        AssertionID="id-ce99a06ac772602bfc954e3b807e7519e9807d01" MinorVersion="1"
        xmlns:saml="urn:oasis:names:tc:SAML:1.0:assertion">
      <saml:Conditions NotOnOrAfter="2006-02-08T22:54:28.567Z"
        NotBefore="2006-02-08T22:39:28.567Z">
        <saml:DoNotCacheCondition/>
      </saml:Conditions>
    </wsse:Security>
  </e:Header>
  <e:Body>
    <ns0:MeFResponse xmlns:ns0="http://www.irs.gov/MeF/MeFHeader.xsd">
      <ns0:MessageID>00123200603900000004R</ns0:MessageID>
      <ns0:RelatesTo>00123200603900000004</ns0:RelatesTo>
      <ns0:Action>GetSubmissions</ns0:Action>
      <ns0:Timestamp>2006-02-08T22:43:47Z</ns0:Timestamp>
      <ns0:ETIN>00123</ns0:ETIN>
      <ns0:SessionIndicator>Y</ns0:SessionIndicator>
      <ns0:TestIndicator>P</ns0:TestIndicator>
    </ns0:MeFResponse>
  </e:Body>
</e:Envelope>

```

```

</saml:Conditions>
<saml:AuthenticationStatement AuthenticationInstant="2006-02-08T22:39:28.567Z"
  AuthenticationMethod="urn:oasis:names:tc:SAML:1.0:am:password">
  <saml:Subject>
    <saml:NameIdentifier Format="urn:oasis:names:tc:SAML:1.1:nameid-
      format:X509SubjectName">UID=username,OU=irsA2ASystem,OU=External,
      OU=Internal Revenue Service,OU=Department of the Treasury,
      O=U.S. Government,C=US</saml:NameIdentifier>
    <saml:SubjectConfirmation>
      <saml:ConfirmationMethod>urn:oasis:names:tc:SAML:1.0:cm:sender-vouches
      </saml:ConfirmationMethod>
    </saml:SubjectConfirmation>
  </saml:Subject>
  <saml:SubjectLocality IPAddress="123.34.56.789"/>
</saml:AuthenticationStatement>
<saml:AttributeStatement>
  <saml:Subject>
    <saml:NameIdentifier Format="urn:oasis:names:tc:SAML:1.1:nameid-
      format:X509SubjectName">UID=username,OU=irsA2ASystem,OU=External,
      OU=Internal Revenue Service,OU=Department of the Treasury,
      O=U.S. Government,C=US</saml:NameIdentifier>
    <saml:SubjectConfirmation>
      <saml:ConfirmationMethod>urn:oasis:names:tc:SAML:1.0:cm:sender-vouches
      </saml:ConfirmationMethod>
    </saml:SubjectConfirmation>
  </saml:Subject>
  <saml:Attribute AttributeNamespace="http://www.forumsys.com/sentry"
    AttributeName="SMSESSION">
    <saml:AttributeValue>
      uOwaIfiL+JB6MXFKJMYKbvZfrU2h7eHzRThDeGttFfZjnVrxs/ZDcfUUhiU1p
      9ZiUB8dGOuW8xR/NupMTV9kycUrOExNRo3QqWXy3P9Vgyg/dHMV2DJH
      Yp2D1oUCP58f4Av0t9yyBRhSKFb.....</saml:AttributeValue>
    </saml:AttributeValue>
  </saml:Attribute>
</saml:AttributeStatement>
</saml:Assertion>
<wsse:UsernameToken>
  <wsse:Username>username</wsse:Username>
  <wsse:Password Type="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-username-
    token-profile-1.0#PasswordText">password</wsse:Password>
</wsse:UsernameToken>
</wsse:Security>
</e:Header>
<e:Body>
  <ns10:GetSubmissionsResponse xmlns:ns10="http://www.irs.gov/a2a/mef/MeFStateService.xsd">
    <ns10:IRSDataList>
      <ns10:Count>1</ns10:Count>
      <ns10:IRSData>
        <ns10:SubmissionId>00123420060380000097</ns10:SubmissionId>
        <ns10:ETIN>00123</ns10:ETIN>
        <ns10:ReceivedTimestamp>2006-02-08T22:32:51.986Z</ns10:ReceivedTimestamp>
        <ns10:FederalEINStatus>Found No Match</ns10:FederalEINStatus>
      </ns10:IRSData>
    </ns10:IRSDataList>
  </ns10:GetSubmissionsResponse>
</e:Body>

```

```

        <ns10:ElectronicPostmark>2006-01-31T18:34:50.113Z</ns10:ElectronicPostmark>
        <ns10: SourceIRSSubmissionId >54004520060380000086
          </ns10: SourceIRSSubmissionId >
        </ns10:IRSDData>
      </ns10:IRSDDataList>
      <ns10:ErrorList>
        <ns10:Count>0</ns10:Count>
        <ns10:SubmissionError i:nil="true"/>
      </ns10:ErrorList>
    </ns10:GetSubmissionsResponse>
  </e:Body>
</e:Envelope>

```

5.2.8 GetSubmission Service Request Message

```

<?xml version="1.0" encoding="UTF-8"?>
<SOAP-ENV:Envelope xmlns:SOAP-ENV="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns:xsd="http://www.w3.org/2001/XMLSchema"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
  <SOAP-ENV:Header>
    <ns1:MeF xmlns:ns1="http://www.irs.gov/a2a/mef/MeFHeader.xsd">
      <ns1:MessageID>00123200603900000005</ns1:MessageID>
      <ns1:Action>GetSubmission</ns1:Action>
      <ns1:Timestamp>2006-01-29T23:12:33.073Z</ns1:Timestamp>
      <ns1:ETIN>00123</ns1:ETIN>
      <ns1:SessionIndicator>Y</ns1:SessionIndicator>
      <ns1:TestIndicator>P</ns1:TestIndicator>
    </ns1:MeF>
    <wsse:Security xmlns:wsse="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-wssecurity-
      secext-1.0.xsd" xmlns:wsu="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-
      wssecurity-utility-1.0.xsd">
      <wsu:Timestamp wsu:Id="id-80bf7b190129b908ee31d5412acbbdc7d0b95998">
        <wsu:Created>2006-02-08T22:39:28Z</wsu:Created>
        <wsu:Expires>2006-02-08T22:54:28Z</wsu:Expires>
      </wsu:Timestamp>
      <saml:Assertion AssertionID="id-ce99a06ac772602bfc954e3b807e7519e9807d01"
        IssueInstant="2006-02-08T22:39:28.567Z" Issuer="http://www.forumsys.com/sentry"
        MajorVersion="1" MinorVersion="1"
        xmlns:saml="urn:oasis:names:tc:SAML:1.0:assertion">
        <saml:Conditions NotBefore="2006-02-08T22:39:28.567Z"
          NotOnOrAfter="2006-02-08T22:54:28.567Z">
          <saml:DoNotCacheCondition/>
        </saml:Conditions>
        <saml:AuthenticationStatement AuthenticationInstant="2006-02-08T22:39:28.567Z"
          AuthenticationMethod="urn:oasis:names:tc:SAML:1.0:am:password">
          <saml:Subject>
            <saml:NameIdentifier Format="urn:oasis:names:tc:SAML:1.1:nameid-
              format:X509SubjectName">UID=username,OU=irsA2ASystem,OU=External,
              OU=Internal Revenue Service,OU=Department of the Treasury,
              O=U.S. Government,C=US</saml:NameIdentifier>
            <saml:SubjectConfirmation>
              <saml:ConfirmationMethod>urn:oasis:names:tc:SAML:1.0:cm:sender-vouches

```

```

        </saml:ConfirmationMethod>
    </saml:SubjectConfirmation>
</saml:Subject>
    <saml:SubjectLocality IPAddress="123.34.56.789"/>
</saml:AuthenticationStatement>
<saml:AttributeStatement>
    <saml:Subject>
        <saml:NameIdentifier Format="urn:oasis:names:tc:SAML:1.1:nameid-
            format:X509SubjectName">UID=username,OU=irsA2ASystem,OU=External,
            OU=Internal Revenue Service,OU=Department of the Treasury,
            O=U.S. Government,C=US</saml:NameIdentifier>
        <saml:SubjectConfirmation>
            <saml:ConfirmationMethod>urn:oasis:names:tc:SAML:1.0:cm:sender-vouches
            </saml:ConfirmationMethod>
        </saml:SubjectConfirmation>
    </saml:Subject>
    <saml:Attribute AttributeName="SMSESSION"
        AttributeNamespace="http://www.forumsys.com/sentry">
        <saml:AttributeValue>
            uOwaIfiL+JB6MXFKJMYKbvZfrU2h7eHzRThDeGttFfZjnVrxs/ZDcfUUhiU1p
            9ZiUB8dGOuW8xR/NupMTV9kycUrOExNRo3QqWXy3P9Vgyg/dHMV2DJH
            Yp2D1oUCP58f4Av0t9yyBRhSKFbZb.....</saml:AttributeValue>
        </saml:Attribute>
    </saml:AttributeStatement>
</saml:Assertion>
<wsse:UsernameToken>
    <wsse:Username>username</wsse:Username>
    <wsse:Password Type="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-username-
        token-profile-1.0#PasswordText">password</wsse:Password>
</wsse:UsernameToken>
</wsse:Security>
</SOAP-ENV:Header>
<SOAP-ENV:Body>
    <GetSubmissionRequestArgs xmlns="http://www.irs.gov/a2a/mef/MeFStateService.xsd">
        <SubmissionId>00123420060380000097</SubmissionId>
    </GetSubmissionRequestArgs>
</SOAP-ENV:Body>
</SOAP-ENV:Envelope>

```

5.2.9 GetSubmission Service Response Message

```

<?xml version="1.0" encoding="UTF-8"?>
<e:Envelope xmlns:wn1="http://www.irs.gov/a2a/mef/MeFStateService.xsd"
    xmlns:wn0="http://www.irs.gov/a2a/mef/MeFHeader.xsd"
    xmlns:i="http://www.w3.org/2001/XMLSchema-instance"
    xmlns:e="http://schemas.xmlsoap.org/soap/envelope/"
    xmlns:d="http://www.w3.org/2001/XMLSchema">
    <e:Header>
        <ns0:MeF xmlns:ns0="http://www.irs.gov/MeF/MeFHeader.xsd">
            <ns0:MessageID>00123200603900000005R</ns0:MessageID>
            <ns0:RelatesTo>00123200603900000005</ns0:RelatesTo>
            <ns0:Action>GetSubmission</ns0:Action>
        </ns0:MeF>
    </e:Header>

```

```

<ns0:Timestamp>2006-02-08T22:44:05Z</ns0:Timestamp>
<ns0:ETIN>00123</ns0:ETIN>
<ns0:SessionIndicator>Y</ns0:SessionIndicator>
<ns0:TestIndicator>P</ns0:TestIndicator>
</ns0:MeF>
<wsse:Security xmlns:wsse="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-wssecurity-
secect-1.0.xsd" xmlns:wsu="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-
wssecurity-utility-1.0.xsd">
  <wsu:Timestamp wsu:Id="id-80bf7b190129b908ee31d5412acbbdc7d0b95998">
    <wsu:Created>2006-02-08T22:39:28Z</wsu:Created>
    <wsu:Expires>2006-02-08T22:54:28Z</wsu:Expires>
  </wsu:Timestamp>
  <saml:Assertion MajorVersion="1" IssueInstant="2006-02-08T22:39:28.567Z"
    Issuer="http://www.forumsys.com/sentry"
    AssertionID="id-ce99a06ac772602bfc954e3b807e7519e9807d01"
    MinorVersion="1" xmlns:saml="urn:oasis:names:tc:SAML:1.0:assertion">
    <saml:Conditions NotOnOrAfter="2006-02-08T22:54:28.567Z"
      NotBefore="2006-02-08T22:39:28.567Z">
      <saml:DoNotCacheCondition/>
    </saml:Conditions>
    <saml:AuthenticationStatement AuthenticationInstant="2006-02-08T22:39:28.567Z"
      AuthenticationMethod="urn:oasis:names:tc:SAML:1.0:am:password">
      <saml:Subject>
        <saml:NameIdentifier Format="urn:oasis:names:tc:SAML:1.1:nameid-
          format:X509SubjectName">UID=username,OU=irsA2ASystem,OU=External,
          OU=Internal Revenue Service,OU=Department of the Treasury,
          O=U.S. Government,C=US</saml:NameIdentifier>
        <saml:SubjectConfirmation>
          <saml:ConfirmationMethod>urn:oasis:names:tc:SAML:1.0:cm:sender-vouches
          </saml:ConfirmationMethod>
        </saml:SubjectConfirmation>
      </saml:Subject>
      <saml:SubjectLocality IPAddress="123.34.56.789"/>
    </saml:AuthenticationStatement>
    <saml:AttributeStatement>
      <saml:Subject>
        <saml:NameIdentifier Format="urn:oasis:names:tc:SAML:1.1:nameid-
          format:X509SubjectName">UID=username,OU=irsA2ASystem,OU=External,
          OU=Internal Revenue Service,OU=Department of the Treasury,
          O=U.S. Government,C=US</saml:NameIdentifier>
        <saml:SubjectConfirmation>
          <saml:ConfirmationMethod>urn:oasis:names:tc:SAML:1.0:cm:sender-vouches
          </saml:ConfirmationMethod>
        </saml:SubjectConfirmation>
      </saml:Subject>
      <saml:Attribute AttributeNamespace="http://www.forumsys.com/sentry"
        AttributeName="SMSESSION">
        <saml:AttributeValue>
          uOwaIfiL+JB6MXFKJMYKbvZfrU2h7eHzRThDeGttFfZjnVrxs/ZDcfUUhiU1p
          9ZiUB8dGOuW8xR/NupMTV9kycUrOExNRo3QqWXy3P9Vgyg/dHMV2DJH
        </saml:AttributeValue>
      </saml:Attribute>
    </saml:AttributeStatement>
  </saml:Assertion>
</wsse:Security>

```

```

        Yp2D1oUCP58f4Av0t9yyBRhSKFb86m8tyC0qH/nfCvsiuUFcSrXfv3x9Z.....
        ...</saml:AttributeValue>
      </saml:Attribute>
    </saml:AttributeStatement>
  </saml:Assertion>
</wsse:UsernameToken>
  <wsse:Username>username</wsse:Username>
  <wsse:Password Type="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-username-
    token-profile-1.0#PasswordText">password</wsse:Password>
</wsse:UsernameToken>
</wsse:Security>
</e:Header>
<e:Body>
  <ns10:GetSubmissionResponse xmlns:ns10="http://www.irs.gov/a2a/mef/MeFStateService.xsd">
    <ns10:IRSData>
      <ns10:SubmissionId>00123420060380000097</ns10:SubmissionId>
      <ns10:ETIN>00123</ns10:ETIN>
      <ns10:ReceivedTimestamp>2006-02-08T22:32:51.986Z</ns10:ReceivedTimestamp>
      <ns10:FederalEINStatus>Found No Match</ns10:FederalEINStatus>
      <ns10:ElectronicPostmark>2006-01-31T18:34:50.113Z</ns10:ElectronicPostmark>
      <ns10:SourceIRSSubmissionId i:nil="true"/>
    </ns10:IRSData>
  </ns10:GetSubmissionResponse>
</e:Body>
</e:Envelope>

```

5.2.10 SendSubmissionReceipts Service Request Message

```

<?xml version="1.0" encoding="UTF-8"?>
<SOAP-ENV:Envelope xmlns:SOAP-ENV="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns:xsd="http://www.w3.org/2001/XMLSchema"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
  <SOAP-ENV:Header>
    <ns1:MeF xmlns:ns1="http://www.irs.gov/a2a/mef/MeFHeader.xsd">
      <ns1:MessageID>00123200603900000006</ns1:MessageID>
      <ns1:Action>SendSubmissionReceipts</ns1:Action>
      <ns1:Timestamp>2006-01-22T21:26:49.912Z</ns1:Timestamp>
      <ns1:ETIN>00123</ns1:ETIN>
      <ns1:SessionIndicator>Y</ns1:SessionIndicator>
      <ns1:TestIndicator>P</ns1:TestIndicator>
    </ns1:MeF>
    <wsse:Security xmlns:wsse="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-wssecurity-
      secext-1.0.xsd" xmlns:wsu="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-
      wssecurity-utility-1.0.xsd">
      <wsu:Timestamp wsu:Id="id-80bf7b190129b908ee31d5412acbbdc7d0b95998">
        <wsu:Created>2006-02-08T22:39:28Z</wsu:Created>
        <wsu:Expires>2006-02-08T22:54:28Z</wsu:Expires>
      </wsu:Timestamp>
      <saml:Assertion AssertionID="id-ce99a06ac772602bfc954e3b807e7519e9807d01"
        IssueInstant="2006-02-08T22:39:28.567Z" Issuer="http://www.forumsys.com/sentry"
        MajorVersion="1" MinorVersion="1"
        xmlns:saml="urn:oasis:names:tc:SAML:1.0:assertion">

```

```

<saml:Conditions NotBefore="2006-02-08T22:39:28.567Z"
  NotOnOrAfter="2006-02-08T22:54:28.567Z">
  <saml:DoNotCacheCondition/>
</saml:Conditions>
<saml:AuthenticationStatement AuthenticationInstant="2006-02-08T22:39:28.567Z"
  AuthenticationMethod="urn:oasis:names:tc:SAML:1.0:am:password">
  <saml:Subject>
    <saml:NameIdentifier Format="urn:oasis:names:tc:SAML:1.1:nameid-
      format:X509SubjectName">UID=username,OU=irsA2ASystem,OU=External,
      OU=Internal Revenue Service,OU=Department of the Treasury,
      O=U.S. Government,C=US</saml:NameIdentifier>
    <saml:SubjectConfirmation>
      <saml:ConfirmationMethod>urn:oasis:names:tc:SAML:1.0:cm:sender-vouches
      </saml:ConfirmationMethod>
    </saml:SubjectConfirmation>
  </saml:Subject>
  <saml:SubjectLocality IPAddress="123.34.56.789"/>
</saml:AuthenticationStatement>
<saml:AttributeStatement>
  <saml:Subject>
    <saml:NameIdentifier Format="urn:oasis:names:tc:SAML:1.1:nameid-
      format:X509SubjectName">UID=username,OU=irsA2ASystem,OU=External,
      OU=Internal Revenue Service,OU=Department of the Treasury,
      O=U.S. Government,C=US</saml:NameIdentifier>
    <saml:SubjectConfirmation>
      <saml:ConfirmationMethod>urn:oasis:names:tc:SAML:1.0:cm:sender-vouches
      </saml:ConfirmationMethod>
    </saml:SubjectConfirmation>
  </saml:Subject>
  <saml:Attribute AttributeName="SMSESSION"
    AttributeNamespace="http://www.forumsys.com/sentry">
    <saml:AttributeValue>
      uOwaIfiL+JB6MXFKJMYKbvZfrU2h7eHzRThDeGttFfZjnVrxs/ZDcfUUhiU1p
      9ZiUB8dGOuW8xR/NupMTV9kycUrOExNRo3QqWXy3P9Vgyg/dHMOV2DJH
      Yp2D1oUCP58f4Av0t9yyBRhSKFbx9Zb6sqe.....</saml:AttributeValue>
    </saml:Attribute>
  </saml:AttributeStatement>
</saml:Assertion>
<wsse:UsernameToken>
  <wsse:Username>username</wsse:Username>
  <wsse:Password Type="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-username-
    token-profile-1.0#PasswordText">password</wsse:Password>
</wsse:UsernameToken>
</wsse:Security>
</SOAP-ENV:Header>
<SOAP-ENV:Body>
  <SendSubmissionReceiptsRequestArgs xmlns="http://www.irs.gov/a2a/mef/MeFStateService.xsd"/>
</SOAP-ENV:Body>
</SOAP-ENV:Envelope>

```

5.2.11 SendSubmissionReceipts Service Response Message

```
<?xml version="1.0" encoding="UTF-8"?>
<e:Envelope xmlns:d="http://www.w3.org/2001/XMLSchema"
  xmlns:e="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns:i="http://www.w3.org/2001/XMLSchema-instance"
  xmlns:wn0="http://www.irs.gov/a2a/mef/MeFHeader.xsd"
  xmlns:wn1="http://www.irs.gov/a2a/mef/MeFStateService.xsd">
  <e:Header>
    <ns0:MeF xmlns:ns0="http://www.irs.gov/MeF/MeFHeader.xsd">
      <ns0:MessageID>00123200603900000006R</ns0:MessageID>
      <ns0:RelatesTo>00123200603900000006</ns0:RelatesTo>
      <ns0:Action>SendSubmissionReceipts</ns0:Action>
      <ns0:Timestamp>2006-02-08T22:44:46Z</ns0:Timestamp>
      <ns0:ETIN>00123</ns0:ETIN>
      <ns0:SessionIndicator>Y</ns0:SessionIndicator>
      <ns0:TestIndicator>P</ns0:TestIndicator>
    </ns0:MeF>
    <wsse:Security xmlns:wsse="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-wssecurity-
      secext-1.0.xsd" xmlns:wsu="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-
      wssecurity-utility-1.0.xsd">
      <wsu:Timestamp wsu:Id="id-80bf7b190129b908ee31d5412acbbdc7d0b95998">
        <wsu:Created>2006-02-08T22:39:28Z</wsu:Created>
        <wsu:Expires>2006-02-08T22:54:28Z</wsu:Expires>
      </wsu:Timestamp>
      <saml:Assertion AssertionID="id-ce99a06ac772602bfc954e3b807e7519e9807d01"
        IssueInstant="2006-02-08T22:39:28.567Z" Issuer="http://www.forumsys.com/sentry"
        MajorVersion="1" MinorVersion="1"
        xmlns:saml="urn:oasis:names:tc:SAML:1.0:assertion">
        <saml:Conditions NotBefore="2006-02-08T22:39:28.567Z"
          NotOnOrAfter="2006-02-08T22:54:28.567Z">
          <saml:DoNotCacheCondition/>
        </saml:Conditions>
        <saml:AuthenticationStatement AuthenticationInstant="2006-02-08T22:39:28.567Z"
          AuthenticationMethod="urn:oasis:names:tc:SAML:1.0:am:password">
          <saml:Subject>
            <saml:NameIdentifier Format="urn:oasis:names:tc:SAML:1.1:nameid-
              format:X509SubjectName">UID=username,OU=irsA2ASystem,OU=External,
              OU=Internal Revenue Service,OU=Department of the Treasury,
              O=U.S. Government,C=US</saml:NameIdentifier>
            <saml:SubjectConfirmation>
              <saml:ConfirmationMethod>urn:oasis:names:tc:SAML:1.0:cm:sender-vouches
            </saml:ConfirmationMethod>
            </saml:SubjectConfirmation>
          </saml:Subject>
          <saml:SubjectLocality IPAddress="123.34.56.789"/>
        </saml:AuthenticationStatement>
        <saml:AttributeStatement>
          <saml:Subject>
            <saml:NameIdentifier Format="urn:oasis:names:tc:SAML:1.1:nameid-
              format:X509SubjectName">UID=username,OU=irsA2ASystem,OU=External,
```

```

        OU=Internal Revenue Service,OU=Department of the Treasury,
        O=U.S. Government,C=US</saml:NameIdentifier>
    <saml:SubjectConfirmation>
        <saml:ConfirmationMethod>urn:oasis:names:tc:SAML:1.0:cm:sender-vouches
        </saml:ConfirmationMethod>
    </saml:SubjectConfirmation>
</saml:Subject>
<saml:Attribute AttributeName="SMSESSION"
    AttributeNamespace="http://www.forumsys.com/sentry">
    <saml:AttributeValue>
        uOwaIfiL+JB6MXFKJMYKbvZfrU2h7eHzRThDeGttFfZjnVrxs/ZDcfUUhiU1p
        9ZiUB8dGOuW8xR/NupMTV9kycUrOExNRo3QqWXy3P9Vgyg/dHMOV2DJH
        Yp2D1oUCP58f4Av0t9yyBRhSKFb8Zb6s.....</saml:AttributeValue>
    </saml:Attribute>
</saml:AttributeStatement>
</saml:Assertion>
<wsse:UsernameToken>
    <wsse:Username>username</wsse:Username>
    <wsse:Password Type="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-username-
        token-profile-1.0#PasswordText">password</wsse:Password>
</wsse:UsernameToken>
</wsse:Security>
</e:Header>
<e:Body>
    <ns9:SendSubmissionReceiptsResponse xmlns:ns9="http://www.irs.gov/a2a/mef/MeFStateService.xsd">
        <ns9:Count>2</ns9:Count>
    </ns9:SendSubmissionReceiptsResponse>
</e:Body>
</e:Envelope>

```

5.2.12 SendAcks Service Request Message

```

<?xml version="1.0" encoding="UTF-8"?>
<SOAP-ENV:Envelope xmlns:SOAP-ENV="http://schemas.xmlsoap.org/soap/envelope/"
    xmlns:xsd="http://www.w3.org/2001/XMLSchema"
    xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
    <SOAP-ENV:Header>
        <ns1:MeF xmlns:ns1="http://www.irs.gov/a2a/mef/MeFHeader.xsd">
            <ns1:MessageID>00123200603900000007</ns1:MessageID>
            <ns1:Action>SendAcks</ns1:Action>
            <ns1:Timestamp>2006-02-16T15:13:56.390Z</ns1:Timestamp>
            <ns1:ETIN>00123</ns1:ETIN>
            <ns1:SessionIndicator>Y</ns1:SessionIndicator>
            <ns1:TestIndicator>P</ns1:TestIndicator>
        </ns1:MeF>
        <wsse:Security xmlns:wsse="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-wssecurity-
            secext-1.0.xsd" xmlns:wsu="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-
            wssecurity-utility-1.0.xsd">
            <wsu:Timestamp wsu:Id="id-80bf7b190129b908ee31d5412acbbdc7d0b95998">
                <wsu:Created>2006-02-08T22:39:28Z</wsu:Created>
                <wsu:Expires>2006-02-08T22:54:28Z</wsu:Expires>
            </wsu:Timestamp>

```

```

<saml:Assertion AssertionID="id-ce99a06ac772602bfc954e3b807e7519e9807d01"
  IssueInstant="2006-02-08T22:39:28.567Z" Issuer="http://www.forumsys.com/sentry"
  MajorVersion="1" MinorVersion="1"
  xmlns:saml="urn:oasis:names:tc:SAML:1.0:assertion">
  <saml:Conditions NotBefore="2006-02-08T22:39:28.567Z"
    NotOnOrAfter="2006-02-08T22:54:28.567Z">
    <saml:DoNotCacheCondition/>
  </saml:Conditions>
  <saml:AuthenticationStatement AuthenticationInstant="2006-02-08T22:39:28.567Z"
    AuthenticationMethod="urn:oasis:names:tc:SAML:1.0:am:password">
    <saml:Subject>
      <saml:NameIdentifier Format="urn:oasis:names:tc:SAML:1.1:nameid-
        format:X509SubjectName">UID=username,OU=irsA2ASystem,OU=External,
        OU=Internal Revenue Service,OU=Department of the Treasury,
        O=U.S. Government,C=US</saml:NameIdentifier>
      <saml:SubjectConfirmation>
        <saml:ConfirmationMethod>urn:oasis:names:tc:SAML:1.0:cm:sender-vouches
        </saml:ConfirmationMethod>
      </saml:SubjectConfirmation>
    </saml:Subject>
    <saml:SubjectLocality IPAddress="123.34.56.789"/>
  </saml:AuthenticationStatement>
  <saml:AttributeStatement>
    <saml:Subject>
      <saml:NameIdentifier Format="urn:oasis:names:tc:SAML:1.1:nameid-
        format:X509SubjectName">UID=username,OU=irsA2ASystem,OU=External,
        OU=Internal Revenue Service,OU=Department of the Treasury,
        O=U.S. Government,C=US</saml:NameIdentifier>
      <saml:SubjectConfirmation>
        <saml:ConfirmationMethod>urn:oasis:names:tc:SAML:1.0:cm:sender-vouches
        </saml:ConfirmationMethod>
      </saml:SubjectConfirmation>
    </saml:Subject>
    <saml:Attribute AttributeName="SMSESSION"
      AttributeNamespace="http://www.forumsys.com/sentry">
      <saml:AttributeValue>
        uOwaIfiL+JB6MXFKJMYKbvZfrU2h7eHzRThDeGttFfZjnVrxs/ZDcfUUhiU1p
        9ZiUB8dGOuW8xR/NupMTV9kycUrOExN.....</saml:AttributeValue>
      </saml:Attribute>
    </saml:AttributeStatement>
  </saml:Assertion>
  <wsse:UsernameToken>
    <wsse:Username>username</wsse:Username>
    <wsse:Password Type="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-username-
      token-profile-1.0#PasswordText">password</wsse:Password>
  </wsse:UsernameToken>
</wsse:Security>

```

```

</SOAP-ENV:Header>
<SOAP-ENV:Body>
  <SendAcksRequestArgs xmlns="http://www.irs.gov/a2a/mef/MeFStateService.xsd"/>
</SOAP-ENV:Body>
</SOAP-ENV:Envelope>

```

5.2.13 SendAcks Service Response Message

```

<?xml version="1.0" encoding="UTF-8"?>
<e:Envelope xmlns:d="http://www.w3.org/2001/XMLSchema"
  xmlns:e="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns:i="http://www.w3.org/2001/XMLSchema-instance"
  xmlns:wn0="http://www.irs.gov/a2a/mef/MeFHeader.xsd"
  xmlns:wn1="http://www.irs.gov/a2a/mef/MeFStateService.xsd">
  <e:Header>
    <ns0:MeF xmlns:ns0="http://www.irs.gov/MeF/MeFHeader.xsd">
      <ns0:MessageID>00123200603900000007R</ns0:MessageID>
      <ns0:RelatesTo>00123200603900000007</ns0:RelatesTo>
      <ns0:Action>SendAcks</ns0:Action>
      <ns0:Timestamp>2006-02-08T22:44:58Z</ns0:Timestamp>
      <ns0:ETIN>00123</ns0:ETIN>
      <ns0:SessionIndicator>Y</ns0:SessionIndicator>
      <ns0:TestIndicator>P</ns0:TestIndicator>
    </ns0:MeF>
    <wsse:Security xmlns:wsse="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-wssecurity-secext-1.0.xsd" xmlns:wsu="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-wssecurity-utility-1.0.xsd">
      <wsu:Timestamp wsu:Id="id-80bf7b190129b908ee31d5412acbbdc7d0b95998">
        <wsu:Created>2006-02-08T22:39:28Z</wsu:Created>
        <wsu:Expires>2006-02-08T22:54:28Z</wsu:Expires>
      </wsu:Timestamp>
      <saml:Assertion AssertionID="id-ce99a06ac772602bfc954e3b807e7519e9807d01"
        IssueInstant="2006-02-08T22:39:28.567Z" Issuer="http://www.forumsys.com/sentry"
        MajorVersion="1" MinorVersion="1"
        xmlns:saml="urn:oasis:names:tc:SAML:1.0:assertion">
        <saml:Conditions NotBefore="2006-02-08T22:39:28.567Z"
          NotOnOrAfter="2006-02-08T22:54:28.567Z">
          <saml:DoNotCacheCondition/>
        </saml:Conditions>
        <saml:AuthenticationStatement AuthenticationInstant="2006-02-08T22:39:28.567Z"
          AuthenticationMethod="urn:oasis:names:tc:SAML:1.0:am:password">
          <saml:Subject>
            <saml:NameIdentifier Format="urn:oasis:names:tc:SAML:1.1:nameid-format:X509SubjectName">UID=username,OU=irsA2ASystem,OU=External,
              OU=Internal Revenue Service,OU=Department of the Treasury,
              O=U.S. Government,C=US</saml:NameIdentifier>
            <saml:SubjectConfirmation>
              <saml:ConfirmationMethod>urn:oasis:names:tc:SAML:1.0:cm:sender-vouches
                </saml:ConfirmationMethod>
            </saml:SubjectConfirmation>
          </saml:Subject>
          <saml:SubjectLocality IPAddress="123.34.56.789"/>
        </saml:AuthenticationStatement>
      </saml:Assertion>
    </wsse:Security>
  </e:Header>
  <e:Body>
    <ns0:MeFResponse xmlns:ns0="http://www.irs.gov/MeF/MeFHeader.xsd">
      <ns0:MessageID>00123200603900000007R</ns0:MessageID>
      <ns0:RelatesTo>00123200603900000007</ns0:RelatesTo>
      <ns0:Action>SendAcks</ns0:Action>
      <ns0:Timestamp>2006-02-08T22:44:58Z</ns0:Timestamp>
      <ns0:ETIN>00123</ns0:ETIN>
      <ns0:SessionIndicator>Y</ns0:SessionIndicator>
      <ns0:TestIndicator>P</ns0:TestIndicator>
    </ns0:MeFResponse>
  </e:Body>
</e:Envelope>

```

```

</saml:AuthenticationStatement>
<saml:AttributeStatement>
  <saml:Subject>
    <saml:NameIdentifier Format="urn:oasis:names:tc:SAML:1.1:nameid-
      format:X509SubjectName">UID=username,OU=irsA2ASystem,OU=External,
      OU=Internal Revenue Service,OU=Department of the Treasury,
      O=U.S. Government,C=US</saml:NameIdentifier>
    <saml:SubjectConfirmation>
      <saml:ConfirmationMethod>urn:oasis:names:tc:SAML:1.0:cm:sender-vouches
      </saml:ConfirmationMethod>
    </saml:SubjectConfirmation>
  </saml:Subject>
  <saml:Attribute AttributeName="SMSESSION"
    AttributeNamespace="http://www.forumsys.com/sentry">
    <saml:AttributeValue>
      uOwaIfiL+JB6MXFKJMYKbvZfrU2h7eHzRThDeGttFfZjnVrxs/ZDcfUUhiU1p
      9ZiUB8dGOuW8xR/NupMTV9kycUrOExN.....</saml:AttributeValue>
    </saml:Attribute>
  </saml:AttributeStatement>
</saml:Assertion>
<wsse:UsernameToken>
  <wsse:Username>username</wsse:Username>
  <wsse:Password Type="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-username-
    token-profile-1.0#PasswordText">password</wsse:Password>
</wsse:UsernameToken>
</wsse:Security>
</e:Header>
<e:Body>
  <ns9:SendAcksResponse xmlns:ns9="http://www.irs.gov/a2a/mef/MeFStateService.xsd">
    <ns9:Count>3</ns9:Count>
  </ns9:SendAcksResponse>
</e:Body>
</e:Envelope>

```

5.2.14 GetNewAckNotifications Service Request Message

```

<?xml version="1.0" encoding="UTF-8"?>
<SOAP-ENV:Envelope xmlns:SOAP-ENV="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns:xsd="http://www.w3.org/2001/XMLSchema"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
  <SOAP-ENV:Header>
    <ns1:MeF xmlns:ns1="http://www.irs.gov/a2a/mef/MeFHeader.xsd">
      <ns1:MessageID>00123200603900000041</ns1:MessageID>
      <ns1:Action>GetNewAckNotifications</ns1:Action>
      <ns1:Timestamp>2006-02-18T13:53:51.288Z</ns1:Timestamp>
      <ns1:ETIN>00123</ns1:ETIN>
      <ns1:SessionIndicator>Y</ns1:SessionIndicator>
      <ns1:TestIndicator>P</ns1:TestIndicator>
    </ns1:MeF>
    <wsse:Security xmlns:wsse="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-wssecurity-
      secext-1.0.xsd" xmlns:wsu="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-
      wssecurity-utility-1.0.xsd">

```

```

<wsu:Timestamp wsu:Id="id-18c3af8bed5e19dc01baad81fb818df521bee023">
  <wsu:Created>2006-02-08T22:56:44Z</wsu:Created>
  <wsu:Expires>2006-02-08T23:11:44Z</wsu:Expires>
</wsu:Timestamp>
<saml:Assertion AssertionID="id-045a7c92ec380e1e2d5473b6e36f339227ad10c5"
  IssueInstant="2006-02-08T22:56:44.886Z" Issuer="http://www.forumsys.com/sentry"
  MajorVersion="1" MinorVersion="1"
  xmlns:saml="urn:oasis:names:tc:SAML:1.0:assertion">
  <saml:Conditions NotBefore="2006-02-08T22:56:44.886Z"
    NotOnOrAfter="2006-02-08T23:11:44.886Z">
    <saml:DoNotCacheCondition/>
  </saml:Conditions>
  <saml:AuthenticationStatement AuthenticationInstant="2006-02-08T22:56:44.886Z"
    AuthenticationMethod="urn:oasis:names:tc:SAML:1.0:am:password">
    <saml:Subject>
      <saml:NameIdentifier Format="urn:oasis:names:tc:SAML:1.1:nameid-
        format:X509SubjectName">UID=username,OU=irsA2ASystem,OU=External,
        OU=Internal Revenue Service,OU=Department of the Treasury,
        O=U.S. Government,C=US</saml:NameIdentifier>
      <saml:SubjectConfirmation>
        <saml:ConfirmationMethod>urn:oasis:names:tc:SAML:1.0:cm:sender-vouches
        </saml:ConfirmationMethod>
      </saml:SubjectConfirmation>
    </saml:Subject>
    <saml:SubjectLocality IPAddress="123.34.56.789"/>
  </saml:AuthenticationStatement>
  <saml:AttributeStatement>
    <saml:Subject>
      <saml:NameIdentifier Format="urn:oasis:names:tc:SAML:1.1:nameid-
        format:X509SubjectName">UID=username,OU=irsA2ASystem,OU=External,
        OU=Internal Revenue Service,OU=Department of the Treasury,
        O=U.S. Government,C=US</saml:NameIdentifier>
      <saml:SubjectConfirmation>
        <saml:ConfirmationMethod>urn:oasis:names:tc:SAML:1.0:cm:sender-vouches
        </saml:ConfirmationMethod>
      </saml:SubjectConfirmation>
    </saml:Subject>
    <saml:Attribute AttributeName="SMSESSION"
      AttributeNamespace="http://www.forumsys.com/sentry">
      <saml:AttributeValue>
        JvqVP0Z5XZWFf/1HE8XiMKfu87fxBRJDf0ILCfYpKnV17lF17EdnDHTy0Cjfo
        j0Wt9Ck9GIHsr/CqENV4C+jhGObP4mOj+5BO426FikdtRhVRM46PkftMpbyn
        d9m2OtILfQckddHB/f9sNNW38qryb9YqB.....</saml:AttributeValue>
      </saml:Attribute>
    </saml:AttributeStatement>
  </saml:Assertion>
<wsse:UsernameToken>
  <wsse:Username>username</wsse:Username>
  <wsse:Password Type="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-username-
    token-profile-1.0#PasswordText">password</wsse:Password>
</wsse:UsernameToken>

```

```

    </wsse:Security>
  </SOAP-ENV:Header>
  <SOAP-ENV:Body>
    <GetNewAckNotificationsRequestArgs xmlns="http://www.irs.gov/a2a/mef/MeFStateService.xsd">
      <MaxResults>1</MaxResults>
    </GetNewAckNotificationsRequestArgs>
  </SOAP-ENV:Body>
</SOAP-ENV:Envelope>

```

5.2.15 GetNewAckNotifications Service Response Message

```

<?xml version="1.0" encoding="UTF-8"?>
<e:Envelope xmlns:wn1="http://www.irs.gov/a2a/mef/MeFStateService.xsd"
  xmlns:wn0="http://www.irs.gov/a2a/mef/MeFHeader.xsd"
  xmlns:i="http://www.w3.org/2001/XMLSchema-instance"
  xmlns:e="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns:d="http://www.w3.org/2001/XMLSchema">
  <e:Header>
    <ns0:MeF xmlns:ns0="http://www.irs.gov/MeF/MeFHeader.xsd">
      <ns0:MessageID>00123200603900000041R</ns0:MessageID>
      <ns0:RelatesTo>00123200603900000041</ns0:RelatesTo>
      <ns0:Action>GetNewAckNotifications</ns0:Action>
      <ns0:Timestamp>2006-02-08T22:56:48Z</ns0:Timestamp>
      <ns0:ETIN>00123</ns0:ETIN>
      <ns0:SessionIndicator>Y</ns0:SessionIndicator>
      <ns0:TestIndicator>P</ns0:TestIndicator>
    </ns0:MeF>
    <wsse:Security xmlns:wsse="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-wssecurity-secext-1.0.xsd" xmlns:wsu="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-wssecurity-utility-1.0.xsd">
      <wsu:Timestamp wsu:Id="id-18c3af8bed5e19dc01baad81fb818df521bee023">
        <wsu:Created>2006-02-08T22:56:44Z</wsu:Created>
        <wsu:Expires>2006-02-08T23:11:44Z</wsu:Expires>
      </wsu:Timestamp>
      <saml:Assertion MajorVersion="1" IssueInstant="2006-02-08T22:56:44.886Z"
        Issuer="http://www.forumsys.com/sentry"
        AssertionID="id-045a7c92ec380e1e2d5473b6e36f339227ad10c5"
        MinorVersion="1" xmlns:saml="urn:oasis:names:tc:SAML:1.0:assertion">
        <saml:Conditions NotOnOrAfter="2006-02-08T23:11:44.886Z"
          NotBefore="2006-02-08T22:56:44.886Z">
          <saml:DoNotCacheCondition/>
        </saml:Conditions>
        <saml:AuthenticationStatement AuthenticationInstant="2006-02-08T22:56:44.886Z"
          AuthenticationMethod="urn:oasis:names:tc:SAML:1.0:am:password">
          <saml:Subject>
            <saml:NameIdentifier Format="urn:oasis:names:tc:SAML:1.1:nameid-format:X509SubjectName">UID=username,OU=irsA2ASystem,OU=External,
              OU=Internal Revenue Service,OU=Department of the Treasury,
              O=U.S. Government,C=US</saml:NameIdentifier>
            <saml:SubjectConfirmation>
              <saml:ConfirmationMethod>urn:oasis:names:tc:SAML:1.0:cm:sender-vouches
            </saml:ConfirmationMethod>
          </saml:Subject>
        </saml:AuthenticationStatement>
      </saml:Assertion>
    </wsse:Security>
  </e:Header>
  <ns0:MeFResponse xmlns:ns0="http://www.irs.gov/MeF/MeFHeader.xsd">
    <ns0:MessageID>00123200603900000041R</ns0:MessageID>
    <ns0:RelatesTo>00123200603900000041</ns0:RelatesTo>
    <ns0:Action>GetNewAckNotifications</ns0:Action>
    <ns0:Timestamp>2006-02-08T22:56:48Z</ns0:Timestamp>
    <ns0:ETIN>00123</ns0:ETIN>
    <ns0:SessionIndicator>Y</ns0:SessionIndicator>
    <ns0:TestIndicator>P</ns0:TestIndicator>
  </ns0:MeFResponse>
</e:Envelope>

```

```

        </saml:SubjectConfirmation>
    </saml:Subject>
    <saml:SubjectLocality IPAddress="123.34.56.789"/>
</saml:AuthenticationStatement>
<saml:AttributeStatement>
    <saml:Subject>
        <saml:NameIdentifier Format="urn:oasis:names:tc:SAML:1.1:nameid-
            format:X509SubjectName">UID=username,OU=irsA2ASystem,OU=External,
            OU=Internal Revenue Service,OU=Department of the Treasury,
            O=U.S. Government,C=US</saml:NameIdentifier>
        <saml:SubjectConfirmation>
            <saml:ConfirmationMethod>urn:oasis:names:tc:SAML:1.0:cm:sender-vouches
            </saml:ConfirmationMethod>
        </saml:SubjectConfirmation>
    </saml:Subject>
    <saml:Attribute AttributeNamespace="http://www.forumsys.com/sentry"
        AttributeName="SMSESSION">
        <saml:AttributeValue>
            JvqVP0Z5XZWFf/1HE8XiMKfu87fxBRJDf0ILCfYpKnV17IF17EdnDHTy0Cjfo
            j0Wt9Ck9GIHsr/CqENV4C+jhGOBp4mOj+5BO426FikdtRhVRM46PkftMpbyn
            d9m2OtILfQckddHB/f9sNNW38qryb9YqBN.....</saml:AttributeValue>
        </saml:Attribute>
    </saml:AttributeStatement>
</saml:Assertion>
<wsse:UsernameToken>
    <wsse:Username>username</wsse:Username>
    <wsse:Password Type="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-username-
        token-profile-1.0#PasswordText">password</wsse:Password>
</wsse:UsernameToken>
</wsse:Security>
</e:Header>
<e:Body>
    <ns10:GetNewAckNotificationsResponse
        xmlns:ns10="http://www.irs.gov/a2a/mef/MeFStateService.xsd">
        <ns10:MoreAvailable>true</ns10:MoreAvailable>
    </ns10:GetNewAckNotificationsResponse>
</e:Body>
</e:Envelope>

```

5.2.16 GetAckNotifications Service Request Message

```

<?xml version="1.0" encoding="UTF-8"?>
<SOAP-ENV:Envelope xmlns:SOAP-ENV="http://schemas.xmlsoap.org/soap/envelope/"
    xmlns:xsd="http://www.w3.org/2001/XMLSchema"
    xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
    <SOAP-ENV:Header>
        <ns1:MeF xmlns:ns1="http://www.irs.gov/a2a/mef/MeFHeader.xsd">
            <ns1:MessageID>00123200603900000042</ns1:MessageID>
            <ns1:Action>GetAckNotifications</ns1:Action>
            <ns1:Timestamp>2006-01-22T18:50:10.043Z</ns1:Timestamp>
            <ns1:ETIN>00123</ns1:ETIN>
            <ns1:SessionIndicator>Y</ns1:SessionIndicator>
        </ns1:MeF>
    </SOAP-ENV:Header>

```

```

<ns1:TestIndicator>P</ns1:TestIndicator>
</ns1:MeF>
<wsse:Security xmlns:wsse="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-wssecurity-
secext-1.0.xsd" xmlns:wsu="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-
wssecurity-utility-1.0.xsd">
  <wsu:Timestamp wsu:Id="id-18c3af8bed5e19dc01baad81fb818df521bee023">
    <wsu:Created>2006-02-08T22:56:44Z</wsu:Created>
    <wsu:Expires>2006-02-08T23:11:44Z</wsu:Expires>
  </wsu:Timestamp>
  <saml:Assertion AssertionID="id-045a7c92ec380e1e2d5473b6e36f339227ad10c5"
  IssueInstant="2006-02-08T22:56:44.886Z" Issuer="http://www.forumsys.com/sentry"
  MajorVersion="1" MinorVersion="1"
  xmlns:saml="urn:oasis:names:tc:SAML:1.0:assertion">
    <saml:Conditions NotBefore="2006-02-08T22:56:44.886Z"
    NotOnOrAfter="2006-02-08T23:11:44.886Z">
      <saml:DoNotCacheCondition/>
    </saml:Conditions>
    <saml:AuthenticationStatement AuthenticationInstant="2006-02-08T22:56:44.886Z"
    AuthenticationMethod="urn:oasis:names:tc:SAML:1.0:am:password">
      <saml:Subject>
        <saml:NameIdentifier Format="urn:oasis:names:tc:SAML:1.1:nameid-
        format:X509SubjectName">UID=username,OU=irsA2ASystem,OU=External,
        OU=Internal Revenue Service,OU=Department of the Treasury,
        O=U.S. Government,C=US</saml:NameIdentifier>
        <saml:SubjectConfirmation>
          <saml:ConfirmationMethod>urn:oasis:names:tc:SAML:1.0:cm:sender-vouches
          </saml:ConfirmationMethod>
        </saml:SubjectConfirmation>
      </saml:Subject>
      <saml:SubjectLocality IPAddress="123.34.56.789"/>
    </saml:AuthenticationStatement>
    <saml:AttributeStatement>
      <saml:Subject>
        <saml:NameIdentifier Format="urn:oasis:names:tc:SAML:1.1:nameid-
        format:X509SubjectName">UID=username,OU=irsA2ASystem,OU=External,
        OU=Internal Revenue Service,OU=Department of the Treasury,
        O=U.S. Government,C=US</saml:NameIdentifier>
        <saml:SubjectConfirmation>
          <saml:ConfirmationMethod>urn:oasis:names:tc:SAML:1.0:cm:sender-vouches
          </saml:ConfirmationMethod>
        </saml:SubjectConfirmation>
      </saml:Subject>
      <saml:Attribute AttributeName="SMSESSION"
      AttributeNamespace="http://www.forumsys.com/sentry">
        <saml:AttributeValue>
          JvqVP0Z5XZWFf/1HE8XiMKfu87fxBRJDf0ILCfYpKnV17lF17EdnDHTy0Cjfo
          j0Wt9Ck9GIHsr/CqENV4C+jhGOBp4mOj+5BO426FikdtRhVVRM46PkftMpbyn
          d9m2OtILfQckddHB/f9sNNW38qryb9YqB0N.....</saml:AttributeValue>
        </saml:Attribute>
      </saml:AttributeStatement>
    </saml:Assertion>

```

```

    <wsse:UsernameToken>
      <wsse:Username>username</wsse:Username>
      <wsse:Password Type="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-username-
        token-profile-1.0#PasswordText">password</wsse:Password>
    </wsse:UsernameToken>
  </wsse:Security>
</SOAP-ENV:Header>
<SOAP-ENV:Body>
  <GetAckNotificationsRequestArgs xmlns="http://www.irs.gov/a2a/mef/MeFStateService.xsd">
    <SubmissionIdList>
      <Count>2</Count>
      <SubmissionId>00123420060380000097</SubmissionId>
      <SubmissionId>00123420060380000098</SubmissionId>
    </SubmissionIdList>
  </GetAckNotificationsRequestArgs>
</SOAP-ENV:Body>
</SOAP-ENV:Envelope>

```

5.2.17 GetAckNotifications Service Response Message

```

<e:Envelope xmlns:wn1="http://www.irs.gov/a2a/mef/MeFStateService.xsd"
  xmlns:wn0="http://www.irs.gov/a2a/mef/MeFHeader.xsd"
  xmlns:i="http://www.w3.org/2001/XMLSchema-instance"
  xmlns:e="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns:d="http://www.w3.org/2001/XMLSchema">
  <e:Header>
    <ns0:MeF xmlns:ns0="http://www.irs.gov/MeF/MeFHeader.xsd">
      <ns0:MessageID>00123200603900000042R</ns0:MessageID>
      <ns0:RelatesTo>00123200603900000042</ns0:RelatesTo>
      <ns0:Action>GetAckNotifications</ns0:Action>
      <ns0:Timestamp>2006-02-08T22:56:54Z</ns0:Timestamp>
      <ns0:ETIN>00123</ns0:ETIN>
      <ns0:SessionIndicator>Y</ns0:SessionIndicator>
      <ns0:TestIndicator>P</ns0:TestIndicator>
    </ns0:MeF>
    <wsse:Security xmlns:wss="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-wssecurity-
      secext-1.0.xsd" xmlns:wsu="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-
      wssecurity-utility-1.0.xsd">
      <wsu:Timestamp wsu:Id="id-18c3af8bed5e19dc01baad81fb818df521bee023">
        <wsu:Created>2006-02-08T22:56:44Z</wsu:Created>
        <wsu:Expires>2006-02-08T23:11:44Z</wsu:Expires>
      </wsu:Timestamp>
      <saml:Assertion MajorVersion="1" IssueInstant="2006-02-08T22:56:44.886Z"
        Issuer="http://www.forumsys.com/sentry"
        AssertionID="id-045a7c92ec380e1e2d5473b6e36f339227ad10c5"
        MinorVersion="1" xmlns:saml="urn:oasis:names:tc:SAML:1.0:assertion">
        <saml:Conditions NotOnOrAfter="2006-02-08T23:11:44.886Z"
          NotBefore="2006-02-08T22:56:44.886Z">
          <saml:DoNotCacheCondition/>
        </saml:Conditions>
        <saml:AuthenticationStatement AuthenticationInstant="2006-02-08T22:56:44.886Z"
          AuthenticationMethod="urn:oasis:names:tc:SAML:1.0:am:password">

```

```

    <saml:Subject>
      <saml:NameIdentifier Format="urn:oasis:names:tc:SAML:1.1:nameid-
        format:X509SubjectName">UID=username,OU=irsA2ASystem,OU=External,
        OU=Internal Revenue Service,OU=Department of the Treasury,
        O=U.S. Government,C=US</saml:NameIdentifier>
      <saml:SubjectConfirmation>
        <saml:ConfirmationMethod>urn:oasis:names:tc:SAML:1.0:cm:sender-vouches
        </saml:ConfirmationMethod>
      </saml:SubjectConfirmation>
    </saml:Subject>
    <saml:SubjectLocality IPAddress="123.34.56.789"/>
  </saml:AuthenticationStatement>
  <saml:AttributeStatement>
    <saml:Subject>
      <saml:NameIdentifier Format="urn:oasis:names:tc:SAML:1.1:nameid-
        format:X509SubjectName">UID=username,OU=irsA2ASystem,OU=External,
        OU=Internal Revenue Service,OU=Department of the Treasury,
        O=U.S. Government,C=US</saml:NameIdentifier>
      <saml:SubjectConfirmation>
        <saml:ConfirmationMethod>urn:oasis:names:tc:SAML:1.0:cm:sender-vouches
        </saml:ConfirmationMethod>
      </saml:SubjectConfirmation>
    </saml:Subject>
    <saml:Attribute AttributeNamespace="http://www.forumsys.com/sentry"
      AttributeName="SMSESSION">
      <saml:AttributeValue>
        JvqVP0Z5XZWFf/1HE8XiMKfu87fxBRJDf0ILCfYpKnV17IF17EdnDHTy0Cjfo
        j0Wt9Ck9GIHsr/CqENV4C+jhGOBP4mOj+.....</saml:AttributeValue>
      </saml:Attribute>
    </saml:AttributeStatement>
  </saml:Assertion>
  <wsse:UsernameToken>
    <wsse:Username>username</wsse:Username>
    <wsse:Password Type="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-username-
      token-profile-1.0#PasswordText">password</wsse:Password>
  </wsse:UsernameToken>
</wsse:Security>
</e:Header>
<e:Body>
  <ns10:GetAckNotificationsResponse
    xmlns:ns10="http://www.irs.gov/a2a/mef/MeFStateService.xsd"/>
  <ns10:ErrorList>
    <ns10:Count2</ns10:Count>
    <ns10:SubmissionError>
      <ns10:SubmissionId>00123420060380000097</ns10:SubmissionId>
      <ns10:Error>
        <ns10:ErrorMessage>Backend system error</ns10:ErrorMessage>
        <ns10:ErrorClassification>SYSTEM_ERROR</ns10:ErrorClassification>
        <ns10:ErrorCode>SYSTMIO07500002</ns10:ErrorCode>
      </ns10:Error>
    </ns10:SubmissionError>
  </ns10:ErrorList>
</ns10:GetAckNotificationsResponse>

```

```

    <ns10:SubmissionError>
      <ns10:SubmissionId>00123420060380000098</ns10:SubmissionId>
      <ns10:Error>
        <ns10:ErrorMessage>Backend system error</ns10:ErrorMessage>
        <ns10:ErrorClassification>SYSTEM_ERROR</ns10:ErrorClassification>
        <ns10:ErrorCode>SYSTM1007500002</ns10:ErrorCode>
      </ns10:Error>
    </ns10:SubmissionError>
  </ns10:ErrorList>
</ns10:GetAckNotificationsResponse>
</e:Body>
</e:Envelope>

```

5.2.18 GetAckNotification Service Request Message

```

<?xml version="1.0" encoding="UTF-8"?>
<SOAP-ENV:Envelope xmlns:SOAP-ENV="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns:xsd="http://www.w3.org/2001/XMLSchema"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
  <SOAP-ENV:Header>
    <ns1:MeF xmlns:ns1="http://www.irs.gov/a2a/mef/MeFHeader.xsd">
      <ns1:MessageID>00123200603900000043</ns1:MessageID>
      <ns1:Action>GetAckNotification</ns1:Action>
      <ns1:Timestamp>2006-02-19T00:10:08.518Z</ns1:Timestamp>
      <ns1:ETIN>00123</ns1:ETIN>
      <ns1:SessionIndicator>Y</ns1:SessionIndicator>
      <ns1:TestIndicator>P</ns1:TestIndicator>
    </ns1:MeF>
    <wsse:Security xmlns:wsse="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-wssecurity-
      secext-1.0.xsd" xmlns:wsu="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-
      wssecurity-utility-1.0.xsd">
      <wsu:Timestamp wsu:Id="id-18c3af8bed5e19dc01baad81fb818df521bee023">
        <wsu:Created>2006-02-08T22:56:44Z</wsu:Created>
        <wsu:Expires>2006-02-08T23:11:44Z</wsu:Expires>
      </wsu:Timestamp>
      <saml:Assertion AssertionID="id-045a7c92ec380e1e2d5473b6e36f339227ad10c5"
        IssueInstant="2006-02-08T22:56:44.886Z" Issuer="http://www.forumsys.com/sentry"
        MajorVersion="1" MinorVersion="1"
        xmlns:saml="urn:oasis:names:tc:SAML:1.0:assertion">
        <saml:Conditions NotBefore="2006-02-08T22:56:44.886Z"
          NotOnOrAfter="2006-02-08T23:11:44.886Z">
          <saml:DoNotCacheCondition/>
        </saml:Conditions>
        <saml:AuthenticationStatement AuthenticationInstant="2006-02-08T22:56:44.886Z"
          AuthenticationMethod="urn:oasis:names:tc:SAML:1.0:am:password">
          <saml:Subject>
            <saml:NameIdentifier Format="urn:oasis:names:tc:SAML:1.1:nameid-
              format:X509SubjectName">UID=username,OU=irsA2ASystem,OU=External,
              OU=Internal Revenue Service,OU=Department of the Treasury,
              O=U.S. Government,C=US</saml:NameIdentifier>
            <saml:SubjectConfirmation>
              <saml:ConfirmationMethod>urn:oasis:names:tc:SAML:1.0:cm:sender-vouches

```

```

        </saml:ConfirmationMethod>
    </saml:SubjectConfirmation>
</saml:Subject>
    <saml:SubjectLocality IPAddress="123.34.56.789"/>
</saml:AuthenticationStatement>
<saml:AttributeStatement>
    <saml:Subject>
        <saml:NameIdentifier Format="urn:oasis:names:tc:SAML:1.1:nameid-
            format:X509SubjectName">UID=username,OU=irsA2ASystem,OU=External,
            OU=Internal Revenue Service,OU=Department of the Treasury,
            O=U.S. Government,C=US</saml:NameIdentifier>
        <saml:SubjectConfirmation>
            <saml:ConfirmationMethod>urn:oasis:names:tc:SAML:1.0:cm:sender-vouches
            </saml:ConfirmationMethod>
        </saml:SubjectConfirmation>
    </saml:Subject>
    <saml:Attribute AttributeName="SMSESSION"
        AttributeNamespace="http://www.forumsys.com/sentry">
        <saml:AttributeValue>
            JvqVP0Z5XZWf/1HE8XiMKfu87fxBRJDf0ILCfYpKnV17IF17EdnDHTy0Cjfo
            j0Wt9Ck9GIHsr/CqENV4C+jhGOBP4mOj+5BO426FikdtRhVRM46PkftMpbyn
            d9m2OtILfQckddHB/f9sNNW38qryb9YKNk8.....</saml:AttributeValue>
        </saml:Attribute>
    </saml:AttributeStatement>
</saml:Assertion>
<wsse:UsernameToken>
    <wsse:Username>username</wsse:Username>
    <wsse:Password Type="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-username-
        token-profile-1.0#PasswordText">password</wsse:Password>
</wsse:UsernameToken>
</wsse:Security>
</SOAP-ENV:Header>
<SOAP-ENV:Body>
    <GetAckNotificationRequestArgs xmlns="http://www.irs.gov/a2a/mef/MeFStateService.xsd">
        <SubmissionId>00123420060380000097</SubmissionId>
    </GetAckNotificationRequestArgs>
</SOAP-ENV:Body>
</SOAP-ENV:Envelope>

```

5.2.19 GetAckNotification Service Response Message

```

<?xml version="1.0" encoding="UTF-8"?>
<e:Envelope xmlns:wn1="http://www.irs.gov/a2a/mef/MeFStateService.xsd"
    xmlns:wn0="http://www.irs.gov/a2a/mef/MeFHeader.xsd"
    xmlns:i="http://www.w3.org/2001/XMLSchema-instance"
    xmlns:e="http://schemas.xmlsoap.org/soap/envelope/"
    xmlns:d="http://www.w3.org/2001/XMLSchema">
    <e:Header>
        <ns0:MeF xmlns:ns0="http://www.irs.gov/MeF/MeFHeader.xsd">
            <ns0:MessageID>00123200603900000043R</ns0:MessageID>
            <ns0:RelatesTo>00123200603900000043</ns0:RelatesTo>
            <ns0:Action>GetAckNotification</ns0:Action>
        </ns0:MeF>
    </e:Header>

```

```

<ns0:Timestamp>2006-02-08T22:57:04Z</ns0:Timestamp>
<ns0:ETIN>00123</ns0:ETIN>
<ns0:SessionIndicator>Y</ns0:SessionIndicator>
<ns0:TestIndicator>P</ns0:TestIndicator>
</ns0:MeF>
<wsse:Security xmlns:wsse="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-wssecurity-
secext-1.0.xsd" xmlns:wsu="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-
wssecurity-utility-1.0.xsd">
  <wsu:Timestamp wsu:Id="id-18c3af8bed5e19dc01baad81fb818df521bee023">
    <wsu:Created>2006-02-08T22:56:44Z</wsu:Created>
    <wsu:Expires>2006-02-08T23:11:44Z</wsu:Expires>
  </wsu:Timestamp>
  <saml:Assertion MajorVersion="1" IssueInstant="2006-02-08T22:56:44.886Z"
    Issuer="http://www.forumsys.com/sentry"
    AssertionID="id-045a7c92ec380e1e2d5473b6e36f339227ad10c5"
    MinorVersion="1" xmlns:saml="urn:oasis:names:tc:SAML:1.0:assertion">
    <saml:Conditions NotOnOrAfter="2006-02-08T23:11:44.886Z"
      NotBefore="2006-02-08T22:56:44.886Z">
      <saml:DoNotCacheCondition/>
    </saml:Conditions>
    <saml:AuthenticationStatement AuthenticationInstant="2006-02-08T22:56:44.886Z"
      AuthenticationMethod="urn:oasis:names:tc:SAML:1.0:am:password">
      <saml:Subject>
        <saml:NameIdentifier Format="urn:oasis:names:tc:SAML:1.1:nameid-
          format:X509SubjectName">UID=username,OU=irsA2ASystem,OU=External,
          OU=Internal Revenue Service,OU=Department of the Treasury,
          O=U.S. Government,C=US</saml:NameIdentifier>
        <saml:SubjectConfirmation>
          <saml:ConfirmationMethod>urn:oasis:names:tc:SAML:1.0:cm:sender-vouches
          </saml:ConfirmationMethod>
        </saml:SubjectConfirmation>
      </saml:Subject>
      <saml:SubjectLocality IPAddress="123.34.56.789"/>
    </saml:AuthenticationStatement>
    <saml:AttributeStatement>
      <saml:Subject>
        <saml:NameIdentifier Format="urn:oasis:names:tc:SAML:1.1:nameid-
          format:X509SubjectName">UID=username,OU=irsA2ASystem,OU=External,
          OU=Internal Revenue Service,OU=Department of the Treasury,
          O=U.S. Government,C=US</saml:NameIdentifier>
        <saml:SubjectConfirmation>
          <saml:ConfirmationMethod>urn:oasis:names:tc:SAML:1.0:cm:sender-vouches
          </saml:ConfirmationMethod>
        </saml:SubjectConfirmation>
      </saml:Subject>
      <saml:Attribute AttributeNamespace="http://www.forumsys.com/sentry"
        AttributeName="SMSESSION">
        <saml:AttributeValue>
          JvqVP0Z5XZWFf/1HE8XiMKfu87fxBRJDf0ILCfYpKnV17IF17EdnDHTy0Cjfo
          j0Wt9Ck9GIHsr/CqENV4C+jhGOBp4mOj+5BO426FikdtRhVRM46PkftMpbyn
          d9m2OtILfQckddHB/f9sNNW7we/V+i9KN.....</saml:AttributeValue>
        </saml:AttributeValue>
      </saml:AttributeStatement>
    </saml:AttributeStatement>
  </saml:Assertion>
</wsse:Security>

```

```

        </saml:Attribute>
      </saml:AttributeStatement>
    </saml:Assertion>
  </wsse:UsernameToken>
    <wsse:Username>username</wsse:Username>
    <wsse:Password Type="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-username-
      token-profile-1.0#PasswordText">password</wsse:Password>
  </wsse:UsernameToken>
</wsse:Security>
</e:Header>
<e:Body>
  <ns10:GetAckNotificationResponse xmlns:ns10="http://www.irs.gov/a2a/mef/MeFStateService.xsd"/>
</e:Body>
</e:Envelope>

```

5.3 Transmitter Services SOAP Messages

This section presents SOAP request and response message examples for the following Transmitter services:

- SendSubmissions
- GetNewAcks
- GetAcksByMsgID
- GetAcks
- GetAck
- GetNewSubmissionsStatus
- GetSubmissionsStatus
- GetSubmissionStatus

Note that all of the SOAP request and response messages are identical for MIME and DIME except for the attachment transport mechanism.

Also note that the request and response messages are identical for Password Authenticated and Strong Authentication users except for the location of the Application System ID (username) as noted earlier. It is in the WS-Security UsernameToken for Password Authenticated and in the MeF Header AppSysID for Strong Authentication users. Therefore, to avoid redundancy, all of examples below are for Password Authenticated users.

5.3.1 SendSubmissions Service Request Message

```

<?xml version="1.0" encoding="UTF-8"?>
<SOAP-ENV:Envelope xmlns:SOAP-ENV="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns:xsd="http://www.w3.org/2001/XMLSchema"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
  <SOAP-ENV:Header>
    <ns1:MeF xmlns:ns1="http://www.irs.gov/a2a/mef/MeFHeader.xsd">
      <ns1:MessageID>00123200603900000020</ns1:MessageID>
    </ns1:MeF>
  </SOAP-ENV:Header>

```

```

<ns1:Action>SendSubmissions</ns1:Action>
<ns1:Timestamp>2006-01-16T06:25:16.479Z</ns1:Timestamp>
<ns1:ETIN>00123</ns1:ETIN>
<ns1:SessionIndicator>Y</ns1:SessionIndicator>
<ns1:TestIndicator>P</ns1:TestIndicator>
</ns1:MeF>
<wsse:Security xmlns:wsse="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-wssecurity-
secext-1.0.xsd" xmlns:wsu="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-
wssecurity-utility-1.0.xsd">
  <wsu:Timestamp wsu:Id="id-a2010a5da0d1d70a24272ee8d501e1ac85923f94">
    <wsu:Created>2006-02-08T22:32:29Z</wsu:Created>
    <wsu:Expires>2006-02-08T22:47:29Z</wsu:Expires>
  </wsu:Timestamp>
  <saml:Assertion AssertionID="id-0d586b6f305c53db2ddc635806029a676e140c59"
  IssueInstant="2006-02-08T22:32:29.727Z" Issuer="http://www.forumsys.com/sentry"
  MajorVersion="1" MinorVersion="1"
  xmlns:saml="urn:oasis:names:tc:SAML:1.0:assertion">
    <saml:Conditions NotBefore="2006-02-08T22:32:29.727Z"
    NotOnOrAfter="2006-02-08T22:47:29.727Z">
      <saml:DoNotCacheCondition/>
    </saml:Conditions>
    <saml:AuthenticationStatement AuthenticationInstant="2006-02-08T22:32:29.727Z"
    AuthenticationMethod="urn:oasis:names:tc:SAML:1.0:am:password">
      <saml:Subject>
        <saml:NameIdentifier Format="urn:oasis:names:tc:SAML:1.1:nameid-
        format:X509SubjectName">UID=username,OU=irsA2ASystem,OU=External,
        OU=Internal Revenue Service,OU=Department of the Treasury,
        O=U.S. Government,C=US</saml:NameIdentifier>
        <saml:SubjectConfirmation>
          <saml:ConfirmationMethod>urn:oasis:names:tc:SAML:1.0:cm:sender-vouches
          </saml:ConfirmationMethod>
        </saml:SubjectConfirmation>
      </saml:Subject>
      <saml:SubjectLocality IPAddress="123.34.56.789"/>
    </saml:AuthenticationStatement>
    <saml:AttributeStatement>
      <saml:Subject>
        <saml:NameIdentifier Format="urn:oasis:names:tc:SAML:1.1:nameid-
        format:X509SubjectName">UID=username,OU=irsA2ASystem,OU=External,
        OU=Internal Revenue Service,OU=Department of the Treasury,
        O=U.S. Government,C=US</saml:NameIdentifier>
        <saml:SubjectConfirmation>
          <saml:ConfirmationMethod>urn:oasis:names:tc:SAML:1.0:cm:sender-vouches
          </saml:ConfirmationMethod>
        </saml:SubjectConfirmation>
      </saml:Subject>
      <saml:Attribute AttributeName="SMSESSION"
      AttributeNamespace="http://www.forumsys.com/sentry">
        <saml:AttributeValue>
          nGxSaaEpb9fpL7WUICbnHR73LXMwggfrTdQbAiBskIqoaactecA+pD58tRE4
          CT3aWu6NW74OEdrwq/VkAM9f9YeTL9si.....</saml:AttributeValue>
        </saml:AttributeValue>
      </saml:Attribute>
    </saml:AttributeStatement>
  </saml:Assertion>
</wsse:Security>

```

```

        </saml:Attribute>
      </saml:AttributeStatement>
    </saml:Assertion>
  </wsse:UsernameToken>
  <wsse:Username>username</wsse:Username>
  <wsse:Password Type="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-username-
    token-profile-1.0#PasswordText">password</wsse:Password>
</wsse:UsernameToken>
</wsse:Security>
</SOAP-ENV:Header>
<SOAP-ENV:Body>
  <SendSubmissionsRequest xmlns="http://www.irs.gov/a2a/mef/MeFTransmitterService.xsd">
    <SubmissionDataList>
      <Count>2</Count>
      <SubmissionData>
        <SubmissionId>00123420060380000096</SubmissionId>
        <ElectronicPostmark>2006-01-31T13:34:50.113Z</ElectronicPostmark>
      </SubmissionData>
      <SubmissionData>
        <SubmissionId>00123420060380000097</SubmissionId>
        <ElectronicPostmark>2006-01-31T13:34:50.113Z</ElectronicPostmark>
      </SubmissionData>
    </SubmissionDataList>
  </SendSubmissionsRequest>
</SOAP-ENV:Body>
</SOAP-ENV:Envelope>

```

5.3.2 SendSubmissions Service Response Message

```

<?xml version="1.0" encoding="UTF-8"?>
<e:Envelope xmlns:wn1="http://www.irs.gov/a2a/mef/MeFTransmitterService.xsd"
  xmlns:wn0="http://www.irs.gov/a2a/mef/MeFHeader.xsd"
  xmlns:i="http://www.w3.org/2001/XMLSchema-instance"
  xmlns:e="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns:d="http://www.w3.org/2001/XMLSchema">
  <e:Header>
    <ns0:MeF xmlns:ns0="http://www.irs.gov/MeF/MeFHeader.xsd">
      <ns0:MessageID>00123200603900000020R</ns0:MessageID>
      <ns0:RelatesTo>00123200603900000020</ns0:RelatesTo>
      <ns0:Action>SendSubmissions</ns0:Action>
      <ns0:Timestamp>2006-02-08T22:33:05Z</ns0:Timestamp>
      <ns0:ETIN>00123</ns0:ETIN>
      <ns0:SessionIndicator>Y</ns0:SessionIndicator>
      <ns0:TestIndicator>P</ns0:TestIndicator>
    </ns0:MeF>
    <wsse:Security xmlns:wsse="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-wssecurity-
      secext-1.0.xsd" xmlns:wssu="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-
      wssecurity-utility-1.0.xsd">
      <wsu:Timestamp wsu:Id="id-a2010a5da0d1d70a24272ee8d501e1ac85923f94">
        <wsu:Created>2006-02-08T22:32:29Z</wsu:Created>
        <wsu:Expires>2006-02-08T22:47:29Z</wsu:Expires>
      </wsu:Timestamp>

```

```

<saml:Assertion MajorVersion="1" IssueInstant="2006-02-08T22:32:29.727Z"
  Issuer="http://www.forumsys.com/sentry"
  AssertionID="id-0d586b6f305c53db2ddc635806029a676e140c59"
  MinorVersion="1" xmlns:saml="urn:oasis:names:tc:SAML:1.0:assertion">
  <saml:Conditions NotOnOrAfter="2006-02-08T22:47:29.727Z"
    NotBefore="2006-02-08T22:32:29.727Z">
    <saml:DoNotCacheCondition/>
  </saml:Conditions>
  <saml:AuthenticationStatement AuthenticationInstant="2006-02-08T22:32:29.727Z"
    AuthenticationMethod="urn:oasis:names:tc:SAML:1.0:am:password">
    <saml:Subject>
      <saml:NameIdentifier Format="urn:oasis:names:tc:SAML:1.1:nameid-
        format:X509SubjectName">UID=username,OU=irsA2ASystem,OU=External,
        OU=Internal Revenue Service,OU=Department of the Treasury,
        OU=U.S. Government,C=US</saml:NameIdentifier>
      <saml:SubjectConfirmation>
        <saml:ConfirmationMethod>urn:oasis:names:tc:SAML:1.0:cm:sender-vouches
        </saml:ConfirmationMethod>
      </saml:SubjectConfirmation>
    </saml:Subject>
    <saml:SubjectLocality IPAddress="123.34.56.789"/>
  </saml:AuthenticationStatement>
  <saml:AttributeStatement>
    <saml:Subject>
      <saml:NameIdentifier Format="urn:oasis:names:tc:SAML:1.1:nameid-
        format:X509SubjectName">UID=username,OU=irsA2ASystem,OU=External,
        OU=Internal Revenue Service,OU=Department of the Treasury,
        OU=U.S. Government,C=US</saml:NameIdentifier>
      <saml:SubjectConfirmation>
        <saml:ConfirmationMethod>urn:oasis:names:tc:SAML:1.0:cm:sender-vouches
        </saml:ConfirmationMethod>
      </saml:SubjectConfirmation>
    </saml:Subject>
    <saml:Attribute AttributeNamespace="http://www.forumsys.com/sentry"
      AttributeName="SMSESSION">
      <saml:Attribute Value>
        nGxSaaEpb9fpL7WUICbnHR73LXMwggfrTdQbAiBskIIqoaactecA+pD58tRE4
        CT3aWu6NW74OEdrwq/VkAM9f9YeTL9si.....</saml:Attribute Value>
      </saml:Attribute>
    </saml:AttributeStatement>
  </saml:Assertion>
  <wsse:UsernameToken>
    <wsse:Username>username</wsse:Username>
    <wsse:Password Type="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-username-
      token-profile-1.0#PasswordText">password</wsse:Password>
  </wsse:UsernameToken>
</wsse:Security>

```

```

</e:Header>
<e:Body>
  <ns10:SendSubmissionsResponse
    xmlns:ns10="http://www.irs.gov/a2a/mef/MeFTransmitterService.xsd"/>
  </e:Body>
</e:Envelope>

```

5.3.3 GetNewAcks Service Request Message (MeF Release 3.2)

```

<?xml version="1.0" encoding="UTF-8"?>
<SOAP-ENV:Envelope xmlns:SOAP-ENV="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns:xsd="http://www.w3.org/2001/XMLSchema"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
  <SOAP-ENV:Header>
    <ns1:MeF xmlns:ns1="http://www.irs.gov/a2a/mef/MeFHeader.xsd">
      <ns1:MessageID>00123200603900000031</ns1:MessageID>
      <ns1:Action>GetNewAcks</ns1:Action>
      <ns1:Timestamp>2006-02-21T23:03:19.055Z</ns1:Timestamp>
      <ns1:ETIN>00123</ns1:ETIN>
      <ns1:SessionIndicator>Y</ns1:SessionIndicator>
      <ns1:TestIndicator>P</ns1:TestIndicator>
    </ns1:MeF>
    <wsse:Security xmlns:wsse="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-wssecurity-
      secext-1.0.xsd" xmlns:wsu="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-
      wssecurity-utility-1.0.xsd">
      <wsu:Timestamp wsu:Id="id-d19272dad197c70a375502fd7af939d6344fd46">
        <wsu:Created>2006-02-08T22:54:14Z</wsu:Created>
        <wsu:Expires>2006-02-08T23:09:14Z</wsu:Expires>
      </wsu:Timestamp>
      <saml:Assertion AssertionID="id-bece5c1f6a8bef59ec775294472bae14455e57e9"
        IssueInstant="2006-02-08T22:54:14.572Z" Issuer="http://www.forumsys.com/sentry"
        MajorVersion="1" MinorVersion="1"
        xmlns:saml="urn:oasis:names:tc:SAML:1.0:assertion">
        <saml:Conditions NotBefore="2006-02-08T22:54:14.572Z"
          NotOnOrAfter="2006-02-08T23:09:14.572Z">
          <saml:DoNotCacheCondition/>
        </saml:Conditions>
        <saml:AuthenticationStatement AuthenticationInstant="2006-02-08T22:54:14.572Z"
          AuthenticationMethod="urn:oasis:names:tc:SAML:1.0:am:password">
          <saml:Subject>
            <saml:NameIdentifier Format="urn:oasis:names:tc:SAML:1.1:nameid-
              format:X509SubjectName">UID=username,OU=irsA2ASystem,OU=External,
              OU=Internal Revenue Service,OU=Department of the Treasury,
              OU=U.S. Government,C=US</saml:NameIdentifier>
            <saml:SubjectConfirmation>
              <saml:ConfirmationMethod>urn:oasis:names:tc:SAML:1.0:cm:sender-vouches
            </saml:ConfirmationMethod>
            </saml:SubjectConfirmation>
          </saml:Subject>
          <saml:SubjectLocality IPAddress="123.34.56.789"/>
        </saml:AuthenticationStatement>
        <saml:AttributeStatement>

```

```

    <saml:Subject>
      <saml:NameIdentifier Format="urn:oasis:names:tc:SAML:1.1:nameid-format:X509SubjectName">UID=username,OU=irsA2ASystem,OU=External,OU=Internal Revenue Service,OU=Department of the Treasury,OU=U.S. Government,C=US</saml:NameIdentifier>
      <saml:SubjectConfirmation>
        <saml:ConfirmationMethod>urn:oasis:names:tc:SAML:1.0:cm:sender-vouches</saml:ConfirmationMethod>
      </saml:SubjectConfirmation>
    </saml:Subject>
    <saml:Attribute AttributeName="SMSESSION" AttributeNamespace="http://www.forumsys.com/sentry">
      <saml:AttributeValue>
        Tox3pS9+H0J4Pfp2jxnudpLE1mQ/nRkfgyNrFla4FVHIIcf6f+fyzTIOwpv0Gwka
        wFltFbHnk9DWVzyBvsFXIbNihLtvnT1tKfc52EILD6FQrpLCISV74rrvBoe10x
        u/9qIAQcvCp+KqCW5Z8NhryS0GS2YAckFy.....</saml:AttributeValue>
      </saml:Attribute>
    </saml:AttributeStatement>
  </saml:Assertion>
</wsse:UsernameToken>
  <wsse:Username>username</wsse:Username>
  <wsse:Password Type="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-username-token-profile-1.0#PasswordText">password</wsse:Password>
</wsse:UsernameToken>
</wsse:Security>
</SOAP-ENV:Header>
<SOAP-ENV:Body>
  <GetNewAcksRequest xmlns="http://www.irs.gov/a2a/mef/MeFTransmitterService.xsd">
    <MaxResults>2</MaxResults>
  </GetNewAcksRequest>
</SOAP-ENV:Body>
</SOAP-ENV:Envelope>

```

5.3.4 GetNewAcks Service Request Message (MeF Release 4.0)

```

<?xml version="1.0" encoding="UTF-8"?>
<SOAP-ENV:Envelope xmlns:SOAP-ENV="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns:xsd="http://www.w3.org/2001/XMLSchema"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
  <SOAP-ENV:Header>
    <ns1:MeF xmlns:ns1="http://www.irs.gov/a2a/mef/MeFHeader.xsd">
      <ns1:MessageID>00123200603900000031</ns1:MessageID>
      <ns1:Action>GetNewAcks</ns1:Action>
      <ns1:Timestamp>2006-02-21T23:03:19.055Z</ns1:Timestamp>
      <ns1:ETIN>00123</ns1:ETIN>
      <ns1:SessionIndicator>Y</ns1:SessionIndicator>
      <ns1:TestIndicator>P</ns1:TestIndicator>
    </ns1:MeF>
    <wsse:Security xmlns:wsse="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-wssecurity-secext-1.0.xsd" xmlns:wsu="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-wssecurity-utility-1.0.xsd">
      <wsu:Timestamp wsu:Id="id-d19272dadcd197c70a375502fd7af939d6344fd46">

```

```

    <wsu:Created>2006-02-08T22:54:14Z</wsu:Created>
    <wsu:Expires>2006-02-08T23:09:14Z</wsu:Expires>
  </wsu:Timestamp>
  <saml:Assertion AssertionID="id-bece5c1f6a8bef59ec775294472bae14455e57e9"
    IssueInstant="2006-02-08T22:54:14.572Z" Issuer="http://www.forumsys.com/sentry"
    MajorVersion="1" MinorVersion="1"
    xmlns:saml="urn:oasis:names:tc:SAML:1.0:assertion">
    <saml:Conditions NotBefore="2006-02-08T22:54:14.572Z"
      NotOnOrAfter="2006-02-08T23:09:14.572Z">
      <saml:DoNotCacheCondition/>
    </saml:Conditions>
    <saml:AuthenticationStatement AuthenticationInstant="2006-02-08T22:54:14.572Z"
      AuthenticationMethod="urn:oasis:names:tc:SAML:1.0:am:password">
      <saml:Subject>
        <saml:NameIdentifier Format="urn:oasis:names:tc:SAML:1.1:nameid-
          format:X509SubjectName">UID=username,OU=irsA2ASystem,OU=External,
          OU=Internal Revenue Service,OU=Department of the Treasury,
          OU=U.S. Government,C=US</saml:NameIdentifier>
        <saml:SubjectConfirmation>
          <saml:ConfirmationMethod>urn:oasis:names:tc:SAML:1.0:cm:sender-vouches
          </saml:ConfirmationMethod>
        </saml:SubjectConfirmation>
      </saml:Subject>
      <saml:SubjectLocality IPAddress="123.34.56.789"/>
    </saml:AuthenticationStatement>
    <saml:AttributeStatement>
      <saml:Subject>
        <saml:NameIdentifier Format="urn:oasis:names:tc:SAML:1.1:nameid-
          format:X509SubjectName">UID=username,OU=irsA2ASystem,OU=External,
          OU=Internal Revenue Service,OU=Department of the Treasury,
          OU=U.S. Government,C=US</saml:NameIdentifier>
        <saml:SubjectConfirmation>
          <saml:ConfirmationMethod>urn:oasis:names:tc:SAML:1.0:cm:sender-vouches
          </saml:ConfirmationMethod>
        </saml:SubjectConfirmation>
      </saml:Subject>
      <saml:Attribute AttributeName="SMSESSION"
        AttributeNamespace="http://www.forumsys.com/sentry">
        <saml:AttributeValue>
          Tox3pS9+H0J4Pfp2jxnudpLE1mQ/nRkfgyNrFla4FVHIIcf6f+fyzTlOwpv0Gwka
          wFIItFbHnk9DWVzyBvsFXlbnihLtvnT1tKfc5.....</saml:AttributeValue>
        </saml:AttributeValue>
      </saml:Attribute>
    </saml:AttributeStatement>
  </saml:Assertion>
  <wsse:UsernameToken>
    <wsse:Username>username</wsse:Username>
    <wsse:Password Type="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-username-
      token-profile-1.0#PasswordText">password</wsse:Password>
  </wsse:UsernameToken>
</wsse:Security>
</SOAP-ENV:Header>

```

```

<SOAP-ENV:Body>
  <GetNewAcksRequest xmlns="http://www.irs.gov/a2a/mef/MeFTransmitterService.xsd">
    <MaxResults>2</MaxResults>
    <Category>CORP</Category>
    <Agency>Federal</Agency>
  </GetNewAcksRequest>
</SOAP-ENV:Body>
</SOAP-ENV:Envelope>

```

5.3.5 GetNewAcks Service Response Message

```

<?xml version="1.0" encoding="UTF-8"?>
<e:Envelope xmlns:wn1="http://www.irs.gov/a2a/mef/MeFTransmitterService.xsd"
  xmlns:wn0="http://www.irs.gov/a2a/mef/MeFHeader.xsd"
  xmlns:i="http://www.w3.org/2001/XMLSchema-instance"
  xmlns:e="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns:d="http://www.w3.org/2001/XMLSchema">
  <e:Header>
    <ns0:MeF xmlns:ns0="http://www.irs.gov/MeF/MeFHeader.xsd">
      <ns0:MessageID>00123200603900000031R</ns0:MessageID>
      <ns0:RelatesTo>00123200603900000031</ns0:RelatesTo>
      <ns0:Action>GetNewAcks</ns0:Action>
      <ns0:Timestamp>2006-02-08T22:54:19Z</ns0:Timestamp>
      <ns0:ETIN>00123</ns0:ETIN>
      <ns0:SessionIndicator>Y</ns0:SessionIndicator>
      <ns0:TestIndicator>P</ns0:TestIndicator>
    </ns0:MeF>
    <wsse:Security xmlns:wsse="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-wssecurity-secext-1.0.xsd" xmlns:wssu="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-wssecurity-utility-1.0.xsd">
      <wssu:Timestamp wssu:Id="id-d19272dad197c70a375502fd7af939d6344fd46">
        <wssu:Created>2006-02-08T22:54:14Z</wssu:Created>
        <wssu:Expires>2006-02-08T23:09:14Z</wssu:Expires>
      </wssu:Timestamp>
      <saml:Assertion MajorVersion="1" IssueInstant="2006-02-08T22:54:14.572Z"
        Issuer="http://www.forumsys.com/sentry"
        AssertionID="id-bece5c1f6a8bef59ec775294472bae14455e57e9"
        MinorVersion="1" xmlns:saml="urn:oasis:names:tc:SAML:1.0:assertion">
        <saml:Conditions NotOnOrAfter="2006-02-08T23:09:14.572Z"
          NotBefore="2006-02-08T22:54:14.572Z">
          <saml:DoNotCacheCondition/>
        </saml:Conditions>
        <saml:AuthenticationStatement AuthenticationInstant="2006-02-08T22:54:14.572Z"
          AuthenticationMethod="urn:oasis:names:tc:SAML:1.0:am:password">
          <saml:Subject>
            <saml:NameIdentifier Format="urn:oasis:names:tc:SAML:1.1:nameid-format:X509SubjectName">UID=username,OU=irsA2ASystem,OU=External,
              OU=Internal Revenue Service,OU=Department of the Treasury,
              OU=U.S. Government,C=US</saml:NameIdentifier>
            <saml:SubjectConfirmation>
              <saml:ConfirmationMethod>urn:oasis:names:tc:SAML:1.0:cm:sender-vouches
            </saml:ConfirmationMethod>
          </saml:Subject>
        </saml:AuthenticationStatement>
      </saml:Assertion>
    </wsse:Security>
  </e:Header>
  <ns0:MeFResponse xmlns:ns0="http://www.irs.gov/MeF/MeFHeader.xsd">
    <ns0:MessageID>00123200603900000031R</ns0:MessageID>
    <ns0:RelatesTo>00123200603900000031</ns0:RelatesTo>
    <ns0:Action>GetNewAcks</ns0:Action>
    <ns0:Timestamp>2006-02-08T22:54:19Z</ns0:Timestamp>
    <ns0:ETIN>00123</ns0:ETIN>
    <ns0:SessionIndicator>Y</ns0:SessionIndicator>
    <ns0:TestIndicator>P</ns0:TestIndicator>
  </ns0:MeFResponse>
  <ns0:MeFResponseData xmlns:ns0="http://www.irs.gov/MeF/MeFHeader.xsd">
    <ns0:MessageID>00123200603900000031R</ns0:MessageID>
    <ns0:RelatesTo>00123200603900000031</ns0:RelatesTo>
    <ns0:Action>GetNewAcks</ns0:Action>
    <ns0:Timestamp>2006-02-08T22:54:19Z</ns0:Timestamp>
    <ns0:ETIN>00123</ns0:ETIN>
    <ns0:SessionIndicator>Y</ns0:SessionIndicator>
    <ns0:TestIndicator>P</ns0:TestIndicator>
  </ns0:MeFResponseData>
  </e:Envelope>

```

```

        </saml:SubjectConfirmation>
    </saml:Subject>
    <saml:SubjectLocality IPAddress="123.34.56.789"/>
</saml:AuthenticationStatement>
<saml:AttributeStatement>
    <saml:Subject>
        <saml:NameIdentifier Format="urn:oasis:names:tc:SAML:1.1:nameid-
            format:X509SubjectName">UID=username,OU=irsA2ASystem,OU=External,
            OU=Internal Revenue Service,OU=Department of the Treasury,
            OU=U.S. Government,C=US</saml:NameIdentifier>
        <saml:SubjectConfirmation>
            <saml:ConfirmationMethod>urn:oasis:names:tc:SAML:1.0:cm:sender-vouches
            </saml:ConfirmationMethod>
        </saml:SubjectConfirmation>
    </saml:Subject>
    <saml:Attribute AttributeNamespace="http://www.forumsys.com/sentry"
        AttributeName="SMSESSION">
        <saml:AttributeValue>
            Tox3pS9+H0J4Pfp2jxnudpLE1mQ/nRkfgyNrFla4FVHIIcf6f+fyzTIOwpv0Gwka
            u/9qIAQcvCp+KqCW5Z8N..... </saml:AttributeValue>
        </saml:Attribute>
    </saml:AttributeStatement>
</saml:Assertion>
<wsse:UsernameToken>
    <wsse:Username>username</wsse:Username>
    <wsse:Password Type="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-username-
        token-profile-1.0#PasswordText">password</wsse:Password>
</wsse:UsernameToken>
</wsse:Security>
</e:Header>
<e:Body>
    <ns10:GetNewAcksResponse xmlns:ns10="http://www.irs.gov/a2a/mef/MeFTransmitterService.xsd">
        <ns10:MoreAvailable>true</ns10:MoreAvailable>
    </ns10:GetNewAcksResponse>
</e:Body>
</e:Envelope>

```

5.3.6 Get Acks by Message ID Service Request Message

```

<?xml version="1.0" encoding="UTF-8"?>
<SOAP-ENV:Envelope xmlns:SOAP-ENV="http://schemas.xmlsoap.org/soap/envelope/"
    xmlns:xsd="http://www.w3.org/2001/XMLSchema"
    xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
    <SOAP-ENV:Header>
        <ns1:MeF xmlns:ns1="http://www.irs.gov/a2a/mef/MeFHeader.xsd">
            <ns1:MessageID>00123200603900000032</ns1:MessageID>
            <ns1:Action>GetAcksByMsgID</ns1:Action>
            <ns1:Timestamp>2006-01-30T19:12:40.557Z</ns1:Timestamp>
            <ns1:ETIN>00123</ns1:ETIN>
            <ns1:SessionIndicator>Y</ns1:SessionIndicator>
            <ns1:TestIndicator>P</ns1:TestIndicator>
        </ns1:MeF>
    </SOAP-ENV:Header>

```

```

<wsse:Security xmlns:wsse="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-wssecurity-
secext-1.0.xsd" xmlns:wsu="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-
wssecurity-utility-1.0.xsd">
  <wsu:Timestamp wsu:Id="id-d19272dad197c70a375502fd7af939d6344fd46">
    <wsu:Created>2006-02-08T22:54:14Z</wsu:Created>
    <wsu:Expires>2006-02-08T23:09:14Z</wsu:Expires>
  </wsu:Timestamp>
  <saml:Assertion AssertionID="id-bece5c1f6a8bef59ec775294472bae14455e57e9"
    IssueInstant="2006-02-08T22:54:14.572Z" Issuer="http://www.forumsys.com/sentry"
    MajorVersion="1" MinorVersion="1"
    xmlns:saml="urn:oasis:names:tc:SAML:1.0:assertion">
    <saml:Conditions NotBefore="2006-02-08T22:54:14.572Z"
      NotOnOrAfter="2006-02-08T23:09:14.572Z">
      <saml:DoNotCacheCondition/>
    </saml:Conditions>
    <saml:AuthenticationStatement AuthenticationInstant="2006-02-08T22:54:14.572Z"
      AuthenticationMethod="urn:oasis:names:tc:SAML:1.0:am:password">
      <saml:Subject>
        <saml:NameIdentifier Format="urn:oasis:names:tc:SAML:1.1:nameid-
          format:X509SubjectName">UID=username,OU=irsA2ASystem,OU=External,
          OU=Internal Revenue Service,OU=Department of the Treasury,
          OU=U.S. Government,C=US</saml:NameIdentifier>
        <saml:SubjectConfirmation>
          <saml:ConfirmationMethod>urn:oasis:names:tc:SAML:1.0:cm:sender-vouches
          </saml:ConfirmationMethod>
        </saml:SubjectConfirmation>
      </saml:Subject>
      <saml:SubjectLocality IPAddress="123.34.56.789"/>
    </saml:AuthenticationStatement>
    <saml:AttributeStatement>
      <saml:Subject>
        <saml:NameIdentifier Format="urn:oasis:names:tc:SAML:1.1:nameid-
          format:X509SubjectName">UID=username,OU=irsA2ASystem,OU=External,
          OU=Internal Revenue Service,OU=Department of the Treasury,
          OU=U.S. Government,C=US</saml:NameIdentifier>
        <saml:SubjectConfirmation>
          <saml:ConfirmationMethod>urn:oasis:names:tc:SAML:1.0:cm:sender-vouches
          </saml:ConfirmationMethod>
        </saml:SubjectConfirmation>
      </saml:Subject>
      <saml:Attribute AttributeName="SMSESSION"
        AttributeNamespace="http://www.forumsys.com/sentry">
        <saml:AttributeValue>
          Tox3pS9+H0J4Pfp2jxnudpLE1mQ/nRkfgyNrFla4FVHIIcf6f+fyzTIOwpv0Gwka
          wFItFbHnk9DWVzyBvsFXIbNihLtvnT1tKfc52EILD6FQrpLCISV74rrvBoe10x
          u/9qIAQcvCp+KqCW5Z8N0.....</saml:AttributeValue>
        </saml:Attribute>
      </saml:AttributeStatement>
    </saml:Assertion>
  <wsse:UsernameToken>
    <wsse:Username>username</wsse:Username>
  </wsse:UsernameToken>
</wsse:Security>

```

```

    <wsse:Password Type="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-username-
        token-profile-1.0#PasswordText">password</wsse:Password>
    </wsse:UsernameToken>
  </wsse:Security>
</SOAP-ENV:Header>
<SOAP-ENV:Body>
  <GetAcksByMsgIDRequest xmlns="http://www.irs.gov/a2a/mef/MeFTransmitterService.xsd">
    <MessageID>00123200603900000031</MessageID>
  </GetAcksByMsgIDRequest>
</SOAP-ENV:Body>
</SOAP-ENV:Envelope>

```

5.3.7 Get Acks by Message ID Service Response Message

```

<?xml version="1.0" encoding="UTF-8"?>
<e:Envelope xmlns:wn1="http://www.irs.gov/a2a/mef/MeFTransmitterService.xsd"
  xmlns:wn0="http://www.irs.gov/a2a/mef/MeFHeader.xsd"
  xmlns:i="http://www.w3.org/2001/XMLSchema-instance"
  xmlns:e="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns:d="http://www.w3.org/2001/XMLSchema">
  <e:Header>
    <ns0:MeF xmlns:ns0="http://www.irs.gov/MeF/MeFHeader.xsd">
      <ns0:MessageID>00123200603900000032R</ns0:MessageID>
      <ns0:RelatesTo>00123200603900000032</ns0:RelatesTo>
      <ns0:Action>GetAcksByMsgID</ns0:Action>
      <ns0:Timestamp>2006-02-08T22:54:26Z</ns0:Timestamp>
      <ns0:ETIN>00123</ns0:ETIN>
      <ns0:SessionIndicator>Y</ns0:SessionIndicator>
      <ns0:TestIndicator>P</ns0:TestIndicator>
    </ns0:MeF>
    <wsse:Security xmlns:wsse="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-wssecurity-
      secext-1.0.xsd" xmlns:wsu="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-
      wssecurity-utility-1.0.xsd">
      <wsu:Timestamp wsu:Id="id-d19272dadcd197c70a375502fd7af939d6344fd46">
        <wsu:Created>2006-02-08T22:54:14Z</wsu:Created>
        <wsu:Expires>2006-02-08T23:09:14Z</wsu:Expires>
      </wsu:Timestamp>
      <saml:Assertion MajorVersion="1" IssueInstant="2006-02-08T22:54:14.572Z"
        Issuer="http://www.forumsys.com/sentry"
        AssertionID="id-bece5c1f6a8bef59ec775294472bae14455e57e9"
        MinorVersion="1" xmlns:saml="urn:oasis:names:tc:SAML:1.0:assertion">
        <saml:Conditions NotOnOrAfter="2006-02-08T23:09:14.572Z"
          NotBefore="2006-02-08T22:54:14.572Z">
          <saml:DoNotCacheCondition/>
        </saml:Conditions>
        <saml:AuthenticationStatement AuthenticationInstant="2006-02-08T22:54:14.572Z"
          AuthenticationMethod="urn:oasis:names:tc:SAML:1.0:am:password">
          <saml:Subject>
            <saml:NameIdentifier Format="urn:oasis:names:tc:SAML:1.1:nameid-
              format:X509SubjectName">UID=username,OU=irsA2ASystem,OU=External,
              OU=Internal Revenue Service,OU=Department of the Treasury,
              OU=U.S. Government,C=US</saml:NameIdentifier>

```

```

        <saml:SubjectConfirmation>
            <saml:ConfirmationMethod>urn:oasis:names:tc:SAML:1.0:cm:sender-vouches
            </saml:ConfirmationMethod>
        </saml:SubjectConfirmation>
    </saml:Subject>
    <saml:SubjectLocality IPAddress="123.34.56.789"/>
</saml:AuthenticationStatement>
<saml:AttributeStatement>
    <saml:Subject>
        <saml:NameIdentifier Format="urn:oasis:names:tc:SAML:1.1:nameid-
            format:X509SubjectName">UID=username,OU=irsA2ASystem,OU=External,
            OU=Internal Revenue Service,OU=Department of the Treasury,
            OU=U.S. Government,C=US</saml:NameIdentifier>
        <saml:SubjectConfirmation>
            <saml:ConfirmationMethod>urn:oasis:names:tc:SAML:1.0:cm:sender-vouches
            </saml:ConfirmationMethod>
        </saml:SubjectConfirmation>
    </saml:Subject>
    <saml:Attribute AttributeNamespace="http://www.forumsys.com/sentry"
        AttributeName="SMSESSION">
        <saml:AttributeValue>
            Tox3pS9+H0J4Pfp2jxnudpLE1mQ/nRkfgyNrFla4FVHIIcf6f+fyzTlOwpv0Gwka
            wFItFbHnk9DWVzyBvsFXIbNihLtnT1tKfc52EI.....</saml:AttributeValue>
        </saml:Attribute>
    </saml:AttributeStatement>
</saml:Assertion>
<wsse:UsernameToken>
    <wsse:Username>username</wsse:Username>
    <wsse:Password Type="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-username-
        token-profile-1.0#PasswordText">password</wsse:Password>
</wsse:UsernameToken>
</wsse:Security>
</e:Header>
<e:Body>
    <ns10:GetAcksByMsgIDResponse xmlns:ns10="http://www.irs.gov/a2a/mef/MeFTransmitterService.xsd">
        <ns10:MoreAvailable>>false</ns10:MoreAvailable>
    </ns10:GetAcksByMsgIDResponse>
</e:Body>
</e:Envelope>

```

5.3.8 GetAcks Service Request Message

```

<?xml version="1.0" encoding="UTF-8"?>
<SOAP-ENV:Envelope xmlns:SOAP-ENV="http://schemas.xmlsoap.org/soap/envelope/"
    xmlns:xsd="http://www.w3.org/2001/XMLSchema"
    xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
    <SOAP-ENV:Header>
        <ns1:MeF xmlns:ns1="http://www.irs.gov/a2a/mef/MeFHeader.xsd">
            <ns1:MessageID>00123200603900000033</ns1:MessageID>
            <ns1:Action>GetAcks</ns1:Action>
            <ns1:Timestamp>2006-02-26T14:20:42.526Z</ns1:Timestamp>
            <ns1:ETIN>00123</ns1:ETIN>
        </ns1:MeF>
    </SOAP-ENV:Header>

```

```

<ns1:SessionIndicator>Y</ns1:SessionIndicator>
<ns1:TestIndicator>P</ns1:TestIndicator>
</ns1:MeF>
<wsse:Security xmlns:wsse="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-wssecurity-
secect-1.0.xsd" xmlns:wsu="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-
wssecurity-utility-1.0.xsd">
  <wsu:Timestamp wsu:Id="id-d19272dad197c70a375502fd7af939d6344fd46">
    <wsu:Created>2006-02-08T22:54:14Z</wsu:Created>
    <wsu:Expires>2006-02-08T23:09:14Z</wsu:Expires>
  </wsu:Timestamp>
  <saml:Assertion AssertionID="id-bece5c1f6a8bef59ec775294472bae14455e57e9"
  IssueInstant="2006-02-08T22:54:14.572Z" Issuer="http://www.forumsys.com/sentry"
  MajorVersion="1" MinorVersion="1"
  xmlns:saml="urn:oasis:names:tc:SAML:1.0:assertion">
    <saml:Conditions NotBefore="2006-02-08T22:54:14.572Z"
    NotOnOrAfter="2006-02-08T23:09:14.572Z">
      <saml:DoNotCacheCondition/>
    </saml:Conditions>
    <saml:AuthenticationStatement AuthenticationInstant="2006-02-08T22:54:14.572Z"
    AuthenticationMethod="urn:oasis:names:tc:SAML:1.0:am:password">
      <saml:Subject>
        <saml:NameIdentifier Format="urn:oasis:names:tc:SAML:1.1:nameid-
        format:X509SubjectName">UID=username,OU=irsA2ASystem,OU=External,
        OU=Internal Revenue Service,OU=Department of the Treasury,
        OU=U.S. Government,C=US</saml:NameIdentifier>
        <saml:SubjectConfirmation>
          <saml:ConfirmationMethod>urn:oasis:names:tc:SAML:1.0:cm:sender-vouches
          </saml:ConfirmationMethod>
        </saml:SubjectConfirmation>
      </saml:Subject>
      <saml:SubjectLocality IPAddress="123.34.56.789"/>
    </saml:AuthenticationStatement>
    <saml:AttributeStatement>
      <saml:Subject>
        <saml:NameIdentifier Format="urn:oasis:names:tc:SAML:1.1:nameid-
        format:X509SubjectName">UID=username,OU=irsA2ASystem,OU=External,
        OU=Internal Revenue Service,OU=Department of the Treasury,
        OU=U.S. Government,C=US</saml:NameIdentifier>
        <saml:SubjectConfirmation>
          <saml:ConfirmationMethod>urn:oasis:names:tc:SAML:1.0:cm:sender-vouches
          </saml:ConfirmationMethod>
        </saml:SubjectConfirmation>
      </saml:Subject>
      <saml:Attribute AttributeName="SMSESSION"
      AttributeNamespace="http://www.forumsys.com/sentry">
        <saml:AttributeValue>
          Tox3pS9+H0J4Pfp2jxnudpLE1mQ/nRkfgyNrFla4FVHIIcf6f+fyzTIOwpv0Gwka
          wFItFbHnk9DWVzyBvsFXIbNihLtvnT1tKfc52EILD6FQrpLCISV74rrvBoe10x
          u/9qIAQcvCp+KqCW5Z8N0P.....</saml:AttributeValue>
        </saml:Attribute>
      </saml:AttributeStatement>

```

```

</saml:Assertion>
<wsse:UsernameToken>
  <wsse:Username>username</wsse:Username>
  <wsse:Password Type="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-username-
    token-profile-1.0#PasswordText">password</wsse:Password>
</wsse:UsernameToken>
</wsse:Security>
</SOAP-ENV:Header>
<SOAP-ENV:Body>
  <GetAcksRequest xmlns="http://www.irs.gov/a2a/mef/MeFTransmitterService.xsd">
    <SubmissionIdList>
      <Count>2</Count>
      <SubmissionId>00123420060380000096</SubmissionId>
      <SubmissionId>00123420060380000097</SubmissionId>
    </SubmissionIdList>
  </GetAcksRequest>
</SOAP-ENV:Body>
</SOAP-ENV:Envelope>

```

5.3.9 GetAcks Service Response Message

```

<?xml version="1.0" encoding="UTF-8"?>
<e:Envelope xmlns:wn1="http://www.irs.gov/a2a/mef/MeFTransmitterService.xsd"
  xmlns:wn0="http://www.irs.gov/a2a/mef/MeFHeader.xsd"
  xmlns:i="http://www.w3.org/2001/XMLSchema-instance"
  xmlns:e="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns:d="http://www.w3.org/2001/XMLSchema">
  <e:Header>
    <ns0:MeF xmlns:ns0="http://www.irs.gov/MeF/MeFHeader.xsd">
      <ns0:MessageID>00123200603900000033R</ns0:MessageID>
      <ns0:RelatesTo>00123200603900000033</ns0:RelatesTo>
      <ns0:Action>GetAcks</ns0:Action>
      <ns0:Timestamp>2006-02-08T22:54:31Z</ns0:Timestamp>
      <ns0:ETIN>00123</ns0:ETIN>
      <ns0:SessionIndicator>Y</ns0:SessionIndicator>
      <ns0:TestIndicator>P</ns0:TestIndicator>
    </ns0:MeF>
    <wsse:Security xmlns:wsse="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-wssecurity-
      secext-1.0.xsd" xmlns:wsu="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-
      wssecurity-utility-1.0.xsd">
      <wsu:Timestamp wsu:Id="id-d19272dad197c70a375502fd7af939d6344fd46">
        <wsu:Created>2006-02-08T22:54:14Z</wsu:Created>
        <wsu:Expires>2006-02-08T23:09:14Z</wsu:Expires>
      </wsu:Timestamp>
      <saml:Assertion MajorVersion="1" IssueInstant="2006-02-08T22:54:14.572Z"
        Issuer="http://www.forumsys.com/sentry"
        AssertionID="id-bece5c1f6a8bef59ec775294472bae14455e57e9"
        MinorVersion="1" xmlns:saml="urn:oasis:names:tc:SAML:1.0:assertion">
        <saml:Conditions NotOnOrAfter="2006-02-08T23:09:14.572Z"
          NotBefore="2006-02-08T22:54:14.572Z">
          <saml:DoNotCacheCondition/>
        </saml:Conditions>

```

```

<saml:AuthenticationStatement AuthenticationInstant="2006-02-08T22:54:14.572Z"
  AuthenticationMethod="urn:oasis:names:tc:SAML:1.0:am:password">
  <saml:Subject>
    <saml:NameIdentifier Format="urn:oasis:names:tc:SAML:1.1:nameid-
      format:X509SubjectName">UID=username,OU=irsA2ASystem,OU=External,
      OU=Internal Revenue Service,OU=Department of the Treasury,
      OU=U.S. Government,C=US</saml:NameIdentifier>
    <saml:SubjectConfirmation>
      <saml:ConfirmationMethod>urn:oasis:names:tc:SAML:1.0:cm:sender-vouches
      </saml:ConfirmationMethod>
    </saml:SubjectConfirmation>
  </saml:Subject>
  <saml:SubjectLocality IPAddress="123.34.56.789"/>
</saml:AuthenticationStatement>
<saml:AttributeStatement>
  <saml:Subject>
    <saml:NameIdentifier Format="urn:oasis:names:tc:SAML:1.1:nameid-
      format:X509SubjectName">UID=username,OU=irsA2ASystem,OU=External,
      OU=Internal Revenue Service,OU=Department of the Treasury,
      OU=U.S. Government,C=US</saml:NameIdentifier>
    <saml:SubjectConfirmation>
      <saml:ConfirmationMethod>urn:oasis:names:tc:SAML:1.0:cm:sender-vouches
      </saml:ConfirmationMethod>
    </saml:SubjectConfirmation>
  </saml:Subject>
  <saml:Attribute AttributeNamespace="http://www.forumsys.com/sentry"
    AttributeName="SMSESSION">
    <saml:AttributeValue>
      Tox3pS9+H0J4Pfp2jxnudpLE1mQ/nRkfgyNrFla4FVHIIcf6f+fyzTlOwpv0Gwka
      wFItFbHnk9DWVzyBvsFX1bNihLtvnT1tKfc52EILD6FQrpLCISV74rrvBoe10x
      u/9qIAQcvCp+KqCW5Z8N0P+.....</saml:AttributeValue>
    </saml:Attribute>
  </saml:AttributeStatement>
</saml:Assertion>
<wsse:UsernameToken>
  <wsse:Username>username</wsse:Username>
  <wsse:Password Type="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-username-
    token-profile-1.0#PasswordText">password</wsse:Password>
</wsse:UsernameToken>
</wsse:Security>
</e:Header>
<e:Body>
  <ns10:GetAcksResponse xmlns:ns10="http://www.irs.gov/a2a/mef/MeFTTransmitterService.xsd">
    <ns10:ErrorList>
      <ns10:Count>0</ns10:Count>
      <ns10:SubmissionError i:nil="true"/>
    </ns10:ErrorList>
  </ns10:GetAcksResponse>
</e:Body>
</e:Envelope>

```

5.3.10 GetAck Service Request Message

```
<?xml version="1.0" encoding="UTF-8"?>
<SOAP-ENV:Envelope xmlns:SOAP-ENV="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns:xsd="http://www.w3.org/2001/XMLSchema"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
  <SOAP-ENV:Header>
    <ns1:MeF xmlns:ns1="http://www.irs.gov/a2a/mef/MeFHeader.xsd">
      <ns1:MessageID>00123200603900000034</ns1:MessageID>
      <ns1:Action>GetAck</ns1:Action>
      <ns1:Timestamp>2006-01-19T21:27:25.696Z</ns1:Timestamp>
      <ns1:ETIN>00123</ns1:ETIN>
      <ns1:SessionIndicator>Y</ns1:SessionIndicator>
      <ns1:TestIndicator>P</ns1:TestIndicator>
    </ns1:MeF>
    <wsse:Security xmlns:wsse="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-wssecurity-
      secext-1.0.xsd" xmlns:wsu="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-
      wssecurity-utility-1.0.xsd">
      <wsu:Timestamp wsu:Id="id-d19272dad197c70a375502fd7af939d6344fd46">
        <wsu:Created>2006-02-08T22:54:14Z</wsu:Created>
        <wsu:Expires>2006-02-08T23:09:14Z</wsu:Expires>
      </wsu:Timestamp>
      <saml:Assertion AssertionID="id-bece5c1f6a8bef59ec775294472bae14455e57e9"
        IssueInstant="2006-02-08T22:54:14.572Z" Issuer="http://www.forumsys.com/sentry"
        MajorVersion="1" MinorVersion="1"
        xmlns:saml="urn:oasis:names:tc:SAML:1.0:assertion">
        <saml:Conditions NotBefore="2006-02-08T22:54:14.572Z"
          NotOnOrAfter="2006-02-08T23:09:14.572Z">
          <saml:DoNotCacheCondition/>
        </saml:Conditions>
        <saml:AuthenticationStatement AuthenticationInstant="2006-02-08T22:54:14.572Z"
          AuthenticationMethod="urn:oasis:names:tc:SAML:1.0:am:password">
          <saml:Subject>
            <saml:NameIdentifier Format="urn:oasis:names:tc:SAML:1.1:nameid-
              format:X509SubjectName">UID=username,OU=irsA2ASystem,OU=External,
              OU=Internal Revenue Service,OU=Department of the Treasury,
              OU=U.S. Government,C=US</saml:NameIdentifier>
            <saml:SubjectConfirmation>
              <saml:ConfirmationMethod>urn:oasis:names:tc:SAML:1.0:cm:sender-vouches
            </saml:ConfirmationMethod>
            </saml:SubjectConfirmation>
          </saml:Subject>
          <saml:SubjectLocality IPAddress="123.34.56.789"/>
        </saml:AuthenticationStatement>
        <saml:AttributeStatement>
          <saml:Subject>
            <saml:NameIdentifier Format="urn:oasis:names:tc:SAML:1.1:nameid-
              format:X509SubjectName">UID=username,OU=irsA2ASystem,OU=External,
              OU=Internal Revenue Service,OU=Department of the Treasury,
              OU=U.S. Government,C=US</saml:NameIdentifier>
            <saml:SubjectConfirmation>
              <saml:ConfirmationMethod>urn:oasis:names:tc:SAML:1.0:cm:sender-vouches
```

```

        </saml:ConfirmationMethod>
    </saml:SubjectConfirmation>
</saml:Subject>
<saml:Attribute AttributeName="SMSESSION"
    AttributeNamespace="http://www.forumsys.com/sentry">
    <saml:AttributeValue>
        Tox3pS9+H0J4Pfp2jxnudpLE1mQ/nRkfgyNrFla4FVHIIcf6f+fyzTIOwpv0Gwka
        wFltFbHnk9DWVzyBvsFXIbNihLtvnT1tKfc52EILD6FQrpLCISV74rrvBoe10x
        u/9qIAQcvCp+KqCW5Z8N0P.....</saml:AttributeValue>
    </saml:Attribute>
</saml:AttributeStatement>
</saml:Assertion>
<wsse:UsernameToken>
    <wsse:Username>username</wsse:Username>
    <wsse:Password Type="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-username-
        token-profile-1.0#PasswordText">password</wsse:Password>
</wsse:UsernameToken>
</wsse:Security>
</SOAP-ENV:Header>
<SOAP-ENV:Body>
    <GetAckRequest xmlns="http://www.irs.gov/a2a/mef/MeFTransmitterService.xsd">
        <SubmissionId>00123420060380000096</SubmissionId>
    </GetAckRequest>
</SOAP-ENV:Body>
</SOAP-ENV:Envelope>

```

5.3.11 GetAck Service Response Message

```

<?xml version="1.0" encoding="UTF-8"?>
<e:Envelope xmlns:wn1="http://www.irs.gov/a2a/mef/MeFTransmitterService.xsd"
    xmlns:wn0="http://www.irs.gov/a2a/mef/MeFHeader.xsd"
    xmlns:i="http://www.w3.org/2001/XMLSchema-instance"
    xmlns:e="http://schemas.xmlsoap.org/soap/envelope/"
    xmlns:d="http://www.w3.org/2001/XMLSchema">
    <e:Header>
        <ns0:MeF xmlns:ns0="http://www.irs.gov/MeF/MeFHeader.xsd">
            <ns0:MessageID>00123200603900000034R</ns0:MessageID>
            <ns0:RelatesTo>00123200603900000034</ns0:RelatesTo>
            <ns0:Action>GetAck</ns0:Action>
            <ns0:Timestamp>2006-02-08T22:54:36Z</ns0:Timestamp>
            <ns0:ETIN>00123</ns0:ETIN>
            <ns0:SessionIndicator>Y</ns0:SessionIndicator>
            <ns0:TestIndicator>P</ns0:TestIndicator>
        </ns0:MeF>
        <wsse:Security xmlns:wsse="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-wssecurity-
            secext-1.0.xsd" xmlns:wsu="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-
            wssecurity-utility-1.0.xsd">
            <wsu:Timestamp wsu:Id="id-d19272dad197c70a375502fd7af939d6344fd46">
                <wsu:Created>2006-02-08T22:54:14Z</wsu:Created>
                <wsu:Expires>2006-02-08T23:09:14Z</wsu:Expires>
            </wsu:Timestamp>

```

```

<saml:Assertion MajorVersion="1" IssueInstant="2006-02-08T22:54:14.572Z"
  Issuer="http://www.forumsys.com/sentry"
  AssertionID="id-bece5c1f6a8bef59ec775294472bae14455e57e9"
  MinorVersion="1" xmlns:saml="urn:oasis:names:tc:SAML:1.0:assertion">
  <saml:Conditions NotOnOrAfter="2006-02-08T23:09:14.572Z"
    NotBefore="2006-02-08T22:54:14.572Z">
    <saml:DoNotCacheCondition/>
  </saml:Conditions>
  <saml:AuthenticationStatement AuthenticationInstant="2006-02-08T22:54:14.572Z"
    AuthenticationMethod="urn:oasis:names:tc:SAML:1.0:am:password">
    <saml:Subject>
      <saml:NameIdentifier Format="urn:oasis:names:tc:SAML:1.1:nameid-
        format:X509SubjectName">UID=username,OU=irsA2ASystem,OU=External,
        OU=Internal Revenue Service,OU=Department of the Treasury,
        OU=U.S. Government,C=US</saml:NameIdentifier>
      <saml:SubjectConfirmation>
        <saml:ConfirmationMethod>urn:oasis:names:tc:SAML:1.0:cm:sender-vouches
        </saml:ConfirmationMethod>
      </saml:SubjectConfirmation>
    </saml:Subject>
    <saml:SubjectLocality IPAddress="123.34.56.789"/>
  </saml:AuthenticationStatement>
  <saml:AttributeStatement>
    <saml:Subject>
      <saml:NameIdentifier Format="urn:oasis:names:tc:SAML:1.1:nameid-
        format:X509SubjectName">UID=username,OU=irsA2ASystem,OU=External,
        OU=Internal Revenue Service,OU=Department of the Treasury,
        OU=U.S. Government,C=US</saml:NameIdentifier>
      <saml:SubjectConfirmation>
        <saml:ConfirmationMethod>urn:oasis:names:tc:SAML:1.0:cm:sender-vouches
        </saml:ConfirmationMethod>
      </saml:SubjectConfirmation>
    </saml:Subject>
    <saml:Attribute AttributeNamespace="http://www.forumsys.com/sentry"
      AttributeName="SMSESSION">
      <saml:AttributeValue>
        Tox3pS9+H0J4Pfp2jxnudpLE1mQ/nRkfgyNrFla4FVHIIcf6f+fyzTIOwpv0Gwka
        wFIItFbHnk9DWVzyBvsFXIbNihLtvnT1tKfc52EILD6FQrpLCISV74rrvBoe10x
        u/9qIAQcvCp+KqCW5Z8N0P.....</saml:AttributeValue>
      </saml:Attribute>
    </saml:AttributeStatement>
  </saml:Assertion>
  <wsse:UsernameToken>
    <wsse:Username>username</wsse:Username>
    <wsse:Password Type="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-username-
      token-profile-1.0#PasswordText">password</wsse:Password>
  </wsse:UsernameToken>
</wsse:Security>
</e:Header>

```

```

    <e:Body>
      <ns10:GetAckResponse xmlns:ns10="http://www.irs.gov/a2a/mef/MeFTransmitterService.xsd"/>
    </e:Body>
  </e:Envelope>

```

5.3.12 GetNewSubmissionsStatus Service Request Message

```

<?xml version="1.0" encoding="UTF-8"?>
<SOAP-ENV:Envelope xmlns:SOAP-ENV="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns:xsd="http://www.w3.org/2001/XMLSchema"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
  <SOAP-ENV:Header>
    <ns1:MeF xmlns:ns1="http://www.irs.gov/a2a/mef/MeFHeader.xsd">
      <ns1:MessageID>00123200603900000021</ns1:MessageID>
      <ns1:Action>GetNewSubmissionsStatus</ns1:Action>
      <ns1:Timestamp>2006-01-18T20:42:13.189Z</ns1:Timestamp>
      <ns1:ETIN>00123</ns1:ETIN>
      <ns1:SessionIndicator>Y</ns1:SessionIndicator>
      <ns1:TestIndicator>P</ns1:TestIndicator>
    </ns1:MeF>
    <wsse:Security xmlns:wsse="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-wssecurity-
      secext-1.0.xsd" xmlns:wsu="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-
      wssecurity-utility-1.0.xsd">
      <wsu:Timestamp wsu:Id="id-a2010a5da0d1d70a24272ee8d501e1ac85923f94">
        <wsu:Created>2006-02-08T22:32:29Z</wsu:Created>
        <wsu:Expires>2006-02-08T22:47:29Z</wsu:Expires>
      </wsu:Timestamp>
      <saml:Assertion AssertionID="id-0d586b6f305c53db2ddc635806029a676e140c59"
        IssueInstant="2006-02-08T22:32:29.727Z" Issuer="http://www.forumsys.com/sentry"
        MajorVersion="1" MinorVersion="1"
        xmlns:saml="urn:oasis:names:tc:SAML:1.0:assertion">
        <saml:Conditions NotBefore="2006-02-08T22:32:29.727Z"
          NotOnOrAfter="2006-02-08T22:47:29.727Z">
          <saml:DoNotCacheCondition/>
        </saml:Conditions>
        <saml:AuthenticationStatement AuthenticationInstant="2006-02-08T22:32:29.727Z"
          AuthenticationMethod="urn:oasis:names:tc:SAML:1.0:am:password">
          <saml:Subject>
            <saml:NameIdentifier Format="urn:oasis:names:tc:SAML:1.1:nameid-
              format:X509SubjectName">UID=username,OU=irsA2ASystem,OU=External,
              OU=Internal Revenue Service,OU=Department of the Treasury,
              OU=U.S. Government,C=US</saml:NameIdentifier>
            <saml:SubjectConfirmation>
              <saml:ConfirmationMethod>urn:oasis:names:tc:SAML:1.0:cm:sender-vouches
            </saml:ConfirmationMethod>
            </saml:SubjectConfirmation>
          </saml:Subject>
          <saml:SubjectLocality IPAddress="123.34.56.789"/>
        </saml:AuthenticationStatement>
        <saml:AttributeStatement>
          <saml:Subject>

```

```

    <saml:NameIdentifier Format="urn:oasis:names:tc:SAML:1.1:nameid-
      format:X509SubjectName">UID=username,OU=irsA2ASystem,OU=External,
      OU=Internal Revenue Service,OU=Department of the Treasury,
      OU=U.S. Government,C=US</saml:NameIdentifier>
    <saml:SubjectConfirmation>
      <saml:ConfirmationMethod>urn:oasis:names:tc:SAML:1.0:cm:sender-vouches
      </saml:ConfirmationMethod>
    </saml:SubjectConfirmation>
  </saml:Subject>
  <saml:Attribute AttributeName="SMSESSION"
    AttributeNamespace="http://www.forumsys.com/sentry">
    <saml:AttributeValue>
      nGxSaaEpb9fpL7WUICbnHR73LXMwggfrTdQbAiBskIIqoaactecA+pD58tRE4
      CT3aWu6NW74OEdrwq/VkAM9f9YeTL9siBfdZiM8hPOr+qastRGNWOhmHB
      setw4MI6cA31lszwqGxSNnwLgatKU.....</saml:AttributeValue>
    </saml:Attribute>
  </saml:AttributeStatement>
</saml:Assertion>
<wsse:UsernameToken>
  <wsse:Username>username</wsse:Username>
  <wsse:Password Type="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-username-
    token-profile-1.0#PasswordText">password</wsse:Password>
</wsse:UsernameToken>
</wsse:Security>
</SOAP-ENV:Header>
<SOAP-ENV:Body>
  <GetNewSubmissionsStatusRequest
    xmlns="http://www.irs.gov/a2a/mef/MeFTransmitterService.xsd">
    <MaxResults>2</MaxResults>
  </GetNewSubmissionsStatusRequest>
</SOAP-ENV:Body>
</SOAP-ENV:Envelope>

```

5.3.13 GetNewSubmissionsStatus Service Response Message

```

<?xml version="1.0" encoding="UTF-8"?>
<e:Envelope xmlns:wn1="http://www.irs.gov/a2a/mef/MeFTransmitterService.xsd"
  xmlns:wn0="http://www.irs.gov/a2a/mef/MeFHeader.xsd"
  xmlns:i="http://www.w3.org/2001/XMLSchema-instance"
  xmlns:e="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns:d="http://www.w3.org/2001/XMLSchema">
  <e:Header>
    <ns0:MeF xmlns:ns0="http://www.irs.gov/MeF/MeFHeader.xsd">
      <ns0:MessageID>00123200603900000021R</ns0:MessageID>
      <ns0:RelatesTo>00123200603900000021</ns0:RelatesTo>
      <ns0:Action>GetNewSubmissionsStatus</ns0:Action>
      <ns0:Timestamp>2006-02-08T22:33:22Z</ns0:Timestamp>
      <ns0:ETIN>00123</ns0:ETIN>
      <ns0:SessionIndicator>Y</ns0:SessionIndicator>
      <ns0:TestIndicator>P</ns0:TestIndicator>
    </ns0:MeF>

```

```

<wsse:Security xmlns:wsse="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-wssecurity-
secext-1.0.xsd" xmlns:wsu="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-
wssecurity-utility-1.0.xsd">
  <wsu:Timestamp wsu:Id="id-a2010a5da0d1d70a24272ee8d501e1ac85923f94">
    <wsu:Created>2006-02-08T22:32:29Z</wsu:Created>
    <wsu:Expires>2006-02-08T22:47:29Z</wsu:Expires>
  </wsu:Timestamp>
  <saml:Assertion MajorVersion="1" IssueInstant="2006-02-08T22:32:29.727Z"
    Issuer="http://www.forumsys.com/sentry"
    AssertionID="id-0d586b6f305c53db2ddc635806029a676e140c59"
    MinorVersion="1" xmlns:saml="urn:oasis:names:tc:SAML:1.0:assertion">
    <saml:Conditions NotOnOrAfter="2006-02-08T22:47:29.727Z"
      NotBefore="2006-02-08T22:32:29.727Z">
      <saml:DoNotCacheCondition/>
    </saml:Conditions>
    <saml:AuthenticationStatement AuthenticationInstant="2006-02-08T22:32:29.727Z"
      AuthenticationMethod="urn:oasis:names:tc:SAML:1.0:am:password">
      <saml:Subject>
        <saml:NameIdentifier Format="urn:oasis:names:tc:SAML:1.1:nameid-
          format:X509SubjectName">UID=username,OU=irsA2ASystem,OU=External,
          OU=Internal Revenue Service,OU=Department of the Treasury,
          OU=U.S. Government,C=US</saml:NameIdentifier>
        <saml:SubjectConfirmation>
          <saml:ConfirmationMethod>urn:oasis:names:tc:SAML:1.0:cm:sender-vouches
          </saml:ConfirmationMethod>
        </saml:SubjectConfirmation>
      </saml:Subject>
      <saml:SubjectLocality IPAddress="123.34.56.789"/>
    </saml:AuthenticationStatement>
    <saml:AttributeStatement>
      <saml:Subject>
        <saml:NameIdentifier Format="urn:oasis:names:tc:SAML:1.1:nameid-
          format:X509SubjectName">UID=username,OU=irsA2ASystem,OU=External,
          OU=Internal Revenue Service,OU=Department of the Treasury,
          OU=U.S. Government,C=US</saml:NameIdentifier>
        <saml:SubjectConfirmation>
          <saml:ConfirmationMethod>urn:oasis:names:tc:SAML:1.0:cm:sender-vouches
          </saml:ConfirmationMethod>
        </saml:SubjectConfirmation>
      </saml:Subject>
      <saml:Attribute AttributeNamespace="http://www.forumsys.com/sentry"
        AttributeName="SMSESSION">
        <saml:AttributeValue>
          nGxSaaEpb9fpL7WUICbnHR73LXMwggfrTdQbAiBskIqoactecA+pD58tRE4
          CT3aWu6NW74OEdrwq/VkAM9f9YeTL9siBfdZiM8hPOr+qastRGNWOhmHB
          setw4MI6cA31lszwqGxSNnwLgatKUd.....</saml:AttributeValue>
        </saml:Attribute>
      </saml:AttributeStatement>
    </saml:Assertion>
  <wsse:UsernameToken>
    <wsse:Username>username</wsse:Username>
  </wsse:UsernameToken>
</wsse:Security>

```

```

        <wsse:Password Type="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-username-
            token-profile-1.0#PasswordText">password</wsse:Password>
    </wsse:UsernameToken>
</wsse:Security>
</e:Header>
<e:Body>
    <ns10:GetNewSubmissionsStatusResponse
        xmlns:ns10="http://www.irs.gov/a2a/mef/MeFTransmitterService.xsd">
        <ns10:MoreAvailable>true</ns10:MoreAvailable>
    </ns10:GetNewSubmissionsStatusResponse>
</e:Body>
</e:Envelope>

```

5.3.14 GetSubmissionsStatus Service Request Message

```

<?xml version="1.0" encoding="UTF-8"?>
<SOAP-ENV:Envelope xmlns:SOAP-ENV="http://schemas.xmlsoap.org/soap/envelope/"
    xmlns:xsd="http://www.w3.org/2001/XMLSchema"
    xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
    <SOAP-ENV:Header>
        <ns1:MeF xmlns:ns1="http://www.irs.gov/a2a/mef/MeFHeader.xsd">
            <ns1:MessageID>00123200603900000023</ns1:MessageID>
            <ns1:Action>GetSubmissionsStatus</ns1:Action>
            <ns1:Timestamp>2006-01-28T11:35:20.165Z</ns1:Timestamp>
            <ns1:ETIN>00123</ns1:ETIN>
            <ns1:SessionIndicator>Y</ns1:SessionIndicator>
            <ns1:TestIndicator>P</ns1:TestIndicator>
        </ns1:MeF>
        <wsse:Security xmlns:wsse="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-wssecurity-
            secext-1.0.xsd" xmlns:wsu="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-
            wssecurity-utility-1.0.xsd">
            <wsu:Timestamp wsu:Id="id-a2010a5da0d1d70a24272ee8d501e1ac85923f94">
                <wsu:Created>2006-02-08T22:32:29Z</wsu:Created>
                <wsu:Expires>2006-02-08T22:47:29Z</wsu:Expires>
            </wsu:Timestamp>
            <saml:Assertion AssertionID="id-0d586b6f305c53db2ddc635806029a676e140c59"
                IssueInstant="2006-02-08T22:32:29.727Z" Issuer="http://www.forumsys.com/sentry"
                MajorVersion="1" MinorVersion="1"
                xmlns:saml="urn:oasis:names:tc:SAML:1.0:assertion">
                <saml:Conditions NotBefore="2006-02-08T22:32:29.727Z"
                    NotOnOrAfter="2006-02-08T22:47:29.727Z">
                    <saml:DoNotCacheCondition/>
                </saml:Conditions>
                <saml:AuthenticationStatement AuthenticationInstant="2006-02-08T22:32:29.727Z"
                    AuthenticationMethod="urn:oasis:names:tc:SAML:1.0:am:password">
                    <saml:Subject>
                        <saml:NameIdentifier Format="urn:oasis:names:tc:SAML:1.1:nameid-
                            format:X509SubjectName">UID=username,OU=irsA2ASystem,OU=External,
                            OU=Internal Revenue Service,OU=Department of the Treasury,
                            OU=U.S. Government,C=US</saml:NameIdentifier>
                        <saml:SubjectConfirmation>
                            <saml:ConfirmationMethod>urn:oasis:names:tc:SAML:1.0:cm:sender-vouches

```

```

        </saml:ConfirmationMethod>
    </saml:SubjectConfirmation>
</saml:Subject>
    <saml:SubjectLocality IPAddress="123.34.56.789"/>
</saml:AuthenticationStatement>
<saml:AttributeStatement>
    <saml:Subject>
        <saml:NameIdentifier Format="urn:oasis:names:tc:SAML:1.1:nameid-
            format:X509SubjectName">UID=username,OU=irsA2ASystem,OU=External,
            OU=Internal Revenue Service,OU=Department of the Treasury,
            OU=U.S. Government,C=US</saml:NameIdentifier>
        <saml:SubjectConfirmation>
            <saml:ConfirmationMethod>urn:oasis:names:tc:SAML:1.0:cm:sender-vouches
            </saml:ConfirmationMethod>
        </saml:SubjectConfirmation>
    </saml:Subject>
    <saml:Attribute AttributeName="SMSESSION"
        AttributeNamespace="http://www.forumsys.com/sentry">
        <saml:AttributeValue>
            nGxSaaEpb9fpL7WUICbnHR73LXMwggfrTdQbAiBskIqoaactecA+pD58tRE4
            CT3aWu6NW74OEdrwq/VkAM9f9YeTL9siBfdZiM8hPOr+qastRGNWOhmHB
            setw4MI6cA31lszwqGxSNnwLgatKUd.....</saml:AttributeValue>
        </saml:Attribute>
    </saml:AttributeStatement>
</saml:Assertion>
<wsse:UsernameToken>
    <wsse:Username>username</wsse:Username>
    <wsse:Password Type="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-username-
        token-profile-1.0#PasswordText">password</wsse:Password>
</wsse:UsernameToken>
</wsse:Security>
</SOAP-ENV:Header>
<SOAP-ENV:Body>
    <GetSubmissionsStatusRequest xmlns="http://www.irs.gov/a2a/mef/MeFTransmitterService.xsd">
        <SubmissionIdList>
            <Count>2</Count>
            <SubmissionId>00123420060380000096</SubmissionId>
            <SubmissionId>00123420060380000097</SubmissionId>
        </SubmissionIdList>
    </GetSubmissionsStatusRequest>
</SOAP-ENV:Body>
</SOAP-ENV:Envelope>

```

5.3.15 GetSubmissionsStatus Service Response Message

```

<?xml version="1.0" encoding="UTF-8"?>
<e:Envelope xmlns:wn1="http://www.irs.gov/a2a/mef/MeFTransmitterService.xsd"
    xmlns:wn0="http://www.irs.gov/a2a/mef/MeFHeader.xsd"
    xmlns:i="http://www.w3.org/2001/XMLSchema-instance"
    xmlns:e="http://schemas.xmlsoap.org/soap/envelope/"
    xmlns:d="http://www.w3.org/2001/XMLSchema">
    <e:Header>

```

```

<ns0:MeF xmlns:ns0="http://www.irs.gov/MeF/MeFHeader.xsd">
  <ns0:MessageID>00123200603900000023R</ns0:MessageID>
  <ns0:RelatesTo>00123200603900000023</ns0:RelatesTo>
  <ns0:Action>GetSubmissionsStatus</ns0:Action>
  <ns0:Timestamp>2006-02-08T22:33:45Z</ns0:Timestamp>
  <ns0:ETIN>00123</ns0:ETIN>
  <ns0:SessionIndicator>Y</ns0:SessionIndicator>
  <ns0:TestIndicator>P</ns0:TestIndicator>
</ns0:MeF>
<wsse:Security xmlns:wsse="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-wssecurity-secext-1.0.xsd" xmlns:wsu="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-wssecurity-utility-1.0.xsd">
  <wsu:Timestamp wsu:Id="id-a2010a5da0d1d70a24272ee8d501e1ac85923f94">
    <wsu:Created>2006-02-08T22:32:29Z</wsu:Created>
    <wsu:Expires>2006-02-08T22:47:29Z</wsu:Expires>
  </wsu:Timestamp>
  <saml:Assertion MajorVersion="1" IssueInstant="2006-02-08T22:32:29.727Z"
    Issuer="http://www.forumsys.com/sentry"
    AssertionID="id-0d586b6f305c53db2ddc635806029a676e140c59"
    MinorVersion="1" xmlns:saml="urn:oasis:names:tc:SAML:1.0:assertion">
    <saml:Conditions NotOnOrAfter="2006-02-08T22:47:29.727Z"
      NotBefore="2006-02-08T22:32:29.727Z">
      <saml:DoNotCacheCondition/>
    </saml:Conditions>
    <saml:AuthenticationStatement AuthenticationInstant="2006-02-08T22:32:29.727Z"
      AuthenticationMethod="urn:oasis:names:tc:SAML:1.0:am:password">
      <saml:Subject>
        <saml:NameIdentifier Format="urn:oasis:names:tc:SAML:1.1:nameid-format:X509SubjectName">UID=username,OU=irsA2ASystem,OU=External,
          OU=Internal Revenue Service,OU=Department of the Treasury,
          OU=U.S. Government,C=US</saml:NameIdentifier>
        <saml:SubjectConfirmation>
          <saml:ConfirmationMethod>urn:oasis:names:tc:SAML:1.0:cm:sender-vouches
            </saml:ConfirmationMethod>
        </saml:SubjectConfirmation>
      </saml:Subject>
      <saml:SubjectLocality IPAddress="123.34.56.789"/>
    </saml:AuthenticationStatement>
    <saml:AttributeStatement>
      <saml:Subject>
        <saml:NameIdentifier Format="urn:oasis:names:tc:SAML:1.1:nameid-format:X509SubjectName">UID=username,OU=irsA2ASystem,OU=External,
          OU=Internal Revenue Service,OU=Department of the Treasury,
          OU=U.S. Government,C=US</saml:NameIdentifier>
        <saml:SubjectConfirmation>
          <saml:ConfirmationMethod>urn:oasis:names:tc:SAML:1.0:cm:sender-vouches
            </saml:ConfirmationMethod>
        </saml:SubjectConfirmation>
      </saml:Subject>
      <saml:Attribute AttributeNamespace="http://www.forumsys.com/sentry"
        AttributeName="SMSESSION">

```

```

        <saml:AttributeValue>
            nGxSaaEpb9fpL7WUICbnHR73LXMwggfrTdQbAiBskIqoaactecA+pD58tRE4
            CT3aWu6NW74OEdrwq/VkAM9f9YeTL9siBfdZiM8hPOr+qastRGNWOhmHB
            setw4MI6cA31lszwqGxSNnwLgatKUdZ1.....</saml:AttributeValue>
        </saml:Attribute>
    </saml:AttributeStatement>
</saml:Assertion>
<wsse:UsernameToken>
    <wsse:Username>username</wsse:Username>
    <wsse:Password Type="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-username-
        token-profile-1.0#PasswordText">password</wsse:Password>
</wsse:UsernameToken>
</wsse:Security>
</e:Header>
<e:Body>
    <ns10:GetSubmissionsStatusResponse
        xmlns:ns10="http://www.irs.gov/a2a/mef/MeFTransmitterService.xsd">
        <ns10:ErrorList>
            <ns10:Count>0</ns10:Count>
            <ns10:SubmissionError i:nil="true"/>
        </ns10:ErrorList>
    </ns10:GetSubmissionsStatusResponse>
</e:Body>
</e:Envelope>

```

5.3.16 GetSubmissionStatus Service Request Message

```

<?xml version="1.0" encoding="UTF-8"?>
<SOAP-ENV:Envelope xmlns:SOAP-ENV="http://schemas.xmlsoap.org/soap/envelope/"
    xmlns:xsd="http://www.w3.org/2001/XMLSchema"
    xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
    <SOAP-ENV:Header>
        <ns1:MeF xmlns:ns1="http://www.irs.gov/a2a/mef/MeFHeader.xsd">
            <ns1:MessageID>00123200603900000022</ns1:MessageID>
            <ns1:Action>GetSubmissionStatus</ns1:Action>
            <ns1:Timestamp>2006-02-18T15:17:34.030Z</ns1:Timestamp>
            <ns1:ETIN>00123</ns1:ETIN>
            <ns1:SessionIndicator>Y</ns1:SessionIndicator>
            <ns1:TestIndicator>P</ns1:TestIndicator>
        </ns1:MeF>
        <wsse:Security xmlns:wsse="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-wssecurity-
            secext-1.0.xsd" xmlns:wsu="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-
            wssecurity-utility-1.0.xsd">
            <wsu:Timestamp wsu:Id="id-a2010a5da0d1d70a24272ee8d501e1ac85923f94">
                <wsu:Created>2006-02-08T22:32:29Z</wsu:Created>
                <wsu:Expires>2006-02-08T22:47:29Z</wsu:Expires>
            </wsu:Timestamp>
            <saml:Assertion AssertionID="id-0d586b6f305c53db2ddc635806029a676e140c59"
                IssueInstant="2006-02-08T22:32:29.727Z" Issuer="http://www.forumsys.com/sentry"
                MajorVersion="1" MinorVersion="1"
                xmlns:saml="urn:oasis:names:tc:SAML:1.0:assertion">

```

```

<saml:Conditions NotBefore="2006-02-08T22:32:29.727Z"
  NotOnOrAfter="2006-02-08T22:47:29.727Z">
  <saml:DoNotCacheCondition/>
</saml:Conditions>
<saml:AuthenticationStatement AuthenticationInstant="2006-02-08T22:32:29.727Z"
  AuthenticationMethod="urn:oasis:names:tc:SAML:1.0:am:password">
  <saml:Subject>
    <saml:NameIdentifier Format="urn:oasis:names:tc:SAML:1.1:nameid-
      format:X509SubjectName">UID=username,OU=irsA2ASystem,OU=External,
      OU=Internal Revenue Service,OU=Department of the Treasury,
      OU=U.S. Government,C=US</saml:NameIdentifier>
    <saml:SubjectConfirmation>
      <saml:ConfirmationMethod>urn:oasis:names:tc:SAML:1.0:cm:sender-vouches
      </saml:ConfirmationMethod>
    </saml:SubjectConfirmation>
  </saml:Subject>
  <saml:SubjectLocality IPAddress="123.34.56.789"/>
</saml:AuthenticationStatement>
<saml:AttributeStatement>
  <saml:Subject>
    <saml:NameIdentifier Format="urn:oasis:names:tc:SAML:1.1:nameid-
      format:X509SubjectName">UID=username,OU=irsA2ASystem,OU=External,
      OU=Internal Revenue Service,OU=Department of the Treasury,
      OU=U.S. Government,C=US</saml:NameIdentifier>
    <saml:SubjectConfirmation>
      <saml:ConfirmationMethod>urn:oasis:names:tc:SAML:1.0:cm:sender-vouches
      </saml:ConfirmationMethod>
    </saml:SubjectConfirmation>
  </saml:Subject>
  <saml:Attribute AttributeName="SMSESSION"
    AttributeNamespace="http://www.forumsys.com/sentry">
    <saml:AttributeValue>
      nGxSaaEpb9fpL7WUICbnHR73LXMwggfrTdQbAiBskIqoaactecA+pD58tRE4
      CT3aWu6NW74OEdrwq/VkAM9f9YeTL9siBfdZiM8hPOr+qastRGNWOhmHB
      setw4MI6cA31lszwqGxSNnwLgatKUd.....</saml:AttributeValue>
    </saml:Attribute>
  </saml:AttributeStatement>
</saml:Assertion>
<wsse:UsernameToken>
  <wsse:Username>username</wsse:Username>
  <wsse:Password Type="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-username-
    token-profile-1.0#PasswordText">password</wsse:Password>
</wsse:UsernameToken>
</wsse:Security>
</SOAP-ENV:Header>
<SOAP-ENV:Body>
  <GetSubmissionStatusRequest xmlns="http://www.irs.gov/a2a/mef/MeFTransmitterService.xsd">
    <SubmissionId>00123420060380000096</SubmissionId>
  </GetSubmissionStatusRequest>
</SOAP-ENV:Body>
</SOAP-ENV:Envelope>

```

5.3.17 GetSubmissionStatus Service Response Message

```
<?xml version="1.0" encoding="UTF-8"?>
<e:Envelope xmlns:wn1="http://www.irs.gov/a2a/mef/MeFTransmitterService.xsd"
  xmlns:wn0="http://www.irs.gov/a2a/mef/MeFHeader.xsd"
  xmlns:i="http://www.w3.org/2001/XMLSchema-instance"
  xmlns:e="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns:d="http://www.w3.org/2001/XMLSchema">
  <e:Header>
    <ns0:MeF xmlns:ns0="http://www.irs.gov/MeF/MeFHeader.xsd">
      <ns0:MessageID>00123200603900000022R</ns0:MessageID>
      <ns0:RelatesTo>00123200603900000022</ns0:RelatesTo>
      <ns0:Action>GetSubmissionStatus</ns0:Action>
      <ns0:Timestamp>2006-02-08T22:33:35Z</ns0:Timestamp>
      <ns0:ETIN>00123</ns0:ETIN>
      <ns0:SessionIndicator>Y</ns0:SessionIndicator>
      <ns0:TestIndicator>P</ns0:TestIndicator>
    </ns0:MeF>
    <wsse:Security xmlns:wsse="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-wssecurity-
      secext-1.0.xsd" xmlns:wsu="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-
      wssecurity-utility-1.0.xsd">
      <wsu:Timestamp wsu:Id="id-a2010a5da0d1d70a24272ee8d501e1ac85923f94">
        <wsu:Created>2006-02-08T22:32:29Z</wsu:Created>
        <wsu:Expires>2006-02-08T22:47:29Z</wsu:Expires>
      </wsu:Timestamp>
      <saml:Assertion MajorVersion="1" IssueInstant="2006-02-08T22:32:29.727Z"
        Issuer="http://www.forumsys.com/sentry"
        AssertionID="id-0d586b6f305c53db2ddc635806029a676e140c59"
        MinorVersion="1" xmlns:saml="urn:oasis:names:tc:SAML:1.0:assertion">
        <saml:Conditions NotOnOrAfter="2006-02-08T22:47:29.727Z"
          NotBefore="2006-02-08T22:32:29.727Z">
          <saml:DoNotCacheCondition/>
        </saml:Conditions>
        <saml:AuthenticationStatement AuthenticationInstant="2006-02-08T22:32:29.727Z"
          AuthenticationMethod="urn:oasis:names:tc:SAML:1.0:am:password">
          <saml:Subject>
            <saml:NameIdentifier Format="urn:oasis:names:tc:SAML:1.1:nameid-
              format:X509SubjectName">UID=username,OU=irsA2ASystem,OU=External,
              OU=Internal Revenue Service,OU=Department of the Treasury,
              OU=U.S. Government,C=US</saml:NameIdentifier>
            <saml:SubjectConfirmation>
              <saml:ConfirmationMethod>urn:oasis:names:tc:SAML:1.0:cm:sender-vouches
                </saml:ConfirmationMethod>
            </saml:SubjectConfirmation>
          </saml:Subject>
          <saml:SubjectLocality IPAddress="123.34.56.789"/>
        </saml:AuthenticationStatement>
        <saml:AttributeStatement>
          <saml:Subject>
            <saml:NameIdentifier Format="urn:oasis:names:tc:SAML:1.1:nameid-
              format:X509SubjectName">UID=username,OU=irsA2ASystem,OU=External,
```

```

    OU=Internal Revenue Service,OU=Department of the Treasury,
    OU=U.S. Government,C=US</saml:NameIdentifier>
  <saml:SubjectConfirmation>
    <saml:ConfirmationMethod>urn:oasis:names:tc:SAML:1.0:cm:sender-vouches
    </saml:ConfirmationMethod>
  </saml:SubjectConfirmation>
</saml:Subject>
<saml:Attribute AttributeNamespace="http://www.forumsys.com/sentry"
  AttributeName="SMSESSION">
  <saml:AttributeValue>
    nGxSaaEpb9fpL7WUICbnHR73LXMwggfrTdQbAiBsklIqoaactecA+pD58tRE4
    CT3aWu6NW74OEdrwq/VkAM9f9YeTL9siBfdZiM8hPOr+qastRGNWOhmHB
    setw4MI6cA31lszwqGxSNnwLgatK.....</saml:AttributeValue>
  </saml:Attribute>
</saml:AttributeStatement>
</saml:Assertion>
<wsse:UsernameToken>
  <wsse:Username>username</wsse:Username>
  <wsse:Password Type="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-username-
    token-profile-1.0#PasswordText">password</wsse:Password>
</wsse:UsernameToken>
</wsse:Security>
</e:Header>
<e:Body>
  <ns10:GetSubmissionStatusResponse
    xmlns:ns10="http://www.irs.gov/a2a/mef/MeFTransmitterService.xsd"/>
</e:Body>
</e:Envelope>

```

Section 6. Fault Responses and Internal-Use Error Messages

This section presents SOAP Fault response and log error message examples for the MeF 3.2 and 4.0 Web services.

6.1 Fault Responses Generated by the XML Gateway

The XML Gateway COTS product performs much of the SOAP message validation based on Intrusion Detection and Prevention (IDP) rules configured in the XML Gateway configuration setup. All the error messages generated by the XML gateway when a SOAP request is rejected by the XML Gateway are based on the Intrusion Detection and Prevention (IDP) rules. If the SWAS application throws an exception (SOAP fault) while it is processing the SOAP request, the XML gateway relays the SOAP fault to the client. The entire communication lifecycle of an XML document is captured in the XML gateway logs and sent to the remote syslogs that are processed by the Log File Collector. The logs include transmission rejects, exceptions thrown by the SWAS application and all the alert messages generated by the XML Gateway.

The XML Gateway has a default set of nine IDP rules, and five new custom IDP rules have been configured to meet the requirements to mitigate XML threats as defined in the MeF 3.2 XML Gateway Infrastructure Requirements spreadsheet.

The nine default IDP rules are

1. Authentication Failure IDP Rule (Authentication failed)
2. Authorization Failure IDP Rule (Unauthorized access)
3. Invalid HTTP Message IDP Rule (Document does not match any HTTP filter)
4. Invalid WSDL Message IDP Rule (Document does not match any WSDL message)
5. Large Payload IDP Rule (Maximum payload size)
6. Large XML IDP Rule (Maximum XML document size)
7. No Matching XML IDP Rule (Document does not match any XML filter)
8. Process Error IDP Rule (Document Processing Error)
9. Virus Detected IDP Rule (Virus Found)

The five custom IDP rules are

1. Maximum document count IDP Rule
2. Maximum Element Children IDP Rule
3. Maximum Element Count IDP Rule
4. Maximum Element Depth IDP Rule
5. Attempted XML external URI reference IDP Rule

The error messages returned in the **faultstring** tag of the **soap:Fault** are presented below.

For the nine default IDP rules

1. Authentication Failure IDP Rule (Authentication failed):
IDP Rule 'Authentication Failure' aborted processing : nnn
2. Authorization Failure IDP Rule (Unauthorized access):
IDP Rule 'Authorization Failure' aborted processing: nnn
3. Invalid HTTP Message IDP Rule (Document does not match any HTTP filter):
IDP Rule 'Invalid HTTP Message on request' aborted processing: <field>

-
4. Invalid WSDL Message IDP Rule (Document does not match any WSDL message):
IDP Rule 'Invalid WSDL Message' aborted processing: <field>
 5. Large Payload IDP Rule (Maximum payload size):
IDP Rule 'Large Payload on request' aborted processing : <size>
 6. Large XML IDP Rule (Maximum XML document size):
IDP Rule 'Max. document size on request' aborted processing : <size>
 7. No Matching XML IDP Rule (Document does not match any XML filter):
**IDP Rule 'Request document does not match any XML Filter' aborted processing :
nnn**
 8. Process Error IDP Rule (Document Processing Error) :
IDP Rule 'Process Error' aborted processing : nnn
 9. Virus Detected IDP Rule (Virus Found):
IDP Rule 'Virus detected on request' ' aborted processing.

For the five custom IDP rules

1. Maximum document count IDP Rule:
IDP Rule 'Max doc count on request' aborted processing : <max>
2. Maximum Element Children IDP Rule:
IDP Rule 'Max element children on request' aborted processing : <max>
3. Maximum Element Count IDP Rule:
IDP Rule 'Max element count on request request' aborted processing : <max>
4. Maximum Element Depth IDP Rule:
IDP Rule 'Max element depth on request' aborted processing : <max>
5. Attempted XML external URI reference IDP Rule:
**IDP Rule 'Attempted XML external URI reference on request' aborted
processing : <reference>**

An example SOAP for a XML Gateway failure of custom rule #2 (Maximum Element Children IDP Rule) is shown below.

```
<?xml version="1.0" encoding="UTF-8"?>
<soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/">
  <soap:Body>
    <soap:Fault>
      <faultcode>soap:Client</faultcode>
      <faultstring xml:lang="en-US">
        IDP Rule 'Max element children on request' aborted processing : 6
      </faultstring>
      <detail>
        <fs:Detail xmlns:fs="http://www.forumsystems.com/2004/04/soap-fault-detail">
          <fs:User/>
          <fs:Policy>Test4-Max_element_ch-Listener</fs:Policy>
          <fs:WebServiceRule/>
          <fs:Task/>
        </fs:Detail>
      </detail>
    </soap:Fault>
  </soap:Body>
</soap:Envelope>
```

An example of a SOAP fault generated by the XML Gateway default rule #2 (Authorization Failure IDP Rule [Unauthorized access]) for a Logout request when not logged in is shown below.

```
<?xml version="1.0" encoding="UTF-8"?>
<soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/">
  <soap:Body>
    <soap:Fault>
      <faultcode>soap:Client</faultcode>
      <faultstring xml:lang="en-US">
        IDP Rule 'Authorization Failure' aborted processing: 002
      </faultstring>
      <detail>
        <fs:Detail xmlns:fs="http://www.forumsystems.com/2004/04/soap-fault-detail">
          <fs:User/>
          <fs:Policy>Test4- Authorization-Listener</fs:Policy>
          <fs:WebServiceRule/>
          <fs:Task/>
        </fs:Detail>
      </detail>
    </soap:Fault>
  </soap:Body>
</soap:Envelope>
```

A summary of the threats and the fault responses generated by the XML Gateway is depicted in Table 6-1 below.

- Xxx Cell8:bullet1_a alt+u
- Xxxx Cell8:bullet2_a alt+o
 - ◆ Xxx Cell8:bullet3_a alt+[
 - Xxx Cell8:bullet3_b alt+'

Table 6-1. XML Gateway Threats and Fault Responses

Threat	Fault Response Message(s)	Log Error Message(s)
Virus Threats		
Incoming Message With a Virus (XML Gateway)	IDP Rule 'Virus detected on request' aborted processing	This request contained a virus XML Gateway Detected in part attachment and was rejected.
Outgoing Message With a Virus (XML Gateway)	IDP Rule 'Virus detected on request' aborted processing	This request contained a virus XML Gateway Detected in part attachment and was rejected.
Incoming Message With an HTTP, XML or SOAP Threats		
With XML parameter tampering	IDP Rule 'Invalid WSDL Message' aborted processing: nnn	IDP Rule 'Invalid WSDL Message' aborted processing: nnn
With coercive parsing	<ul style="list-style-type: none"> ▪ IDP Rule 'Max. document size on request' aborted processing : nnn ▪ IDP Rule 'Max element children on request' aborted processing : nnn ▪ IDP Rule 'Max element count on request' aborted processing : nnn ▪ IDP Rule 'Max element depth on request' aborted processing : nnn 	<ul style="list-style-type: none"> ▪ IDP Rule 'Max. document size on request' aborted processing : nnn ▪ IDP Rule 'Max element children on request' aborted processing : nnn ▪ IDP Rule 'Max element count on request' aborted processing : nnn ▪ IDP Rule 'Max element depth on request' aborted processing : nnn
With recursive payload	<ul style="list-style-type: none"> ▪ IDP Rule 'Max element children on request' aborted processing : nnn ▪ IDP Rule 'Max element depth on request' aborted processing : nnn 	<ul style="list-style-type: none"> ▪ IDP Rule 'Max element children on request' aborted processing : nnn ▪ IDP Rule 'Max element depth on request' aborted processing : nnn
With XML routing	IDP Rule 'Attempted XML external URI reference on request' aborted processing : nnn	IDP Rule 'Attempted XML external URI reference on request' aborted processing : nnn
With SQL injection	IDP Rule 'Process Error' aborted processing : nnn	IDP Rule 'Process Error' aborted processing : nnn
With malicious content	IDP Rule 'Request document does not match any XML Filter' aborted processing : nnn	IDP Rule 'Request document does not match any XML Filter' aborted processing : nnn
With replay attacks	<ul style="list-style-type: none"> ▪ IDP Rule 'Authentication Failure' aborted processing : nnn ▪ IDP Rule 'Authorization Failure' aborted processing: xxx 	<ul style="list-style-type: none"> ▪ IDP Rule 'Authentication Failure' aborted processing : nnn ▪ IDP Rule 'Authorization Failure' aborted processing: xxx
With external entity attacks	IDP Rule 'Attempted XML external URI reference on request' aborted processing : nnn	IDP Rule 'Attempted XML external URI reference on request' aborted processing : nnn
With text based attacks (not required for Release 3.2 or 4.0)	<i>IDP Rule 'Request document does not match any XML Filter' aborted processing : nnn</i>	<i>IDP Rule 'Request document does not match any XML Filter' aborted processing : nnn</i>
With WSDL format check errors	IDP Rule 'Invalid WSDL Message' aborted processing: nnn	IDP Rule 'Invalid WSDL Message' aborted processing: nnn
With WSDL security validation failures	IDP Rule 'Invalid WSDL Message' aborted processing: nnn	IDP Rule 'Invalid WSDL Message' aborted processing: nnn

Threat	Fault Response Message(s)	Log Error Message(s)
Incoming Message With Authentication/AuthorizationThreats		
Authentication Errors	Authentication for user <username> failed because 'Invalid credentials'	Authentication for user <username> failed because 'Invalid credentials'
Authorization Errors	Authorization for user <username> failed because 'Authorization Failure'	Authorization for user <username> failed because 'Authorization Failure'

6.2 Incoming Message Containing a Virus

Whenever possible the MSI will include the name of the first virus found and the name of the message part containing the virus in the SOAP fault messages returned to the client and in the error messages posted to the log file. The decision has been made to have the XML Gateway appliance perform the virus checking on the incoming SOAP message attachment. Because the XML Gateway appliance is a COTS product, the format of the SOAP fault messages and log file messages is limited to the capabilities of the appliance.

6.2.1 Example SOAP Fault Response for the Virus Check Performed by the XML Gateway

```
<?xml version="1.0" encoding="UTF-8"?>
<soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/">
  <soap:Body>
    <soap:Fault>
      <faultcode>soap:Client</faultcode>
      <faultstring xml:lang="en-US">
        IDP Rule 'Virus detected on request' aborted processing'
      </faultstring>
      <detail>
        <fs:Detail xmlns:fs="http://www.forumsystems.com/2004/04/soap-fault-detail">
          <fs:User/>
          <fs:Policy>Virus-Detection-Listener</fs:Policy>
          <fs:WebServiceRule/>
          <fs:Task/>
        </fs:Detail>
      </detail>
    </soap:Fault>
  </soap:Body>
</soap:Envelope>
```

6.2.2 Example Error Message for the Virus Check Performed by the XML Gateway

This request contained a virus XML Gateway Detected in part attachment and was rejected.

6.3 Outgoing Message Containing a Virus

Whenever possible the MSI will include the name of the first virus found and the name of the message part containing the virus. Any virus detected in an outgoing response will result in an immediate alert to CSIRC and ETA. Also, none of the SOAP Fault or other error response messages to the Third Party Transmitter or State clients will disclose any 6103 data or other information that could be used to compromise or provide harm to taxpayers or to IRS systems or processing. Because of these requirements, all outgoing messages will be checked for viruses by

the MeF Application Server before being transferred to the SOAP Web Application Server and XML Gateway and the SOAP fault response to the client will simply indicate that the request processing failed with no details about any virus detected.

6.3.1 Example SOAP Fault Response

```
<?xml version="1.0" encoding="UTF-8" standalone="yes"?>
<e:Envelope .....
  <e:Body>
    <e:Fault>
      <faultcode>e:Server</faultcode>
      <faultstring>class MeFExceptionType:Backend system error
      </faultstring>
      <detail>
        <wn0:MeFException i:type="wn0:MeFExceptionType">
          <ErrorMessage i:type="d:string">Backend system error </ErrorMessage>
          <ErrorClassification i:type="wn0:ErrorClassificationType">
            SYSTEM_ERROR
          </ErrorClassification>
          <ErrorCode i:type="d:string">SYSTMInnnnnnnnn</ErrorCode>
        </wn0:MeFException>
      </detail>
    </e:Fault>
  </e:Body>
</e:Envelope>
```

6.3.2 Example Error Message

This outgoing message contained a virus “name of virus detected” in part "message part/file name" and was rejected.

6.4 Incoming Messages Containing Service Request Argument Errors

This section presents the SOAP Fault response and error message examples for incoming requests with errors in the request arguments. None of the SOAP Fault or other error response messages to the Third Party Transmitter or State clients will disclose any 6103 data or other information that could be used to compromise or provide harm to taxpayers or to IRS systems or processing. All of the SOAP faults for service request errors follow the same model and indicate an exception category of REQUEST_ERROR.

An example of a SOAP fault for a GetAck request with an invalid Submission ID is shown below.

```
<?xml version="1.0" encoding="UTF-8" standalone="yes"?>
<e:Envelope .....
  <e:Body>
    <e:Fault>
      <faultcode>e:Server</faultcode>
      <faultstring>class MeFExceptionType: Invalid SubmissionId
      </faultstring>
      <detail>
        <wn0:MeFException i:type="wn0:MeFExceptionType">
```

```
<ErrorMessage i:type="d:string">
  Failed to get acknowledgement for message id 001232006123msg00012.
  Reason: Could not find acknowledgement for submission ID 98792345076929
  for this ETIN 00123. If the submission was sent in through any channel other
  than Channel[A2A], then the acknowledgement must be retrieved through that
  channel.
</ErrorMessage>
<ErrorClassification i:type="wn0:ErrorClassificationType">
  REQUEST_ERROR
</ErrorClassification>
<ErrorCode i:type="d:string"> REQSTInnnnnnnnn</ErrorCode>
</wn0:MeFException>
</detail>
</e:Fault>
</e:Body>
</e:Envelope>
```

A summary of the service requests, argument errors and the fault responses generated by the Web and MeF Application Servers is depicted in Table 6-2, below.

Table 6-2. Service Request Argument Errors and Fault Responses

Request	Fault Response Message(s)	Log Error Message(s)
MSI Services		
EtinRetrieval	Couldn't map a value '<value>' to a java field in a class	The value for the test indicator must me a 'T or P' as defined in the schema.
EtinStatus	Invalid ETIN <value>	Invalid ETIN <value>
State Services		
GetNewSubmissions (Invalid ETIN)	Failed to get new submissions for message id <value>. Reason: The request contains an invalid ETIN <value>	Failed to get new submissions for message id <value>. Reason: The request contains an invalid ETIN <value>
GetNewSubmissions (Invalid MaxResults)	Failed to get new submissions for message id <value>. Reason: The request count exceeds the maximum configuration count allowed for messageld <value>	Failed to get new submissions for message id <value>. Reason: The request count exceeds the maximum configuration count allowed for messageld <value>
GetSubmissions (Invalid Submission ID)	Failed to get submissions for message id <value>. Reason: Could not find submission for submission ID <value> for this ETIN <value>.	Failed to get submissions for message id <value>. Reason: Could not find submission for submission ID <value> for this ETIN <value>.
GetSubmission (Invalid Submission ID)	Failed to get submission. Reason: Could not find submission for submission ID <value> for this ETIN <value>.	Failed to get submission. Reason: Could not find submission for submission ID <value> for this ETIN <value>.
SendSubmissionReceipts (Invalid Zip Archive)	Failed to send submission receipts for message id <value>. Reason: Unable to process Message with Id: <value> containing submission zip archive with entry name: <value> - data violates rule: X0000-015	Failed to send submission receipts for message id <value>. Reason: Unable to process Message with Id: <value> containing submission zip archive with entry name: <value> - data violates rule: X0000-015
SendAcks (Invalid Zip Archive)	Failed to send acknowledgements for message id <value>. Reason: Unable to process Message with Id: <value> containing submission zip archive with entry name: <value> - data violates rule: X0000-015	Failed to send acknowledgements for message id <value>. Reason: Unable to process Message with Id: <value> containing submission zip archive with entry name: <value> - data violates rule: X0000-015
GetNewAckNotifications (Invalid MaxResults)	Failed to get new acknowledgement notifications for message id <value>. Reason: The request count exceeds the maximum configuration count allowed for messageld <value>	Failed to get new acknowledgement notifications for message id <value>. Reason: The request count exceeds the maximum configuration count allowed for messageld <value>
GetNewAckNotifications (Invalid ETIN)	Failed to get new acknowledgement notifications for message id <value>. Reason: The request contains an invalid ETIN <value>	Failed to get new acknowledgement notifications for message id <value>. Reason: The request contains an invalid ETIN <value>
GetAckNotifications (Invalid Submission ID)	Failed to get acknowledgement notifications for message id <value>. Reason: Unable to process message with submissionId <value> has invalid submissionID in SubmissionDataList	Failed to get acknowledgement notifications for message id <value>. Reason: Unable to process message with submissionId <value> has invalid submissionID in SubmissionDataList

Request	Fault Response Message(s)	Log Error Message(s)
GetAckNotifications (Invalid Count)	Failed to get acknowledgement notifications for message id <value>. Reason: Unable to process message with messageld <value> has mismatch between request count and number of submission IDs in SubmissionIDList	Failed to get acknowledgement notifications for message id <value>. Reason: Unable to process message with messageld <value> has mismatch between request count and number of submission IDs in SubmissionIDList
GetAckNotification (Invalid Submission ID)	Failed to get acknowledgement notification for message id <value>. Reason: Could not find acknowledgement notification for submission ID <value> for this ETIN <value>.	Failed to get acknowledgement notification for message id <value>. Reason: Could not find acknowledgement notification for submission ID <value> for this ETIN <value>.
Transmitter Services		
SendSubmissions (Invalid Submission Count)	Failed to send submissions for message id <value>. Reason: Unable to process message with messageld <value> has mismatch between request count and number of submission data records in SubmissionDataList	Failed to send submissions for message id <value>. Reason: Unable to process message with messageld <value> has mismatch between request count and number of submission data records in SubmissionDataList
SendSubmissions (Invalid Zip Archive)	Failed to send submissions for message id <value>. Reason: Unable to process Message with Id: <value> containing submission zip archive with entry name: <value> - data violates rule: X0000-015	Failed to send submissions for message id <value>. Reason: Unable to process Message with Id: <value> containing submission zip archive with entry name: <value> - data violates rule: X0000-015
SendSubmissions (Invalid Submission ID)	Failed to send submissions for message id <value>. Reason: Unable to process Message with Id: <value> containing submission zip archive with entry name: <value> - data violates rule: X0000-015	Failed to send submissions for message id <value>. Reason: Unable to process Message with Id: <value> containing submission zip archive with entry name: <value> - data violates rule: X0000-015
SendSubmissions (Invalid ElectronicPostmark)	Failed to send submissions for message id <value>. Reason: Unable to process message with ElectronicPostmark <value> has invalid ElectronicPostmark in SubmissionDataList	Failed to send submissions for message id <value>. Reason: Unable to process message with ElectronicPostmark <value> has invalid ElectronicPostmark in SubmissionDataList
GetNewAcks (Invalid MaxResults)	Failed to get new acknowledgements for message id <value>. Reason: The request count exceeds the maximum configuration count allowed for messageld <value>	Failed to get new acknowledgements for message id <value>. Reason: The request count exceeds the maximum configuration count allowed for messageld <value>
GetNewAcks (Invalid ETIN)	Failed to get new acknowledgements for message id <value>. Reason: The request contains an invalid ETIN <value>	Failed to get new acknowledgements for message id <value>. Reason: The request contains an invalid ETIN <value>
GetAcks (Invalid Count)	Failed to get acknowledgements for message id <value>. Reason: Unable to process message with messageld <value> has mismatch between request count and number of submission IDs in SubmissionIDList	Failed to get acknowledgements for message id <value>. Reason: Unable to process message with messageld <value> has mismatch between request count and number of submission IDs in SubmissionIDList

Request	Fault Response Message(s)	Log Error Message(s)
GetAcks (Invalid Submission ID(s))	Failed to get acknowledgements. Reason: Could not find acknowledgement for submission ID <value> for this ETIN <value>. If the submission was sent in through any channel other than Channel[A2A], then the acknowledgement must be retrieved through that channel.	Failed to get acknowledgements. Reason: Could not find acknowledgement for submission ID <value> for this ETIN <value>. If the submission was sent in through any channel other than Channel[A2A], then the acknowledgement must be retrieved through that channel.
GetAck (Invalid Submission ID)	Failed to get acknowledgement for message id <value>. Reason: Could not find acknowledgement for submission ID <value> for this ETIN <value>. If the submission was sent in through any channel other than Channel[A2A], then the acknowledgement must be retrieved through that channel.	Failed to get acknowledgement for message id <value>. Reason: Could not find acknowledgement for submission ID <value> for this ETIN <value>. If the submission was sent in through any channel other than Channel[A2A], then the acknowledgement must be retrieved through that channel.
GetNewSubmissionsStatus (Invalid MaxResults)	Failed to get new submissions status for message id <value>. Reason: The request count exceeds the maximum configuration count allowed for messageid <value>	Failed to get new submissions status for message id <value>. Reason: The request count exceeds the maximum configuration count allowed for messageid <value>
GetNewSubmissionsStatus (Invalid ETIN)	Failed to get new submissions status for message id <value>. Reason: The request contains an invalid ETIN <value>	Failed to get new submissions status for message id <value>. Reason: The request contains an invalid ETIN <value>
GetSubmissionsStatus (Invalid Submission ID(s))	Failed to get submissions status reason: Could not find any status records for submission ID <value> for this ETIN <value>. If the submission was sent in through any channel other than Channel[A2A], then the status records must be retrieved through that channel.	Failed to get submissions status reason: Could not find any status records for submission ID <value> for this ETIN <value>. If the submission was sent in through any channel other than Channel[A2A], then the status records must be retrieved through that channel.
GetSubmissionStatus (Invalid Submission ID)	Failed to get submission status for message id <value>. Reason: Could not find any status records for submission ID <value> for this ETIN <value>. If the submission was sent in through any channel other than Channel[A2A], then the status records must be retrieved through that channel.	Failed to get submission status for message id <value>. Reason: Could not find any status records for submission ID <value> for this ETIN <value>. If the submission was sent in through any channel other than Channel[A2A], then the status records must be retrieved through that channel.

A summary of the service requests, argument errors, and the fault responses for account maintenance services generated by the XML Gateway and Web Application Server is depicted in Table 6-3 below. Messages indicating IDP rule are generated by the XML Gateway; the others are generated by the Web Application Server after the message has passed the XML Gateway scrutiny.

**Table 6-3. Service Request Argument Errors and Fault Responses
for Account Maintenance Services**

Request	Fault Response Message(s)	Log Error Message(s)
MSI Account Maintenance Services		
InitialLogin	Authentication for user <username> failed because 'Invalid credentials'	Authentication for user <username> failed because 'Invalid credentials'
Login	Authentication for user <username> failed because 'Invalid credentials'	Authentication for user <username> failed because 'Invalid credentials'
Logout	IDP Rule 'Authorization Failure' aborted processing: Not Logged In	Not authorized for the service request
ChangePassword	IDP Rule 'Authorization Failure' aborted processing: Cannot find old password value in the request SOAP Body Cannot find new password in the request SOAP Body New Password is the same as the old password Password rule violation: error message is sent from eTrust	Not authorized for the service request Cannot find old password value in the request SOAP Body Cannot find new password in the request SOAP Body New Password is the same as the old password Change password failure, Verify the new password meets the password criteria.

6.4.1 Service Request Processing Errors

Any of the service requests can result in a processing error. Table 6-4 illustrates the fault responses and log messages for the service request processing errors. Table 6-5 shows the Error Codes, Log Messages, Fault Responses, and Fault Types.

If a service request contains an incorrect length MessageID or it does not contain a MessageID in the MeFHeader, then this presents a somewhat unique error situation. If the fault response simply appended an “E” to the request MessageID, it would also contain an incorrect MessageID. However, the MessageID in the fault response must be a valid format. Therefore, for this unique situation, the fault response MessageID is generated by the MeF service processing software. The fault response MessageID will be in the form “00000ccyydddxxxxxxxE” and the RelatesTo element will contain the incorrect MessageID from the request. Example fault response MeFHeader elements for a MessageID too short situation are shown below.

```
<MeF>
  <MessageID>00000200610813588700E</MessageID>
  <RelatesTo>799582006087023</RelatesTo>
  <Action>EtinStatus</Action>
  <Timestamp>2006-04-18T17:28:58.871Z</Timestamp>
  <ETIN>00123</ETIN>
  <SessionIndicator>N</SessionIndicator>
  <TestIndicator>T</TestIndicator>
</MeF>
```

Table 6-4. Service Request Processing Errors and Fault Responses

Processing Error	Fault Response Message(s)	Log Error Message(s)
Session timeout expiration	Session timeout. - SYSTEM_ERROR	XML Gateway. Session timeout error.
Session limit was exceeded	Session limit exceeded. - REQUEST_ERROR	Session or service connection limit reached
Invalid Session key error	Invalid session.	XML Gateway. Session error. Invalid Session key error
Data container is not set	Data error - REQUEST_ERROR	SOAP Dispatcher transmission error. Data container has not been set.
Name of the data element is null or empty	Data element empty - REQUEST_ERROR	SOAP Dispatcher transmission error. Name of the data element is null or empty
File not found.	File not found - SYSTEM_ERROR	File not found
Unsupported file format	File not supported - REQUEST_ERROR	Unsupported file format
Virus found in file sent from client	IDP Rule 'Virus detected on request' ' aborted processing	This request contained a virus XML Gateway Detected in part attachment and was rejected
File IO Error	Encountered problem processing file - SYSTEM_ERROR	System File IO Error
File transfer error	ftp error - SYSTEM_ERROR	File transfer error
Required ETIN value not found in SOAP header	Required ETIN value not found in SOAP header. - REQUEST_ERROR	ETIN not found in SOAP header
Required Test Indicator value not found in SOAP header	Required Test Indicator value not found in SOAP header. - REQUEST_ERROR	Test Indicator not found in SOAP header

Processing Error	Fault Response Message(s)	Log Error Message(s)
Required Session Indicator value not found in SOAP header	Required Session Indicator value not found in SOAP header. - REQUEST_ERROR	Session Indicator not found in SOAP header
SOAP Header 'Action' element does not match Service URI	Invalid Action element value - REQUEST_ERROR	SOAP Header 'Action' element does not match Service URI
SOAP Header 'Action' element is missing	Action element not found - REQUEST_ERROR	SOAP Header 'Action' element is missing
Backend threw SOAP Transfer Exception	Backend error - SYSTEM_ERROR	Backend threw SOAP Transfer Exception
Error storing SOAP information	Error storing SOAP information - SYSTEM_ERROR	DataHolder problem, need to resolve within the code on service side
SOAP Exception	SOAP Exception - SYSTEM_ERROR	System SOAP exception. See log file for details
Expected response from backend not found	Backend error - SYSTEM_ERROR	Expected response from backend not found or unavailable
Backend System Exception	Backend error - SYSTEM_ERROR	Backend System Exception. See log file for details
Backend Amdas Exception	Backend error - SYSTEM_ERROR	Backend Amdas Exception. See log file for details
Backend EDA Exception	Backend error - SYSTEM_ERROR	Backend EDA Exception. See log file for details
User not found in backend repository	Backend error - SYSTEM_ERROR	User not found in backend repository.
Session or service connection limit exceeded	Session or service connection limit exceeded - REQUEST_ERROR	Session or service connection count is over limit
Database error for session.	System error. Please try again - SYSTEM_ERROR	Error with database for user session
Invalid Action Element Value	SYSTEM_ERROR	The action element value is incorrect or does not match the service request url endpoint
Invalid ETIN for this login name	SYSTEM_ERROR	The Etin in the service request is valid for the system id
File Not Supported	SYSTEM_ERROR Invalid file format	Invalid file format
No Matching XML Filter	IDP Rule; Invalid HTTP message	The incoming request did not match the wsdls loaded in the xml gateway.
IDP Rule 'Process Error'aborted processing Illegal XML character: 0x3	IDP RULE: Process Error	The incoming request contains invalid xml character

Table 6-5. Error Codes, Log Messages, Fault Responses, and Fault Types

Error Code	Log Error Message	Fault Response	Error Type
SYSTMIXG0000001	XML Gateway. Session timeout error	Session timeout	SYSTEM_ERROR
SESSNIXG0000002	XML Gateway. Session error. 5 Session limit exceeded	5 session limit exceeded	REQUEST_ERROR
SESSNIXG0000003	XML Gateway. Session error. Invalid Session key error	Invalid session	REQUEST_ERROR

Error Code	Log Error Message	Fault Response	Error Type
REQSTISD6500001	SOAP Dispatcher transmission error. Data container has not been set	Data error	REQUEST_ERROR
REQSTISD6500002	SOAP Dispatcher transmission error. Name of the data element is null or empty	Data element empty	REQUEST_ERROR
SYSTMI003000001	File not found from backend	File not found from backend	SYSTEM_ERROR
REQSTI003000002	Unsupported file format	File not supported	REQUEST_ERROR
REQSTI007000001	Virus(es) found in file sent from client	Virus found in file, cannot process request	SECURITY_ERROR
SYSTMI003000002	System FileIO Error	Encountered problem processing file	SYSTEM_ERROR
SYSTMI005500001	File transfer error	File transfer error	SYSTEM_ERROR
REQSTI004000001	ETIN not found in SOAP header	Required ETIN value not found in SOAP header	REQUEST_ERROR
REQSTI004000002	Test Indicator not found in SOAP header	Required Test Indicator value not found in SOAP header	REQUEST_ERROR
REQSTI004000003	Session Indicator not found in SOAP header	Required Session Indicator value not found in SOAP header	REQUEST_ERROR
REQSTI004000004	SOAP Header 'Action' element does not match Service URI	Invalid Action element value	REQUEST_ERROR
REQSTI004000005	SOAP Header 'Action' element is missing	Action element not found	REQUEST_ERROR
REQSTI004000006	ETIN found in SOAP header could not be validated against customer ID	Invalid ETIN for this login name	REQUEST_ERROR
SYSTMI004000001	Backend threw SOAP Transfer Exception	Backend SOAP error	SYSTEM_ERROR
SYSTMI004000002	DataHolder problem; need to resolve within the code on service side	Error storing SOAP information	SYSTEM_ERROR
SYSTMI004000003	System SOAP exception. See log file for details	SOAP Exception	SYSTEM_ERROR
SYSTMI007500001	Expected response from backend not found or unavailable	Backend error	SYSTEM_ERROR
SYSTMI007500002	Backend System Exception. See log file for details	Backend system error	SYSTEM_ERROR
SYSTMIAM7500001	Backend Amdas Exception. See log file for details	Backend AMDAS error	SYSTEM_ERROR
SYSTMIED7500001	Backend EDA Exception. See log file for details	Backend EDA error	REQUEST_ERROR
SYSTMI007500003	User not found in backend repository.	System could not find user	SYSTEM_ERROR
SYSTMI007500004	Failed to update the A2A user's system status	Failed to update user's system status	SYSTEM_ERROR
SESSNIMF0000001	Session or service connection count is over limit	Session or service connection limit reached	REQUEST_ERROR
SYSTMIAM2000001	Error with database for user session. See exception message	System database error. Please try again	SYSTEM_ERROR

Error Code	Log Error Message	Fault Response	Error Type
SYSTMIO02000001	Error with database for user session. See exception message.	Session database error	SYSTEM_ERROR
REQSTI004000007	Username not found in the SOAP header	Invalid or unknown username	REQUEST_ERROR
LOGINIXG0000001	XML Gateway Login error. Invalid ID	Login error. Invalid ID	REQUEST_ERROR
LOGINIXG0000002	XML Gateway Login error. Invalid password	Login error. Invalid password.	REQUEST_ERROR
LOGINIXG0000003	XML Gateway. Login error. Too many invalid logins.	Login error. Too many invalid logins	REQUEST_ERROR
LOGINIXG0000004	XML Gateway. Login error. Account lockout	Login error. Account lockout	REQUEST_ERROR
LOGINIXG0000005	XML Gateway. Change password error	Password change failure	REQUEST_ERROR
LOGINIXG0000006	XML Gateway. Missing Password error	Missing password. Please try again with the correct password	REQUEST_ERROR
REQSTI004000008	The Message ID in SOAP Header was not long enough per requirements	Incorrect length for Message ID	REQUEST_ERROR
REQSTI004000009	The Message ID in SOAP Header contained an unexpected indicator	Message ID indicator should not be applied	REQUEST_ERROR
REQSTI004000010	The Message ID in SOAP Header contained an indicator other than 'R' or 'E'	Message ID indicator is not valid	REQUEST_ERROR
REQSTI004000011	The Message ID in SOAP Header did not have valid numbers for the ETIN and/or date	Unable to parse ETIN + date combination as a valid number in Message ID	REQUEST_ERROR
REQSTI004000012	The date in the Message ID in SOAP Header could not be associated to a real date	Invalid date in Message ID	REQUEST_ERROR
REQSTI004000013	Except for the message indicator; if any; the Message ID in SOAP header did not contain all lower case characters	Message ID does not contain all lower case characters	REQUEST_ERROR
REQSTI004000014	The Message ID in SOAP Header contains non-alphanumeric (numbers and letters) characters	Found non-alphanumeric characters in Message ID	REQUEST_ERROR
REQSTI004000015	Could not find Message ID in the SOAP Header	Message ID not found	REQUEST_ERROR
REQSTI004000016	Virus found in file; cannot process request. Account locked due to maximum virus count	Virus found in file; cannot process request. Account locked due to maximum virus count	SECURITY_ERROR
REQSTI003000003	Did not find any attachment(s) in the client's request	Could not find expected attachment in request	REQUEST_ERROR
INILGIED6500003	Error occurred while attempting to confirm user's token	Could not confirm your token. Please check the value	SYSTEM_ERROR
SYSTMIO06500001	Unknown System Exception. See log file or stack trace for details	Internal system error	SYSTEM_ERROR

Error Code	Log Error Message	Fault Response	Error Type
REQSTI004000017	Deserialization error on incoming SOAP Message; most likely due to unknown element in message body	Element not defined in the schema	REQUEST_ERROR
REQSTI004000018	ETIN in header does not match Message ID	ETIN in MeF SOAP Header does not match the ETIN in the Message ID	REQUEST_ERROR
REQSTI004000019	Test Indicator in SOAP header in not valid	Test-Indicator value found in SOAP header is not valid	REQUEST_ERROR
CHGPWI006500001	Cannot find old password value in the request SOAP Body	Cannot find old password in SOAP Body	REQUEST_ERROR
CHGPWI006500002	Cannot find new password in the request SOAP Body	Cannot find new password in SOAP Body	REQUEST_ERROR
CHGPWI006500003	New Password is the same as the old password	New Password cannot be the same as old password	REQUEST_ERROR
CHGPWIET6500001	Password rule violation: error message is sent from eTrust via EDA	* Set dynamically during error processing *	REQUEST_ERROR
SYSTMJET6500001	Failed to retrieve user's token stored in eTrust via EDA	System failed to retrieve token	SYSTEM_ERROR
INILGIET6500001	A2A user's system status in eTrust is not set to NEW	Invalid user status in LDAP	SYSTEM_ERROR
INILGI006500001	Could not find user's token in SOAP request	Could not find user's token in SOAP request	REQUEST_ERROR
ETINEI007500001	Problem with retrieving ETIN from backend	ETIN retrieval error	SYSTEM_ERROR

Glossary

Transport

- [HTTP](#) (Hypertext Transfer Protocol)
An application-level protocol for distributed communication between Internet systems
- [HTTPS](#) (Secure HTTP)
A protocol that offers the secure delivery of HTTP packets between the server and client using SSL.
- [SSL](#) (Secure Sockets Layer)
A secure session protocol that guarantees message privacy and message integrity.
- [MIME](#) (Multimedia Internet Message Extensions)
A message format used to encapsulate binary payloads into SOAP messages.
- [DIME](#) (Direct Internet Message Encapsulation)
A lightweight, binary message format designed to encapsulate one or more application-defined payloads into a single message construct.

Packaging and Extensions

- [SOAP](#) (Simple Object Access Protocol)
A lightweight XML-based protocol for exchange of information in a decentralized, distributed environment;
- [WS-Security](#) (Web Services Security Language)
A SOAP extension that enables secure interactions between Web Services providing credential exchange, message integrity, and message confidentiality;
- [WS-Addressing](#) (Web Services Addressing)
A SOAP extension that provides transport-neutral mechanisms to address Web services and messages.

Description

- [WSDL](#) (Web Services Description Language)
An XML format for the description of network services as a set of endpoints operating on messages containing either document-oriented or procedure-oriented information;
- [XML](#) (Extensible Markup Language)
A simple, flexible text format used in the exchange of a wide variety of data on the Web and elsewhere.
- [CA](#) (Certificate Authority)
An entity which issues digital certificates for use by other parties like VeriSign or IdenTrust.

RSA An algorithm for public-key encryption.

DSA (Digital Signature Algorithm)
A United States Federal Government standard for digital signatures.