

Form 1095-B XML Schema Elements <i>Form1095BUpstreamDetailType</i>	Form Line Number	eFile Type	eFile Type Definition	minOccurs	maxOccurs	Element Required or Optional	Description
<i>RecordId</i>	N/A	RecordIdType	string maxLength value="10" pattern [1-9][0-9]**/>	1	1	Required	A sequential number (non-negative integer) that uniquely identifies each record within a submission - every Form 1095-B requires a <i>RecordId</i> . <i>RecordId</i> should start at 1 and increment by 1 sequentially for each Form 1095-B in the submission.
<i>TestScenarioId</i>	N/A	TestScenarioIdType	string pattern [1-9]{1,2}-[0-9]{1,2}	0	1	Optional	The <i>TestScenarioId</i> is only applicable to transmissions submitted to AATS and identifies which test scenario the Form 1095-B represents.
<i>CorrectedInd</i>	N/A	DigitBooleanType	string enumeration:: "0" or "1"	1	1	Required	<i>CorrectedInd</i> indicates if the record is an original (0) or a correction (1) to a record that the IRS has already received, processed, and accepted.
<i>CorrectedRecordInfoGrp</i>	N/A	CorrectedRecordInfoGrpType	complexType	0	1	Optional	<i>CorrectedRecordInfoGrp</i> contains information to identify the submission being corrected.
<i>CorrectedUniqueRecordId</i>	N/A	UniqueRecordIdType	token string pattern value [^\s],[^\s]{1,80}\ [1-9]{1}[0-9]{0,15}\ [1-9]{1}[0-9]{0,15}	1	1	Required	<i>CorrectedRecordUniqueId</i> is the unique identifier of the record being corrected. ReceiptId SubmissionId RecordId
<i>CorrectedRecordPayeeName</i>	N/A	OtherCompletePersonNameType	complexType	0	1	Optional	The <i>CorrectedRecordPayeeName</i> is a complex element. It is not required. However, if it is included in the XML, the simple elements must follow the schema definition. This is the name of the person reported on the record being corrected.
<i>PersonFirstNm</i>	N/A	PersonFirstNameType	string max length = "20" pattern ([A-Za-z\-\])*[A-Za-z\-\]	1	1	Required	The <i>PersonFirstNm</i> is required if <i>CorrectedRecordPayeeName</i> is included in the XML. It is the first name of the person reported on the record being corrected. Legal Characters: A-Z, a-z, hyphen and single space. Illegal Character: leading space, trailing space, adjacent spaces, and other symbols.
<i>PersonMiddleNm</i>	N/A	PersonMiddleNameType	string max length = "20" pattern ([A-Za-z\-\])*[A-Za-z\-\]	0	1	Optional	The <i>PersonMiddleNm</i> is not required. It is the middle name of the person reported on the record being corrected. Legal Characters: A-Z, a-z, hyphen and single space. Illegal Character: leading space, trailing space, adjacent spaces, and other symbols.
<i>PersonLastNm</i>	N/A	PersonLastNameType	string max length = "20" pattern ([A-Za-z\-\])*[A-Za-z\-\]	1	1	Required	The <i>PersonLastNm</i> is required if <i>CorrectedRecordPayeeName</i> is included in the XML. It is the last name of the person on the record being corrected. Legal Characters: A-Z, a-z, hyphen and single space. Illegal Character: leading space, trailing space, adjacent spaces, and other symbols.
<i>SuffixNm</i>	N/A	SuffixNameType	string max length = "20" pattern ([A-Za-z\-\])*[A-Za-z\-\]	0	1	Optional	The <i>SuffixNm</i> is not required. It is the suffix name of the person reported on the record being corrected. Legal Characters: A-Z, a-z, hyphen and single space. Illegal Character: leading space, trailing space, adjacent spaces, and other symbols.
<i>CorrectedRecordPayeeTIN</i>	N/A	SSNType	string pattern [0-9]{9}	0	1	Optional	The <i>CorrectedRecordPayeeTIN</i> is the SSN of the Payee that was reported on the record being corrected.
<i>TaxYr</i>	N/A	YearType	string [1-9][0-9]{3}	1	1	Required	IRS <i>TaxYr</i> is the tax year for which the data on the Form 1095-B is being submitted.
<i>ResponsibleIndividualInfoGrp</i>	Lines 1 - 9	ResponsibleIndividualGrpType	complexType	0	1	Optional	The complex element <i>ResponsibleIndividualInfoGrp</i> contains the information for Form 1095-B Part I.
<i>ResponsibleIndividualName</i>	Line 1	OtherCompletePersonNameType	complexType	0	1	Optional	The complex element <i>ResponsibleIndividualName</i> contains the information to be reported on Line 1 of Form 1095-B.
<i>PersonFirstNm</i>	Line 1	PersonFirstNameType	string max length = "20" pattern ([A-Za-z\-\])*[A-Za-z\-\]	1	1	Required	The <i>PersonFirstNm</i> is required if <i>ResponsibleIndividualName</i> is included in the XML. It is the first name of the responsible individual. Legal Characters: A-Z, a-z, hyphen and single space. Illegal Character: leading space, trailing space, adjacent spaces, and other symbols.

<i>PersonMiddleNm</i>	Line 1	PersonMiddleNameType	string max length = "20" pattern ([A-Za-z\-\])*[A-Za-z\-\]	0	1	Optional	The <i>PersonMiddleNm</i> is not required. It is the middle name of the responsible individual. Legal Characters: A-Z, a-z, hyphen and single space. Illegal Character: leading space, trailing space, adjacent spaces, and other symbols.
<i>PersonLastNm</i>	Line 1	PersonLastNameType	string max length = "20" pattern ([A-Za-z\-\])*[A-Za-z\-\]	1	1	Required	The <i>PersonLastNm</i> is required if <i>ResponsibleIndividualName</i> is included in the XML. It is the last name of the responsible individual. Legal Characters: A-Z, a-z, hyphen and single space. Illegal Character: leading space, trailing space, adjacent spaces, and other symbols.
<i>SuffixNm</i>	Line 1	SuffixNameType	string max length = "20" pattern ([A-Za-z\-\])*[A-Za-z\-\]	0	1	Optional	The <i>SuffixNm</i> is not required. It is the suffix name of the responsible individual. Legal Characters: A-Z, a-z, hyphen and single space. Illegal Character: leading space, trailing space, adjacent spaces, and other symbols.
<i>PersonNameControlTxt</i>	N/A	PersonNameControlType	string maxLength value = "4" pattern [A-Z][A-Z\-\]{0,3}	0	1	Optional	The <i>PersonNameControlTxt</i> is a string that conforms to the pattern described in the XML Schema. Legal Characters: A-Z, hyphen and space. Illegal Character: numbers and symbols.
<i>TINRequestTypeCd</i>	N/A	TINRequestTypeCodeType	String enumerations: INDIVIDUAL_TIN BUSINESS_TIN UNKNOWN	0	1	Optional	The <i>TINRequestTypeCd</i> is a code used to identify the TIN Type of the responsible individual. The code for the responsible individual should be INDIVIDUAL_TIN.
<i>SSN</i>	Line 2	SSNType	string pattern [0-9]{9}	0	1	Optional	The <i>SSN</i> is the 9 digit Social Security Number or Taxpayer Identification Number of the responsible individual.
<i>BirthDt</i>	Line 3	DateType	date string pattern value [1-9][0-9]{3}\-(0[1-9] 1[012])\-(0[1-9] [12][0-9] 3[01])	0	1	Optional	Enter a date of birth for the responsible individual only if SSN on line 2 is blank.
<i>MailingAddressGrp</i>	Lines 4 - 7	BusinessAddressGrpType	complexType	0	1	Optional	<i>MailingAddressGrp</i> is a choice of <i>USAddressGrp</i> or <i>ForeignAddressGrp</i> .
<i>USAddressGrp</i>	N/A	USAddressGrpType	complexType	1	1	Required	The <i>USAddressGrp</i> is a complex element. <i>USAddressGrp</i> or <i>ForeignAddressGrp</i> are only required if the XML includes <i>MailingAddressGrp</i> . Note: either <i>USAddressGrp</i> or <i>ForeignAddressGrp</i> are required - not both - depending on the address.
<i>AddressLine1Txt</i>	Line 4	StreetAddressType	string maxLength="35" pattern [A-Za-z0-9\-\]*[A-Za-z0-9\-\]*	1	1	Required	<i>AddressLine1Txt</i> is the first line containing the street address of the responsible individual from Part I of Form 1095-B. This simple element is required if the XML includes <i>USAddressGrp</i> . Legal Characters: A-Z, a-z, 0-9, hyphen, slash and single space. Illegal Characters: leading space, trailing space, adjacent spaces, and other symbols.
<i>AddressLine2Txt</i>	Line 4	StreetAddressType	string maxLength="35" pattern [A-Za-z0-9\-\]*[A-Za-z0-9\-\]*	0	1	Optional	<i>AddressLine2Txt</i> is an optional second line containing the street address of the responsible individual from Part I of Form 1095-B. Legal Characters: A-Z, a-z, 0-9, hyphen, slash and single space. Illegal Characters: leading space, trailing space, adjacent spaces, and other symbols.
<i>CityNm</i>	Line 5	CityType	string maxLength="22" pattern ([A-Za-z\])*[A-Za-z]	1	1	Required	<i>CityNm</i> is the name of the city of the responsible individual from Part I of Form 1095-B. This simple element is required if the XML includes <i>USAddressGrp</i> .
<i>USStateCd</i>	Line 6	StateType	string 2 character code required as specified in the XML schema	1	1	Required	<i>USStateCd</i> is the abbreviation for the state, US Territory, or Military designation of the responsible individual from Part I of Form 1095-B. This simple element is required if the XML includes <i>USAddressGrp</i> .
<i>USZIPCd</i>	Line 7	USZIPCdType	string pattern [0-9]{5}	1	1	Required	<i>USZIPCd</i> is the 5-digit zip code for the address of the responsible individual from Part I of Form 1095-B. This simple element is required if the XML includes <i>USAddressGrp</i> .
<i>USZIPExtensionCd</i>	Line 7	USZIPExtensionCdType	string pattern [0-9]{4}	0	1	Optional	<i>USZIPExtensionCd</i> is the 4-digit extension zip code for the address of the responsible individual from Part I of Form 1095-B.
<i>ForeignAddressGrp</i>	N/A	ForeignAddressGrpType	complexType	1	1	Required	The <i>ForeignAddressGrp</i> is a complex element. <i>ForeignAddressGrp</i> or <i>USAddressGrp</i> are only required if the XML includes <i>MailingAddressGrp</i> . Note: either <i>USAddressGrp</i> or <i>ForeignAddressGrp</i> are required - not both - depending on the address.

<i>AddressLine1Txt</i>	Line 4	StreetAddressType	string maxLength="35" pattern [A-Za-z0-9](?[A-Za-z0-9\-\-])*	1	1	Required	<i>AddressLine1Txt</i> is the first line containing the street address of the responsible individual from Part I of Form 1095-B. This simple element is required if the XML includes <i>ForeignAddressGrp</i> . Legal Characters: A-Z, a-z, 0-9, hyphen, slash and single space. Illegal Characters: leading space, trailing space, adjacent spaces, and other symbols.
<i>AddressLine2Txt</i>	Line 4	StreetAddressType	string maxLength="35" pattern [A-Za-z0-9](?[A-Za-z0-9\-\-])*	0	1	Optional	<i>AddressLine2Txt</i> is an optional second line containing the street address of the responsible individual from Part I of Form 1095-B. Legal Characters: A-Z, a-z, 0-9, hyphen, slash and single space. Illegal Characters: leading space, trailing space, adjacent spaces, and other symbols.
<i>CityNm</i>	Line 5	CityType	string maxLength="22" pattern ([A-Za-z]?)*[A-Za-z]	0	1	Optional	<i>CityNm</i> is the name of the city of the responsible individual from Part I of Form 1095-B.
<i>CountryCd</i>	Line 7	CountryType	string 2 character code required as specified in the XML schema	1	1	Required	<i>CountryCd</i> is the Foreign Country Code of the responsible individual. Either <i>CountryCd</i> or <i>CountryNm</i> are required if the XML includes <i>ForeignAddressGrp</i> .
<i>CountryNm</i>	Line 7	CountryNameType	string max length = "35" pattern [A-Za-z](?[A-Za-z])*	1	1	Required	<i>CountryNm</i> is the Foreign Country Name of the responsible individual. Either <i>CountryNm</i> or <i>CountryCd</i> are required if the XML includes <i>ForeignAddressGrp</i> . Legal Characters: A-Z, a-z, and single space.
<i>ForeignProvinceNm</i>	Line 6	ForeignProvinceNameType	string max length = "17" pattern [A-Za-z0-9](?[A-Za-z0-9\-\- /'])*	0	1	Optional	<i>ForeignProvinceNm</i> is the name of the Province of the responsible individual from Part I of Form 1095-B. Either <i>ForeignProvinceNm</i> or <i>ForeignPostalCd</i> are optional if the XML includes <i>ForeignAddressGrp</i> . Valid characters are alphas (a-z), numeric (0-9), period (.), slash (/), hyphen (-), apostrophe ('), and "blank".
<i>ForeignPostalCd</i>	Line 7	ForeignPostalCodeType	string max length = "16" pattern [A-Za-z0-9](?[A-Za-z0-9\-\- /])*	0	1	Optional	<i>ForeignPostalCd</i> is the name of the foreign postal code of the responsible individual from Part I of Form 1095-B. Either <i>ForeignPostalCd</i> or <i>ForeignProvinceNm</i> are optional if the XML includes <i>ForeignAddressGrp</i> . Valid characters are alphas (a-z), numeric (0-9), period (.), slash (/), hyphen (-) and "blank".
<i>PolicyOriginCd</i>	Line 8	PolicyOriginCodeType	string maxLength= "1" pattern [A-Fa-f]	0	1	Optional	The <i>PolicyOriginCd</i> is the letter identifying the origin of the policy and can be A through F.
<i>SponsoringEmployerInfoGrp</i>	Lines 10 - 15	SponsoringEmployerInfoGrpType	complexType	0	1	Optional	The complex element <i>SponsoringEmployerInfoGrp</i> contains the information for Form 1095-B Part II.
<i>BusinessName</i>	None	BusinessNameType	complexType	0	1	Optional	The <i>BusinessName</i> is a complex element. It is not required. However, if it is included in the XML, the simple elements must follow the schema definition.
<i>BusinessNameLine1Txt</i>	Line 10	BusinessNameLine1Type	string maxLength="75" pattern ([A-Za-z0-9\-\- \(\)&apos;])*[A-Za-z0-9\-\- \(\)&apos;]	1	1	Required	The <i>BusinessNameLine1Txt</i> is required if <i>BusinessName</i> is included in the XML. This is the business name for the employer sponsoring the coverage. Legal Characters: A-Z, a-z, 0-9, hyphen, parentheses, ampersand, apostrophe and single space. Illegal Character: leading space, trailing space, adjacent spaces, and other symbols.
<i>BusinessNameLine2Txt</i>	Line 10	BusinessNameLine2Type	string maxLength="75" pattern ([A-Za-z0-9\-\- \(\)&apos;])*[A-Za-z0-9\-\- \(\)&apos;]	0	1	Optional	The <i>BusinessNameLine2Txt</i> is optional if <i>BusinessName</i> is included in the XML. This is a continuation of the business name for the employer sponsoring the coverage. Legal Characters: A-Z, a-z, 0-9, slash, percent, hyphen, parentheses, ampersand, apostrophe and single space. Illegal Character: leading space, trailing space, adjacent spaces, and other symbols.
<i>BusinessNameControlTxt</i>	N/A	BusinessNameControlType	string pattern ([A-Z0-9\-\-] &apos;){1,4}	0	1	Optional	The <i>BusinessNameControlTxt</i> is a string that conforms to the pattern described in the XML Schema. Legal Characters: A-Z, 0-9, hyphen and ampersand. Illegal Character: spaces and symbols.
<i>EIN</i>	Line 11	EINType	string pattern [0-9]{9}	0	1	Optional	The <i>EIN</i> is the Employer Identification Number for the employer sponsoring the coverage.

<i>TINRequestTypeCd</i>	N/A	TINRequestTypeCodeType	String enumerations: INDIVIDUAL_TIN BUSINESS_TIN UNKNOWN	0	1	Optional	The <i>TINRequestTypeCd</i> is a string that conforms to the pattern described in the XML Schema. The enumeration for the employer sponsoring the coverage should be BUSINESS_TIN.
<i>MailingAddressGrp</i>	Lines 12 - 15	BusinessAddressGrpType	complexType	0	1	Optional	<i>MailingAddressGrp</i> is a choice of <i>USAddressGrp</i> or <i>ForeignAddressGrp</i> .
<i>USAddressGrp</i>	N/A	USAddressGrpType	complexType	1	1	Required	The <i>USAddressGrp</i> is a complex element. <i>USAddressGrp</i> or <i>ForeignAddressGrp</i> are only required if the XML includes <i>MailingAddressGrp</i> . Note: either <i>USAddressGrp</i> or <i>ForeignAddressGrp</i> are required - not both - depending on the address.
<i>AddressLine1Txt</i>	Line 12	StreetAddressType	string maxLength="35" pattern [A-Za-z0-9](?[A-Za-z0-9\-\-\/])*	1	1	Required	<i>AddressLine1Txt</i> is the first line containing the street address of the employer sponsoring the coverage. This simple element is required if the XML includes <i>USAddressGrp</i> . Legal Characters: A-Z, a-z, 0-9, hyphen, slash and single space. Illegal Characters: leading space, trailing space, adjacent spaces, and other symbols.
<i>AddressLine2Txt</i>	Line 12	StreetAddressType	string maxLength="35" pattern [A-Za-z0-9](?[A-Za-z0-9\-\-\/])*	0	1	Optional	<i>AddressLine2Txt</i> is an optional second line containing the street address of the employer sponsoring the coverage. Legal Characters: A-Z, a-z, 0-9, hyphen, slash and single space. Illegal Characters: leading space, trailing space, adjacent spaces, and other symbols.
<i>CityNm</i>	Line 13	CityType	string maxLength="22" pattern ([A-Za-z-?])*[A-Za-z]	1	1	Required	<i>CityNm</i> is the name of the city of the employer sponsoring the coverage. This simple element is required if the XML includes <i>USAddressGrp</i> .
<i>USStateCd</i>	Line 14	StateType	string 2 character code required as specified in the XML schema	1	1	Required	<i>USStateCd</i> is the abbreviation for the state, US Territory, or Military designation of the employer sponsoring the coverage. This simple element is required if the XML includes <i>USAddressGrp</i> .
<i>USZIPCd</i>	Line 15	USZIPCdType	string pattern [0-9]{5}	1	1	Required	<i>USZIPCd</i> is the 5-digit zip code for the address of the employer sponsoring the coverage. This simple element is required if the XML includes <i>MailingAddressGrp</i> .
<i>USZIPExtensionCd</i>	Line 15	USZIPExtensionCdType	string pattern [0-9]{4}	0	1	Optional	<i>USZIPExtensionCd</i> is the 4-digit extension zip code for the address of the employer sponsoring the coverage.
<i>ForeignAddressGrp</i>	N/A	ForeignAddressGrpType	complexType	1	1	Required	The <i>ForeignAddressGrp</i> is a complex element. <i>ForeignAddressGrp</i> or <i>USAddressGrp</i> are only required if the XML includes <i>MailingAddressGrp</i> . Note: either <i>USAddressGrp</i> or <i>ForeignAddressGrp</i> are required - not both - depending on the address.
<i>AddressLine1Txt</i>	Line 12	StreetAddressType	string maxLength="35" pattern [A-Za-z0-9](?[A-Za-z0-9\-\-\/])*	1	1	Required	<i>AddressLine1Txt</i> is the first line containing the street address of the employer sponsoring the coverage. This simple element is required if the XML includes <i>ForeignAddressGrp</i> . Legal Characters: A-Z, a-z, 0-9, hyphen, slash and single space. Illegal Characters: leading space, trailing space, adjacent spaces, and other symbols.
<i>AddressLine2Txt</i>	Line 12	StreetAddressType	string maxLength="35" pattern [A-Za-z0-9](?[A-Za-z0-9\-\-\/])*	0	1	Optional	<i>AddressLine2Txt</i> is an optional second line containing the street address of the employer sponsoring the coverage. Legal Characters: A-Z, a-z, 0-9, hyphen, slash and single space. Illegal Characters: leading space, trailing space, adjacent spaces, and other symbols.
<i>CityNm</i>	Line 13	CityType	string max length = "22" pattern ([A-Za-z-?])*[A-Za-z]	0	1	Optional	<i>CityNm</i> is the name of the city of the employer sponsoring the coverage.
<i>CountryCd</i>	Line 15	CountryType	string 2 character code required as specified in the XML schema	1	1	Required	<i>CountryCd</i> is the Foreign Country Code of the employer sponsoring the coverage. Either <i>CountryCd</i> or <i>CountryNm</i> are required if the XML includes <i>ForeignAddressGrp</i> .
<i>CountryNm</i>	Line 15	CountryNameType	string max length = "35" pattern [A-Za-z](?[A-Za-z])	1	1	Required	<i>CountryNm</i> is the Foreign Country Name of the address of the employer sponsoring the coverage. Either <i>CountryNm</i> or <i>CountryCd</i> are required if the XML includes <i>ForeignAddressGrp</i> . Legal characters: A-Z, a-z, and single space.

<i>ForeignProvinceNm</i>	Line 14	ForeignProvinceNameType	string max length = "17" pattern [A-Za-z0-9](?[A-Za-z0-9\-\'])*	0	1	Optional	<i>ForeignProvinceNm</i> is the name of the Province of the address of the provider of the coverage. Either <i>ForeignProvinceNm</i> or <i>ForeignPostalCd</i> are optional if the XML includes <i>ForeignAddressGrp</i> . Valid characters are alphas (a-z), numeric (0-9), period (.), slash (/), hyphen (-), apostrophe ('), and "blank".
<i>ForeignPostalCd</i>	Line 15	ForeignPostalCodeType	string max length = "16" pattern [A-Za-z0-9](?[A-Za-z0-9\-\'])*	0	1	Optional	<i>ForeignPostalCd</i> is the foreign postal code of the address of the provider of the coverage. Either <i>ForeignPostalCd</i> or <i>ForeignProvinceNm</i> are optional if the XML includes <i>ForeignAddressGrp</i> . Valid characters are alphas (a-z), numeric (0-9), period (.), slash (/), hyphen (-) and "blank".
<i>IssuerInfoGrp</i>	Lines 16 - 22	IssuerInfoGrpType	complexType	1	1	Required	The <i>IssuerInfoGrp</i> is required and contains the information for Form 1095-B Part III.
<i>BusinessName</i>	N/A	BusinessNameType	complexType	1	1	Required	The <i>BusinessName</i> is required. The simple elements must follow the schema definition.
<i>BusinessNameLine1Txt</i>	Line 16	BusinessNameLine1Type	string maxLength="75" pattern ([A-Za-z0-9\-\(\)'])*[A-Za-z0-9\-\(\)']	1	1	Required	The <i>BusinessNameLine1Txt</i> is required. This is the business name for the provider of the coverage. Legal Characters: A-Z, a-z, 0-9, hyphen, parentheses, ampersand, apostrophe and single space. Illegal Character: leading space, trailing space, adjacent spaces, and other symbols.
<i>BusinessNameLine2Txt</i>	Line 16	BusinessNameLine2Type	string maxLength="75" pattern ([A-Za-z0-9\-\(\)'])*[A-Za-z0-9\-\(\)']	0	1	Optional	The <i>BusinessNameLine2Txt</i> is optional. This is a continuation of the business name for the provider of the coverage. Legal Characters: A-Z, a-z, 0-9, hyphen, parentheses, ampersand, apostrophe and single space. Illegal Character: leading space, trailing space, adjacent spaces, and other symbols.
<i>BusinessNameControlTxt</i>	N/A	BusinessNameControlType	string pattern ([A-Z0-9\-\']){1,4}	0	1	Optional	The <i>BusinessNameControlTxt</i> is a string that conforms to the pattern described in the XML Schema. Legal Characters: A-Z, 0-9, hyphen and ampersand. Illegal Character: spaces and symbols.
<i>TINRequestTypeCd</i>	N/A	TINRequestTypeCodeType	String enumerations: INDIVIDUAL_TIN BUSINESS_TIN UNKNOWN	0	1	Optional	The <i>TINRequestTypeCd</i> is a string that conforms to the pattern described in the XML Schema. The enumeration for the employer sponsoring the coverage should be BUSINESS_TIN.
<i>EIN</i>	Line 17	EINType	string pattern [0-9]{9}	1	1	Required	The <i>EIN</i> is the Employer Identification Number for the employer sponsoring the coverage.
<i>ContactPhoneNum</i>	Line 18	ContactPhoneNumberType	string minLength="10" maxLength="15" pattern ([0-9])*	0	1	Optional	The <i>ContactPhoneNum</i> is the phone number of a person associated with the provider of the coverage that the IRS can contact if there are questions about the submission.
<i>MailingAddressGrp</i>	Lines 19 - 22	BusinessAddressGrpType	complexType	0	1	Optional	<i>MailingAddressGrp</i> is a choice of <i>USAddressGrp</i> or <i>ForeignAddressGrp</i> .
<i>USAddressGrp</i>	N/A	USAddressGrpType	complexType	1	1	Required	The <i>USAddressGrp</i> is a complex element. <i>USAddressGrp</i> or <i>ForeignAddressGrp</i> are only required if the XML includes <i>MailingAddressGrp</i> . Note: either <i>USAddressGrp</i> or <i>ForeignAddressGrp</i> are required - not both - depending on the address.
<i>AddressLine1Txt</i>	Line 19	StreetAddressType	string maxLength="35" pattern [A-Za-z0-9](?[A-Za-z0-9\-\'])*	1	1	Required	<i>AddressLine1Txt</i> is the first line containing the street address of the provider of the coverage. This simple element is required if the XML includes <i>USAddressGrp</i> . Legal Characters: A-Z, a-z, 0-9, hyphen, slash and single space. Illegal Characters: leading space, trailing space, adjacent spaces, and other symbols.
<i>AddressLine2Txt</i>	Line 19	StreetAddressType	string maxLength="35" pattern [A-Za-z0-9](?[A-Za-z0-9\-\'])*	0	1	Optional	<i>AddressLine2Txt</i> is an optional second line containing the street address of the provider of the coverage. Legal Characters: A-Z, a-z, 0-9, hyphen, slash and single space. Illegal Characters: leading space, trailing space, adjacent spaces, and other symbols.
<i>CityNm</i>	Line 20	CityType	string maxLength="22" pattern ([A-Za-z ?])*[A-Za-z]	1	1	Required	<i>CityNm</i> is the name of the city of the provider of the coverage. This simple element is required if the XML includes <i>USAddressGrp</i> .

<i>USStateCd</i>	Line 21	StateType	string 2 character code required as specified in the XML schema	1	1	Required	<i>USStateCd</i> is the abbreviation for the state, US Territory, or Military designation of the provider of the coverage. This simple element is required if the XML includes <i>USAddressGrp</i> .
<i>USZIPCd</i>	Line 22	USZIPCdType	string pattern [0-9]{5}	1	1	Required	<i>USZIPCd</i> is the 5-digit zip code for the address of the provider of the coverage. This simple element is required if the XML includes <i>USAddressGrp</i> .
<i>USZIPExtensionCd</i>	Line 22	USZIPExtensionCdType	string pattern [0-9]{4}	0	1	Optional	<i>USZIPExtensionCd</i> is the 4-digit extension zip code for the address of the provider of the coverage.
<i>ForeignAddressGrp</i>	N/A	ForeignAddressGrpType	complexType	1	1	Required	The <i>ForeignAddressGrp</i> is a complex element. <i>ForeignAddressGrp</i> or <i>USAddressGrp</i> are only required if the XML includes <i>MailingAddressGrp</i> . Note: either <i>USAddressGrp</i> or <i>ForeignAddressGrp</i> are required – not both – depending on the address.
<i>AddressLine1Txt</i>	Line 19	StreetAddressType	string maxLength="35" pattern [A-Za-z0-9](?[A-Za-z0-9\-\-])*	1	1	Required	<i>AddressLine1Txt</i> is the first line containing the street address of the provider of the coverage. This simple element is required if the XML includes <i>ForeignAddressGrp</i> . Legal Characters: A-Z, a-z, 0-9 hyphen, slash and single space. Illegal Characters: leading space, trailing space, adjacent spaces, and other symbols.
<i>AddressLine2Txt</i>	Line 19	StreetAddressType	string maxLength="35" pattern [A-Za-z0-9](?[A-Za-z0-9\-\-])*	0	1	Optional	<i>AddressLine2Txt</i> is an optional second line containing the street address of the provider of the coverage. Legal Characters: A-Z, a-z, 0-9, hyphen, slash and single space. Illegal Characters: leading space, trailing space, adjacent spaces, and other symbols
<i>CityNm</i>	Line 20	CityType	string maxLength="22" pattern ([A-Za-z] ?)*[A-Za-z]	0	1	Optional	<i>CityNm</i> is the name of the foreign city of the provider of the coverage.
<i>CountryCd</i>	Line 22	CountryType	string 2 character code required as specified in the XML schema	1	1	Required	<i>CountryCd</i> is the Foreign Country Code of the provider of the coverage Either <i>CountryCd</i> or <i>CountryNm</i> are required if the XML includes <i>ForeignAddressGrp</i> .
<i>CountryNm</i>	Line 22	CountryNameType	string max length = "35" pattern [A-Za-z](?[A-Za-z]	1	1	Required	<i>CountryNm</i> is the Foreign Country Name of the address of the provider of the coverage. Either <i>CountryNm</i> or <i>CountryCd</i> are required if the XML includes <i>ForeignAddressGrp</i> . Legal characters: A-Z, a-z, and single space.
<i>ForeignProvinceNm</i>	Line 21	ForeignProvinceNameType	string max length = "17" pattern [A-Za-z0-9](?[A-Za-z0-9\-\- /'])*	0	1	Optional	<i>ForeignProvinceNm</i> is the name of the Province of the address of the provider of the coverage. Either <i>ForeignProvinceNm</i> or <i>ForeignPostalCd</i> are optional if the XML includes <i>ForeignAddressGrp</i> . Valid characters are alphas (a-z), numeric (0-9), period (.), slash (/), hyphen (-), apostrophe ('), and "blank".
<i>ForeignPostalCd</i>	Line 22	ForeignPostalCodeType	string max length = "16" pattern [A-Za-z0-9](?[A-Za-z0-9\-\- /])*	0	1	Optional	<i>ForeignPostalCd</i> is the foreign postal code of the address of the provider of the coverage. Either <i>ForeignPostalCd</i> or <i>ForeignProvinceNm</i> are optional if the XML includes <i>ForeignAddressGrp</i> . Valid characters are alphas (a-z), numeric (0-9), period (.), slash (/), hyphen (-) and "blank".
<i>CoveredIndividualGrp</i>	Lines 23 - 28	EmployerCoveredIndividualType	complexType	0	99	Optional	The complex element <i>CoveredIndividualGrp</i> contains the information for Form 1095-B Part IV.
<i>CoveredIndividualName</i>	Line 23-28(a)	OtherCompletePersonNameType	complexType	0	1	Optional	<i>CoveredIndividualName</i> is a complex element. It is not required. However, if it is included in the XML, the simple elements must follow the schema definition.
<i>PersonFirstNm</i>	Line 23-28(a)	PersonFirstNameType	string max length = "20" pattern ([A-Za-z\-\-] ?)*[A-Za-z\-\-]	1	1	Required	The <i>PersonFirstNm</i> is required if <i>CoveredIndividualName</i> is included in the XML. Legal Characters: A-Z, a-z, hyphen and single space. Illegal Character: leading space, trailing space, adjacent spaces, and other symbols.
<i>PersonMiddleNm</i>	Line 23-28(a)	PersonMiddleNameType	string max length = "20" pattern ([A-Za-z\-\-] ?)*[A-Za-z\-\-]	0	1	Optional	The <i>PersonMiddleNm</i> is not required. Legal Characters: A-Z, a-z, hyphen and single space. Illegal Character: leading space, trailing space, adjacent spaces, and other symbols.
<i>PersonLastNm</i>	Line 23-28(a)	PersonLastNameType	string max length = "20" pattern ([A-Za-z\-\-] ?)*[A-Za-z\-\-]	1	1	Required	The <i>PersonLastNm</i> is required if <i>CoveredIndividualName</i> is included in the XML. Legal Characters: A-Z, a-z, hyphen and single space. Illegal Character: leading space, trailing space, adjacent spaces, and other symbols.

<i>SuffixNm</i>	Line 23-28(a)	SuffixNameType	string max length = "20" pattern ([A-Za-z\-\-] ?)*[A-Za-z\-\-]	0	1	Optional	The <i>SuffixNm</i> is not required. It is an unbounded string containing the suffix name of the covered individual. Legal Characters: A-Z, a-z, hyphen and single space. Illegal Character: leading space, trailing space, adjacent spaces, and other symbols.
<i>PersonNameControlTxt</i>	N/A	PersonNameControlType	string maxLength value = "4" [A-Z][A-Z\-\-]{0,3}	0	1	Optional	The <i>PersonNameControlTxt</i> is a string that conforms to the pattern described in the XML Schema. Legal Characters: A-Z, hyphen and space. Illegal Character: numbers and symbols.
<i>TINRequestTypeCd</i>	N/A	TINRequestTypeCodeType	String enumerations: INDIVIDUAL_TIN BUSINESS_TIN UNKNOWN	0	1	Optional	The <i>TINRequestTypeCd</i> is a string that conforms to the pattern described in the XML Schema. The enumeration for the <i>CoveredIndividualName</i> should be INDIVIDUAL_TIN.
<i>SSN</i>	Line 23-28(b)	SSNType	string pattern [0-9]{9}	0	1	Optional	The <i>SSN</i> is the 9 digit Social Security Number or Taxpayer Identification Number of each covered individual.
<i>BirthDt</i>	Line 23-28(c)	DateType	date string pattern value [1-9][0-9]{3}\-(0[1-9] 1[012])\-(0[1-9] 12)[0-9]{3}[01]	0	1	Optional	Enter a date of birth for the covered individual only if SSN on Line 2 is blank. Format should be: YYYY-MM-DD.
<i>CoveredIndividualAnnualInd</i>	Line 23-28(d)	DigitBooleanType	string enumerations: "0" or "1"	0	1	Optional	Enter "0" for false or "1" for true to indicate if the individual was covered for at least one day per month for all 12 months of the calendar year
<i>CoveredIndividualMonthlyIndGrp</i>	N/A	MonthIndGrpType	complexType	0	1	Optional	<i>CoveredIndividualMonthlyIndGrp</i> is a group of indicators for each month of coverage.
<i>JanuaryInd</i>	Line 23-28(e)	DigitBooleanType	string enumerations: "0" or "1"	0	1	Optional	If the individual was not covered for all months, include this element with the enumeration of "0" or "1". Use "0" if the individual was not covered during the month. Use "1" if the individual was covered for at least one day of the month.
<i>FebruaryInd</i>	Line 23-28(e)	DigitBooleanType	string enumerations: "0" or "1"	0	1	Optional	If the individual was not covered for all months, include this element with the enumeration of "0" or "1". Use "0" if the individual was not covered during the month. Use "1" if the individual was covered for at least one day of the month.
<i>MarchInd</i>	Line 23-28(e)	DigitBooleanType	string enumerations: "0" or "1"	0	1	Optional	If the individual was not covered for all months, include this element with the enumeration of "0" or "1". Use "0" if the individual was not covered during the month. Use "1" if the individual was covered for at least one day of the month.
<i>AprilInd</i>	Line 23-28(e)	DigitBooleanType	string enumerations: "0" or "1"	0	1	Optional	If the individual was not covered for all months, include this element with the enumeration of "0" or "1". Use "0" if the individual was not covered during the month. Use "1" if the individual was covered for at least one day of the month.
<i>MayInd</i>	Line 23-28(e)	DigitBooleanType	string enumerations: "0" or "1"	0	1	Optional	If the individual was not covered for all months, include this element with the enumeration of "0" or "1". Use "0" if the individual was not covered during the month. Use "1" if the individual was covered for at least one day of the month.
<i>JuneInd</i>	Line 23-28(e)	DigitBooleanType	string enumerations: "0" or "1"	0	1	Optional	If the individual was not covered for all months, include this element with the enumeration of "0" or "1". Use "0" if the individual was not covered during the month. Use "1" if the individual was covered for at least one day of the month.
<i>JulyInd</i>	Line 23-28(e)	DigitBooleanType	string enumerations: "0" or "1"	0	1	Optional	If the individual was not covered for all months, include this element with the enumeration of "0" or "1". Use "0" if the individual was not covered during the month. Use "1" if the individual was covered for at least one day of the month.
<i>AugustInd</i>	Line 23-28(e)	DigitBooleanType	string enumerations: "0" or "1"	0	1	Optional	If the individual was not covered for all months, include this element with the enumeration of "0" or "1". Use "0" if the individual was not covered during the month. Use "1" if the individual was covered for at least one day of the month.
<i>SeptemberInd</i>	Line 23-28(e)	DigitBooleanType	string enumerations: "0" or "1"	0	1	Optional	If the individual was not covered for all months, include this element with the enumeration of "0" or "1". Use "0" if the individual was not covered during the month. Use "1" if the individual was covered for at least one day of the month.

<i>OctoberInd</i>	Line 23-28(e)	DigitBooleanType	string enumerations: "0" or "1"	0	1	Optional	If the individual was not covered for all months, include this element with the enumeration of "0" or "1". Use "0" if the individual was not covered during the month. Use "1" if the individual was covered for at least one day of the month.
<i>NovemberInd</i>	Line 23-28(e)	DigitBooleanType	string enumerations: "0" or "1"	0	1	Optional	If the individual was not covered for all months, include this element with the enumeration of "0" or "1". Use "0" if the individual was not covered during the month. Use "1" if the individual was covered for at least one day of the month.
<i>DecemberInd</i>	Line 23-28(e)	DigitBooleanType	string enumerations: "0" or "1"	0	1	Optional	If the individual was not covered for all months, include this element with the enumeration of "0" or "1". Use "0" if the individual was not covered during the month. Use "1" if the individual was covered for at least one day of the month.
<i>recordType</i>	N/A	string	string	1	1	Required	The underlying COTS product requires the <i>recordType</i> and <i>lineNum</i> attributes for every record in the file. These attributes are constants:
<i>lineNum</i>	N/A	integer	integer	1	1	Required	<i>recordType</i> = "" <i>lineNum</i> = "0"

Depending on the developmental tool used there may be a compatibility issue and the displayed results may differ with the filing patterns shown.